

OHIO STATE
UNIVERSITY
FEB 6 1931
LIBRARY


Electrical Contracting

February 1931


With Which Is Incorporated
The Electragist

COMPLETENESS

6 COMPLETE WIRING SYSTEMS



and
FITTINGS



and
WIRES
and
CABLES

for EVERY CONCEIVABLE REQUIREMENT

National Electric Products Corporation
National Metal Molding Division • Pittsburgh, Penna.



JEFFERSON UNION RENEWABLE FUSES



New Ferrule Type Union Renewable Fuse.
Besides the link there are only three parts—
casing and two one-piece end caps.



Knife-blade type
Union Renewable
Fuse

NEW HANDY FUSE WRENCH



The handiest tool for tightening and loosening ferrule type renewable fuse caps. Comfortably-sized each end—one for fuses of 1 to 30 amp., 250 volt size; the other for 31 to 60 volt size, and 1 to 30 amp., 250 volt, and 1 to 30 amp., 600 volt. Your wholesaler has it.

SAVE

..IN RENEWAL TIME
..IN YEARLY FUSE COSTS

To all outward appearances, renewable fuses may look alike. It's what's inside that makes the difference. Take the new ferrule type Union Renewable Fuse, for example. It has no loose washers or end plugs. The end caps are one piece, assuring positive contact with the fuse clips. Venting is through the end caps—not the threads. Both ends are open for inspection and cleaning. The link is slightly rounded at ends for quick, easy insertion. Too, it is supplied bent at one end for automatic length adjustment and perfect fit, is held diagonally in the heavy horn fibre casing. It cannot be put in any other way. It cannot touch or char the fibre. These hidden features of superiority assure long fuse life, quicker renewals, lower yearly fuse costs.



The knife-blade type Union Renewable Fuse gives the same full measure of savings in renewal time and fuse costs. When a knife-blade type fuse "blows", the simplified design and minimum number of parts make insertion of a new link but a matter of seconds—less "time out" for both men and machines. Simply remove one end cap. The other cap remains on the knife-blade. The notched ends of the links permit speedy renewals when studs are only slightly loosened. And the rugged construction, together with an exclusive method of venting through the fibre, insures continuous use after repeated blowouts.

On your next order it will pay you to specify Union Renewable Fuses because they give better and longer service at less cost.

IT PAYS TO
SPECIFY "UNIONS"

JEFFERSON ELECTRIC COMPANY

1503 W. 15th Street, Chicago, Ill.

(A-1019R)

Electrical Contracting

VOLUME 30

With which is incorporated The Electragist

NUMBER 4

CONTENTS FOR FEBRUARY, 1931

John Wise	5
How Contractors Sell	6
Ventilation Increases Growth of Business 20%	8
How to Prepare Accurate Estimates by Ray Ashley	10
Motor Horsepower and Speed Ratings	13
Soliciting Motor Repair Business by Tom Masterson	14
Carbon Brush Room Confines Dust by J. Roland Stolzenbach	16
Facts	17
Birmingham Cooperates by D. B. Clayton	21
Opportunities to Specialize in Telephone and Signal Wiring	22
Editorials	24
Code Chats	26
A.E.I. Activities	30
Contracting News	34
Suggested Resale Prices	37
Practical Methods	102
Manufacturers' News	110
Index to Advertisers	114

Resale Price News

Only slight price changes were made during the past month in electrical materials and equipment. Minor price changes were noted in:

Brackets for insulators
Weather-proof receptacles and plugs
Attachment plugs
Receptacle plates and plugs
Receptacle caps and plugs
Tape

Pound prices on magnet wire have been reduced because of the lower base price now in effect on this wire.

Additions to the listings include: Universal rack units; Findlay numbers to listing of single point screw brackets; wireholders with insulators; flat cross-arm braces; reducing washers; some G.E. cord and motor connectors; small size P type threaded conduit fittings; weather-proof receptacles and plugs; Paine adjustable pipe hangers, and outdoor meter boxes.

Slight price reductions have been made in carriage bolts and machine bolts and price increases were made on some numbers of Arrow cord and motor connectors.

Published Monthly by

ELECTRICAL TRADE PUBLISHING COMPANY

HOWARD EHRLICH, President

CHARLES W. FORBRICH, Vice-Pres. EDGAR KOBAK, Sec.-Treas.
520 NORTH MICHIGAN AVENUE, CHICAGO, ILLINOIS

Entered as second class matter November 14, 1928, at the post office at Chicago, Illinois, under the Act of March 3, 1879. Copyright, 1930, by The Electrical Trade Publishing Company. Yearly subscription: United States, \$2.00; Foreign, including Canada, \$2.50. Single copies, 20 cents.

Member Audit Bureau of Circulations and National Publishers' Association. Also Publishers of *The Jobber's Salesman* and *Mill Supplies*.



S. B. WILLIAMS
Editor and General Manager

VICTOR A. HANSON
Managing Editor

WALTER HOLMES
Eastern Field Editor

COIT A. SMITH
Western Field Editor

CHICAGO

William B. Heaps, Manager
520 North Michigan Avenue
Whitehall 4621

NEW YORK

A. R. Carrington, Jr., Manager
280 Madison Avenue
Caledonia 9031-9032

CLEVELAND

Geo. E. Pomeroy, Manager
Rockefeller Building
Cherry 2440

*The Greenway Apartments,
Forest Hills, New York*

*Benjamin Braunstein
Architect*

*The Elite Electric Co.,
Electrical Contractors*



With an Edwards Telephone Switchboard and other fine appointments

The Lobby Will Sell the Apartment

THIS photo only tells half the story. Here is what has gone before . . .

Edwards was called in when this apartment was all on paper.

A beautiful cabinet was imported from Europe to harmonize with the rich Jacobean scheme of decoration and furnishings being planned.

Edwards was commissioned to build into the cabinet, a standard 99 lamp signal telephone switchboard to provide faultless intercommunication.

The striking results achieved by Edwards craftsmen is significant of Edwards ability and Edwards fifty-nine years as signaling specialists.

You, too, will find Edwards profitable consultants wherever signaling is concerned.

EDWARDS and COMPANY
INC.

140th and Exterior Sts.

New York City

Universal Distribution and Offices in Principal Cities

A Challenge to the Manufacturer

DOES the development of the use of electricity demand the introduction of new and lower cost wiring methods? The public utilities claim that it does and in answer to this suggestion, a number of lower cost methods are being tried out.

What are the manufacturers of commonly used wiring devices going to do about it? Are they going to wait, as they have in the past, for a new method to be proposed and then to fight it? Seldom has this method been tried with any success. And each time it has been tried it has left a very bitter taste.

ELECTRICAL CONTRACTING holds no brief against the development of new and improved wiring methods. In fact, where they will serve to advance the use of electric energy with safety we welcome them.

• • •

ON the other hand, ELECTRICAL CONTRACTING greatly deplores these battles over new methods because they almost invariably result in a fresh attack upon the National Electrical Code standards by those interests which would like to see the Code exist in skeleton form only.

At the present time the Code recognizes a number of wiring methods. Are they worth while? What are their advantages? Why should the industry hesitate to approve anything less safe?

This is a challenge to the manufacturers to do a selling job. To date the selling has been by the individual

manufacturer in competition with a similar product made by someone else.


Nobody has sold the wiring method itself to the electrical industry. The manufacturers have taken it for granted that the industry knew why present wiring methods were desirable when, as a matter of fact, the utilities, through their propaganda for lower cost wiring, are raising doubts in people's minds.

The manufacturers of conduit, armored cable, porcelain, loom, sheathed cable and all other methods have, in each group, a very definite job of co-operative selling to do, if they expect to dam the flood of new low cost wiring methods which is coming.

• • •


WHERE a new method is obviously practical, economical and worth while, nothing can or should stop it; but a better understanding and appreciation of present wiring methods will go a long way toward deterring the promotion of less desirable methods.

ELECTRICAL CONTRACTING, speaking in behalf of the electrical contractors of the United States, urges the manufacturers of wiring material to co-operatively tell the industry the advantages and the economies of each wiring method, not defensively but positively and aggressively. The central stations are telling one side of the story. The manufacturers must accept the challenge or the consequences.



For Better Identification... A New Marker on Anaconda A B C

We have registered with the Underwriters a new marker for Anaconda ABC Armored Cable—the well known Anaconda arrowhead, symbol of quality on 65 different wire and cable products.



ANACONDA WIRE & CABLE COMPANY

GENERAL OFFICES: 25 BROADWAY, NEW YORK
CHICAGO OFFICE: 20 NORTH WACKER DRIVE

Sales Offices in Principal Cities

Electrical Contracting

With which is incorporated The Electragist

VOLUME 30

FEBRUARY, 1931

NUMBER 4

The Fellow Who Thought He Couldn't LOSE

By JOHN WISE

The Successful Contractor

THE other day when I was out at the ball-park to check up on any changes, additions or material that would be needed on the lighting job I had done there last summer, I heard a great baseball yarn written by Bozeman Bulgar twenty-five years ago.

It seems there was a pitcher in the old days so good that it got so the opposing batters wouldn't even trouble to swing at his slants. He would simply say: "Well, fellah, I'm gonna slip ya my 'Squizzer'". The batter would yawn and answer: "Oh, never mind," the umpire would roar: "S-t-t-r-r-i-i-k-e!" and so on for nine innings. The Boy Wonder's team won 88 straight games without a bat being lifted against him.

But one fine day there stepped up to the plate a big 200 pound gorilla with a face like a horned-toad and half a plug of Horseshoe in each cheek. "Well, fellah," says the invincible pitcher, "I'm gonna feed ya my famous 'Parabola,' whaddya say?" The ape wiped his face on his sleeve, jerked his cap and belted back: "Let the so-and-so come!"

Well, the pitcher nearly

fainted, but he couldn't refuse, so he let fly with his Parabola. But it had been so long since he had really pitched to a batter that he had lost all his stuff. The gorilla knocked the ball out of the lot and the batters who followed took heart and slammed the Boy Wonder out of baseball.

Which is exactly what happened across the river to a contractor who had been getting all of the large wiring jobs in his bailiwick for so long that nobody would make any serious effort to bid against him. So when this Rock-tower Hotel job broke, he just took things easy and acted independent-like, as usual.

But up jumped the devil, in the shape of a go-getting guy from the Heights, who doped out a real job, did a lot of plain and fancy contacting of the owners and builders, and grabbed the contract—and at fair price, too. As soon as that happened the rest of the gang got back their courage.

Believe me, I'm taking this lesson to heart, because it shows that no contractor can be sure he has anything sewed up for keeps. In fact, when it looks like you have a monopoly on some choice work, that's just the time to start worrying about how to hold it.



• HOW CONTRA

GOLF COURSE LIGHTING

By F. B. GREEN

Green Electric Co., Sioux Falls, S. D.

WHEN the first miniature golf courses were laid out a new field was opened to the electrical contractor, who is the logical person to furnish the lighting. And when a contractor signed up for his first job of this kind he could do one of two things. He could do the job and go back to his regular work, forgetting the golf stuff unless another job fell in his lap.



Or he could make up his mind that he was going to get many more of these jobs by seeking other prospects and selling his particular method of installation. While wiring our first course, we made a real study of the situation and decided to go deeper.

While working on our second course installation we got the idea of building a course of our own where we could work out a perfect installation which would serve as an advertisement and a means of demonstrating the methods resulting from our studies. So we erected a course at Watertown, S. D., as we operate in a wide radius around Sioux Falls and knew this course would be seen by many prospects from other communities.

Without waiting for breaks or good weather we immediately started to sell golf course lighting on the basis of our experience and the economy resulting both through new methods and properly laid out installations. The result is we have recently completed four inside courses in Sioux Falls and have signed up to light three outside layouts as soon as the weather permits.

INDUSTRIAL MAINTENANCE

By E. J. THER

Ther Electric & Machine Works, Chicago, Ill.

WE have been in the electrical maintenance and motor repair business fifteen years, and the cumulative experience we have gained prompts us to emphasize service as the important factor in building up our business.

By service we do not mean our ability to arrive at a customer's plant at breakneck speed in the event of a breakdown, but rather in the rendering of a creative service that helps to forestall expensive breakdowns. The attitude on the part of industrial users is to use their existing equipment up to and beyond the rated capacity. The development of new electrical equipment

and devices offers the industrial contractor a chance to point out to such industrial users the value of modernizing their electrical equipment, thus effecting economies in labor, power, and losses through breakdowns.

As an example, one of our customers developed a machine well suited to their production requirements, but not fully efficient because the electrical energy operating it was not fully controlled. As a result gears were being stripped, causing avoidable delays, and expenditures. By going over this machine thoroughly we found it practical to install what might be called limit switches. This resulted in the solution of the gear stripping problem our customer was experiencing and was one instance of service that we like to give, it invariably results in building confidence in our ability to cope with the electrical problems of our customers.

Our motor repair department is a large part of our business. Through it we determine and recognize at once many unusual and particularly troublesome electrical faults of motors, control apparatus, etc. If these faults cannot be corrected new equipment is installed giving us a profit on the sale.



Our electrical maintenance and installation service takes us into plants of all sizes and to all types of industry. Some of our customers prefer to have their work done on a yearly contract basis, placing all the responsibility of electrical maintenance with us. In such instances we make periodic check-ups of the equipment in those plants, install new equipment as the need for it arrives, and take care of any other service our customer requires. For instance, we have made installations of V-Belt drives where we felt such equipment could be used to replace other types of drives economically and efficiently.

COMMERCIAL FIXTURES

By D. J. JOHNSON

Jefferson Electric Co., Chicago, Ill.

OPPORTUNITIES for electrical contractors to sell their services and equipment exist today just as they ever did. What contractors need to do to cash in on them is to continually keep building up an attitude to cultivate such opportunities as they present themselves in the course of their business activities. As an example, an opportunity presented itself to me to increase my sales of commercial glassware fixtures.

A few months ago I started to do some wiring work for a construction company which was engaged in selling complete store installations to bakers, confectionery

Electrical Contracting, February, 1931

TRACTORS SELL •

and delicatessen stores. It also happened that this company had another firm install the commercial glassware fixtures. Right there we decided that on the next job we will be prepared to sell the idea of better service to the customer if we do the complete job of wiring and fixture installations. To make sure of landing the business we presented samples of the latest units.



We were able to convince our customer that we could give greater service to him by combining the wiring and fixture installations to be made by us. As time went on another opportunity presented itself. This company was preparing a model exhibit of all the equipment a modern store should have, thereby making it easy for a prospect to decide on the equipment he will want by seeing in one place what is on display. As soon as we heard of the plans for such an exhibit we offered to install and properly maintain the fixtures and electrical equipment on exhibit. This meant an expense that the average contractor may not feel justified to undertake, but in view of the results obtained we are well pleased. It has resulted in the increase of our fixture business by 75 per cent.

REMODELING

By H. E. LEASURE

Frank Leasure Co., Inc., Chicago, Ill.

REMODELING work has no business peaks and is practically free from seasonal depressions. It is, therefore, an ideal subject for specialization. We have found that specialization in remodeling permits the building up of an organization with which efficient work can be done at a satisfactory price to the consumer and profitably enough for the electrical contractor. An organization undertaking a general run of remodeling work can lose money on the job or make the cost of the job too high through inexperience.



Most of our remodeling work comes to us from customers for whom we have previously done work, such as building management concerns and individual companies. In other words, the confidence of our customers has been built up over a long period of time through actual demonstration of our ability to handle remodeling work. To improve our efficiency in this work we continually study the peculiar structural differences of the buildings.

Electrical Contracting, February, 1931

We have found that in remodeling work we are forced to carry in stock small parts of equipment and supplies of different makes to enable us in making additions, repairs or alterations to install the same kind or make of equipment that is used in such places.

Another help in improving and selling our services is a scrapbook for recording special installations we make which may be duplicated in another location. Such a record simplifies the procedure of going after the additional work and at the same time it gives us a good record of costs of material and labor.

On most telephone and signal installations we make we keep a complete diagram of the hookup. Thus we can work under the principle that if a job is once ours it is always ours, for we are continually demonstrating our superior ability to modernize and maintain that job.

CONTROL EQUIPMENT

By R. T. HYRE

Hyre Electric Co., Chicago, Ill.



SELLING the application of control equipment necessitates actual demonstration in order that our prospect may think of its practical applications in his plant.

The fact that we never overlook the opportunity to make one of these demonstrations brings us a considerable amount of control business. A typical opportunity presented itself to us to demonstrate remote control equipment to a gathering of printing plant men one evening recently. An opportunity to dramatize remote control equipment was made possible by the fact that the meeting was held in an office building across the street from our place of business. We arranged to have an exhibit at the meeting next to a window. It consisted of a push button switch with the words underneath, "For remote control try this", by "HYRE, YOUR RESPONSIBLE ELECTRICISTS." Outside of the window we mounted a one thousand watt projector which was focused downward in the direction of our place of business.

When a person pushed the button the projector would light up pointing downward and that naturally prompted the individual to look down below with the result that he saw our place of business flooded with light from within the store and shop. The push button would be pushed again dimming the projector light and the person noticed that at the same time all the lights went out in our place of business down below. To create more interest we had some of the spectators place their hands in front (Continued on page 97)

VENTILATION

Increases Growth of Business 20%


SPECIALIZATION

Case Study No. 1

"**B**ACK in 1919 when competition for general wiring business was getting keen in Chicago, we decided that we should select one line, preferably a line that offered good sales possibilities, and do an outstanding job so that we would be recognized as authorities in the field." That, according to J. J. Sahula and J. J. Soustek is the how and why the Okeh Electric Co., started specializing in the ventilating field.

Electric ventilating fans in their opinion offered the best field, as there were great possibilities for selling and there are still great opportunities for contractors who will go out and sell. There are many installations in operation now, but they are aware of the fact that only a small percent of the possible installations have been made. The field is still far from saturated.

Along with their ventilating work this firm has continued doing industrial and commercial wiring. These two fields have dove-tailed together with excellent results, for example, when they are called on to make an installation of a ventilating fan, they take that opportunity to tell their client about additional wiring which he should have done, and vice-versa, when they are on a job doing wiring, they tell the clients of the benefits of an efficient ventilating system.



Offices form one of the best fields in which to sell ventilation. The sales talks in selling offices are based on the possibilities of increasing production with fresh air.

Working these two lines together as they have, the increased business this specializing has brought them is conservatively estimated at 20 percent. By this it is not meant that their total volume of business has only increased 20 percent since they started specializing, but that by specializing they have had 20 percent more business than they could have normally expected.

No imagination is needed to estimate what this has meant on "the right side of the ledger". Their overhead expenses have remained almost the same and by specializing and using a little salesmanship the additional volume, to use their term, "has been almost all velvet".

By specializing this firm has considerably increased the size of the jobs handled. Previously, when they were called in to do a \$500 wiring job it meant \$500 and no more, but now they are able



Industrials offer splendid opportunities in ventilation. When doing regular work on an industrial job the possibilities for ventilation are always studied by the Okeh men with a view to selling a system to be installed while the men are on the job.



When a ventilating system is sold the salesman gets all of the dimensions thus eliminating a second trip.

to run the job up to \$700 or more by telling the customer the advantages of good ventilation.

The wiremen employed by this firm are also specialists. They have made so many installations that they are almost able to do them with their eyes closed now. A system has been worked out which enables the wiremen to do the work very efficiently. At the same time the fan is sold, measurements are taken so that it isn't necessary to send another man out to figure how the installation should be made. A nearby carpenter shop or sheet metal shop makes up a panel from these measurements. This way when the wireman goes on the job he has everything ready to complete it in a hurry.

Special fastening brackets are sometimes necessary and when they are, they too are made up before the wireman goes to the job. The mechanics have also been trained to study ventilating conditions and recommend ventilation installations when working on other classes of work.

At times they are called on to take a used fan in on a trade-in by a customer who wants a new style or larger sized one. Incidentally, that is the only time in which a second-hand fan is brought into the shop, as they are not interested in buying and rebuilding second-hand equipment.

The fans, however, taken in on trade are carefully overhauled and rebuilt and sold only when it is necessary to meet a difficult price situation.

Realizing that they can't get out and sell every prospect, they have used considerable direct-mail advertising which has produced some very worthwhile accounts for them. This direct-mail material is sent to a prospect list which they have continually kept up-to-date over a long period of years.

Most of the direct-mail pieces are of the post card character. They do not all deal with ventilation because by selling a prospect an industrial wiring job they open the door for the sale of a ventilating installation. However, all mailing pieces deal in the fact that the firm specializes in ventilation.

Other forms of advertising from which they have received

Electrical Contracting, February, 1931

results have been local directories, such as the classified telephone directory. These, however, have been chosen with care.

Along with this many of their clients have told friends of what good installation O'Keh made for them and consequently much business has come in unsolicited. That is what building a reputation as a specialist will do.

Due to the sales these men have created for manufacturers they get a considerable amount of cooperation from them. The manufacturers, due to their activities in this territory, receive numerous leads to ventilation prospects. Leads in the O'Keh Electric's territory are given O'Keh with the request that they go to the prospect and quote a ready-to-run price.

A considerable amount of this cooperation is due to the fact that they standardize in one manufacturer's product. However, this is not done to the exclusion of other manufacturer's products. Thus when a prospect requests a certain brand, they can quote on it.



Before this firm selected the brand on which to concentrate their efforts, they made sure that it was a dependable product—one which would stand up and be in keeping

When a mechanic goes out to make an installation he takes all of the necessary equipment with him ready to be installed.


with the reputation they wanted to establish for themselves.

The problem of service has not demanded much of their attention: Only minor repair jobs have been necessary. But when a customer does call up for service, a man is sent out as soon as possible. They realize the value of a satisfied customer and do everything they can to keep their customers satisfied.

When repair work is necessary charges are made on a basis of time and material, as a flat rate basis would not be practical due to the various types of repairs required. A man that is sent out to do repair work keeps his eyes open for other wiring work that could be sold to the customer. These leads are given to one of the partners and he goes out and sells the job.

Specialization has built considerable good-will for the O'Keh Electric Co. They are careful to do the best kind of a job they

(Continued on page 96)



O'KEH ELECTRIC CO.
INDUSTRIAL ELECTRICAL CONTRACTORS
AND ENGINEERS
POWER LIGHTING AND ALTERATIONS
ELECTRIC VENTILATING A SPECIALTY
Motors and Repairs
317 W. LAKE ST. CHICAGO, ILL.

NOTHING TOO LARGE
OR TOO SMALL

to receive our most careful attention in armature re-winding. We repair, re-wind and re-build motors, generators, switchboards, field coils, etc. Our men are experienced mechanics in this line and we are organized to do efficient work and equipped to operate economically

•ELECTRIC VENTILATING AND ALTERATIONS
AND ENGINEERS
ELECTRIC VENTILATING A SPECIALTY
Motors and Repairs
317 W. LAKE ST. CHICAGO, ILL.

•ELECTRIC VENTILATING AND ALTERATIONS
AND ENGINEERS
ELECTRIC VENTILATING A SPECIALTY
Motors and Repairs
317 W. LAKE ST. CHICAGO, ILL.

Considerable direct-by-mail advertising is done, all of which ties in the fact that this firm specializes in ventilation.

How to Prepare A

ESTIMATE TO: GRANT PARK CONST CO.		ADDRESS: 319 E. POLK ST.	DATE: 12-19-30
ARCH. OR ENG. HENRY WORTH		ADDRESS: 4723 OCEAN ST.	SHEET NO. 7
NAME OF BLDG. CITY TRUST CO. BLDG.		ADDRESS: 17 So. MONROE ST.	
BANK STORE & OFFICE BLDG.		W.M. CARROL	R. H. S.

- PLANS -		③ SWITCHES & RECEPTS.	PG. 3
SET NO. 7	"MARKED"	④ SWITCHBOARDS	507
SHEETS { E1 to E7	DATED 4-10-30	⑤ LODGE HALL SPEC. EQUIP.	8
{ M1 to M3	" 4-12-30	⑥ METERING EQUIP.	10
LAST REVISION DATE	ON ALL SHEETS	⑦ METERS FURN. BY CONTR.	11
	4-20-30	⑧ FEEDERS	12
SCALE 1/8" = 1'-0"		⑨ POWER BRANCH WIRING	14
5 FLOORS & BASEMENT		⑩ POWER ADDENDA	#1
(BSMT. 18,900 SQ. FT.)	TOTAL	⑪ SPECIAL X-RAY EQUIP.	16
1ST FLR. 18,900 " "	AREA	⑫ PUBLIC TELEPHONE	17
APPROX AREA 2ND FLR. 18,700 " "	90,100	⑬ INTER COMM. PHONES	17
3RD FLR. 11,200 " "	SQ. FT.	⑭ CLOCKS	18
4TH & 5TH FLR. 22,400		⑮ A. D. T.	19
CONSTRUCTION { CONC. FLRS REM. TYP. PAN		⑯ TEMPORARY WIRING	20
{ WIRE LATHE & R. & BOT. & J. BOX		⑰ BOND REQUIRED	22
PENCIL NOTATIONS - NONE		ADDENDA #1	
- SPECIFICATIONS - "MARKED"		⑱ INTER COMM PHONE	23
SET #10	DATED 10-13-30	⑲ ANNUNCIATOR SYSTEM	23
	NO REVISION DATE	⑳ ALTERNATE BID #1	24
SHEETS 1 TO 22 INCL.		ON PLANS	
ADDENDUM NO. 1 SHEET NO. 7 DATED 11-1-30		㉑ PROVIDE SPECIAL COVE. L.T.S.	#1
		㉒ INSTALL PIT UNDER SW. B.R.D.	
① CONDUIT - GALV	PG. 3		
② WIRE - 30% UNIVERSAL	PG. 3		

How a title sheet should be used. This sheet should be prepared as soon as the preliminary examination of the plans and specifications is made.

MANY men have started estimating, reached their zenith, and outlived their usefulness as estimators, without having learned the proper methods of keeping data on plans and specifications. No estimator can doubt the importance of such data, but the fact that many find the recording of it an irksome task, causes much laxity in a very critical branch of estimating.

One's anxiety to get started on the actual compiling of quantities should not cause delay in making out his so called "Title Sheet." As soon as the preliminary examination of plans and specifications is made, this sheet should be prepared.

The records of greatest value in connection with the plans are the following:

1. Set number (if any)
2. Number of sheets in set
3. Dates of sheets
4. Latest revision date (if any)
5. Scale.

The plans should be marked so that future identification will be easy. This marking should bear the name of the contracting company, the date at the time of estimating and the initials of the estimator. It will be observed that on the accompanying illustration of the title sheet there is the notation "Marked" opposite the set number.

This is the estimator's positive record that the plans have the proper markings. The importance of having plans marked is increased when there is neither a set number nor date.

If there is no revision date on the plans, the fact should be recorded, thus indicating that revision dates have not been overlooked.

In addition to the above records one should add:

6. The number of floors
7. The area of floors
8. The total floor area of the building
9. The construction of the building
10. The ceiling heights
11. Other things peculiar to the particular building.

All of these items have a direct bearing on the labor cost of the job, besides being valuable for checking the completed estimate and in compiling information for preliminary estimates on similar jobs. In many cases it is advisable to make a sketch showing the dimensions and floor layout of the building.

All other things being equal, the cost of installing electrical work is higher for buildings with the floor layouts shown in the accompanying sketch than it would be for a rectangular building of the same square feet area.

The notes on the plans which constitute part of the

Accurate Estimates

The second of a series of articles showing a successful method of estimating which is extremely comprehensive, yet easy to check or revise. The previous article explained numerous forms necessary in preparing estimates of large or small jobs

By **RAY ASHLEY**
Chief Estimator and Engineer
Electrical Survey Bureau, Inc., Chicago

specifications should be listed with the regular specification notes.

Notations in acid ink, or pencil should be recorded. The estimate is at times materially affected by such markings.

Where a central bureau is figuring work or when an electrical contractor is figuring for general contractors it is in most cases advisable to figure the work in accordance with the original plans and specifications, and make up a separate estimate covering the pencil notations. The origin of such notes is sometimes very mysterious, besides there is a great variation in the way different plans on the same job are marked. An estimate based on the original plans and specifications gives a definite basis to start from.

The section of the "Title Sheet" covering the specifications should also have the set number of specifications, date, number of sheets, and a record of any revision dates. The markings for future identification should be the same as those used on the plans. All addenda should be handled in the same way.

The first reading of the specifications cannot be done too carefully. As one reads them, notes should be made as shown in the illustration of the title sheet. These notes serve two purposes, first as a means for the estimator to check his job, and secondly as an index.

Experience has shown that the estimators who have the fewest omissions are the ones who have the most carefully selected notes. The compiling of these notes should be done as soon as one has carefully examined the plans. One careful reading may suffice. By referring to his notes a person need only reread parts which the notes do not make clear.

In order to understand the specifications, it is necessary to study the plans while reading them. The items which should have been shown on the plans, but are spe-

cified only, should be taken care of by making the proper notations on the plans. A specification for a store and office building may specify a 2,000 watt sign outlet over the entrance to each store; with nothing on the plan to indicate same. In such a case the estimator should mark the outlet over each store entrance and designate the proper wattage. By doing this the sign outlets will be figured with the other store outlets and not overlooked until the specification notes are checked.


It is often advantageous to look up any special equipment that is specified as the study of plans and specifications progresses. Sketches representing arrangement of equipment may also be helpful. It is to the estimator's advantage to get as much of a mental picture of the job as possible before he starts the actual estimating.

Each note should be numbered and have the paragraph or page which contains the item covered, clearly shown. It is very often helpful and advisable to put the note number on the specification. Especially if it is going to be necessary to reread that particular part, or if an important item is surrounded by superfluous wording, covering things which any contractor would take for granted.

In the accompanying illustration of a section of typical specifications, the sentence marked with (8) has a very important bearing on the estimate, but is buried in a part

ESTIMATE																																																																																																																												
No. _____																																																																																																																												
DATE _____																																																																																																																												
JOB OR BILL NO. _____																																																																																																																												
LOCATION _____																																																																																																																												
ARCHITECT _____																																																																																																																												
ADDRESS _____																																																																																																																												
ENGINEER _____																																																																																																																												
ADDRESS _____																																																																																																																												
OWNER _____																																																																																																																												
BID TO ARCHT. ENGR. OWNER SEE NO. PHONE																																																																																																																												
BID TO BE IN BY _____																																																																																																																												
PLANS: _____																																																																																																																												
BY _____																																																																																																																												
DATE _____																																																																																																																												
SPECIFICATION NO. _____																																																																																																																												
DATE _____																																																																																																																												
PAGE NO. _____																																																																																																																												
INTERFERED ON PAGE _____																																																																																																																												
CORRECTED ON PAGE _____																																																																																																																												
INSERT AT PAGE _____																																																																																																																												
ADDRESS NO. _____																																																																																																																												
AREA _____																																																																																																																												
EIGHTH OF BLOCK _____																																																																																																																												
EIGHTH OF FLOORS _____																																																																																																																												
No. OF FLOORS _____																																																																																																																												
BUILDING _____																																																																																																																												
SPECIFICATION REQUIREMENTS																																																																																																																												
<table border="1"> <thead> <tr> <th>ITEMS</th> <th>QUANTITY</th> <th>UNIT</th> <th>PRICE</th> <th>TOTAL</th> </tr> </thead> <tbody> <tr> <td>WIRING</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>CONDUIT</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>BOXES</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>SWITCHES</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>OUTLETS</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>TELEPHONE</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>ALARM</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>STAIRS</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>ELEVATOR</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>WATER</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>SEWER</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>PLUMBING</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>PAINT</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>GLASS</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>IRON</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>COPPER</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>LEAD</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>ZINC</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>STEEL</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>BRASS</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>ALUMINUM</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>OTHER</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>										ITEMS	QUANTITY	UNIT	PRICE	TOTAL	WIRING					CONDUIT					BOXES					SWITCHES					OUTLETS					TELEPHONE					ALARM					STAIRS					ELEVATOR					WATER					SEWER					PLUMBING					PAINT					GLASS					IRON					COPPER					LEAD					ZINC					STEEL					BRASS					ALUMINUM					OTHER				
ITEMS	QUANTITY	UNIT	PRICE	TOTAL																																																																																																																								
WIRING																																																																																																																												
CONDUIT																																																																																																																												
BOXES																																																																																																																												
SWITCHES																																																																																																																												
OUTLETS																																																																																																																												
TELEPHONE																																																																																																																												
ALARM																																																																																																																												
STAIRS																																																																																																																												
ELEVATOR																																																																																																																												
WATER																																																																																																																												
SEWER																																																																																																																												
PLUMBING																																																																																																																												
PAINT																																																																																																																												
GLASS																																																																																																																												
IRON																																																																																																																												
COPPER																																																																																																																												
LEAD																																																																																																																												
ZINC																																																																																																																												
STEEL																																																																																																																												
BRASS																																																																																																																												
ALUMINUM																																																																																																																												
OTHER																																																																																																																												
REMARKS _____																																																																																																																												

A type of form used for title sheet which is already set up for indexing equipment.



Sketch showing estimator's interpretation of specifications covering the installation of two circuits per bay with a box in ceiling for future extension to outlets with oval duct. These sketches are often helpful in getting a mental picture of the job before estimating.

of the specification where it could be easily overlooked. The marginal note uncovers this important sentence.

The important things in the notes should stand out so that they can be easily found. In making a note covering the furnishing and installing of lamps, the note should be (21) Lamps—Furnish and Install P. 14, and not (21) furnish and install lamps—P. 14.

As each part of the estimate is completed, all notes which are completely covered in that part should be checked off. If any omissions occur they may be sup-


The note covering the bond is not checked until the figure is completed. By the time the entire estimate is completed all notes will be checked off.

Although these records when checked off have served their purpose in connection with the estimating, they still have great value. The time lapsing between the date when the job is figured and when the contractor is called in for negotiations may be very great. The estimator's notes will serve to refresh his memory on the work involved.

After a job is awarded one is able to use this sheet throughout the life of the contract. It is useful in the office and a copy sent to the job foreman can be used to a great advantage. It should be bound on top of the remainder of the estimate, thereby covering up all figures. If one has occasion to take his estimate out of the office, it is sometimes important to keep all figures covered. The notes should also be readily accessible.

Too much emphasis cannot be placed on the value of a good "Title Sheet" and the estimator who has confidence in his notes has confidence in the completeness of his work.

This article concludes the preliminary material in laying out an estimating system. How to handle the actual estimating of lighting branch wiring including the taking off of materials and the listing quantities will be covered in the next issue of ELECTRICAL CONTRACTING.




Section of typical specifications in which an important sentence is placed where it could be easily overlooked.

plied before the estimator goes on to the next section of the job.

When the branch wiring is listed all notes pertaining to wall switches and receptacles may be checked off. The notes covering the kind of conduit and wire remain unchecked until the feeders and other branches requiring wire and conduit are listed.

It is frequently advisable to make a sketch showing the dimensions and floor layout of the building.



MOTOR Ratings

HORSEPOWER and SPEED



(Synchronous—Continued)

STANDARD horsepower and speed ratings for motors as given by the National Electrical Manufacturers' Association. Horsepower and speed ratings for small a.c. and d.c. motors and large d.c. and single-phase motors appeared in the January issue of Electrical Contracting.

LARGE POWER MOTORS

Synchronous

Standard horsepower and speed ratings for open type continuous duty general purpose, 60 cycle, synchronous motors.

Hp.	REVOLUTIONS PER MINUTE											
20
25
30
40
50
60
75
100
125
150
200

Standard horsepower and speed ratings for 60 cycle engine type 100 per cent power factor synchronous motors for direct driving of air compressors and ammonia compressors.

No. of Poles	60	56	52	48	44	40	36	32	28	26	24	22	20	18	16
Hp.	REVOLUTIONS PER MINUTE														
20
25
30
40
50
60
75
100
125
150
200

NOTE—Motors in the above table are to be rated at 50 deg. C. rise for continuous operation.

Standard horsepower and speed ratings for 60 cycle, engine type, 80 per cent power factor, synchronous motors for direct driving of air compressors and ammonia compressors.

No. of Poles	72	66	60	56	52	48	44	40	36	32	28	26	24	22	20
Hp.	REVOLUTIONS PER MINUTE														
100
125
150
175
200
225
250
300
350
400
450
500
600
700
800

NOTE—Motors in the above table are to be rated at 50 deg. C. rise for continuous operation.

Standard horsepower and speed ratings for 50 cycle, engine type, 100 per cent power factor synchronous motors for direct driving of air compressors and ammonia compressors.

No. of Poles	56	52	48	44	40	36	32	28	26	24	22	20	18	16	14
Hp.	REVOLUTIONS PER MINUTE														
20
25
30
40
50
60
75
100
125
150
175
200
225
250
300
350
400
450
500
600

NOTE—Motors in the above table are to be rated at 50 deg. C. rise for continuous operation.

Standard horsepower and speed ratings for 25 cycle, engine type, 100 per cent power factor, synchronous motors for direct driving of air compressors and ammonia compressors.

No. of Poles	30	28	26	24	22	20	18	16	14	12	10	8	6
Output Hp.	REVOLUTIONS PER MINUTE												
20
25
30
40
50
60
75
100
125
150
175
200
225
250
300
350
400
450
500
600

NOTE—Motors in the above table are to be rated at 50 deg. C. rise for continuous operation.

LARGE POWER MOTORS

Polyphase Induction

Standard horsepower and speed ratings for open and semi-enclosed continuous duty constant speed motors.

		FOR GENERAL APPLICATION											
Cycles	60	60	60	60	60	60	25	25	25	25	25	25	25
No. of Poles	4	6	8	10	12	16	2	4	6	8	10	12	16
Hp.	R.p.m.												
1/2
3/4
1
1 1/2
2
3
4
5
7 1/2
10
15
20
25
30
40
50
60
75
100
125
150
200

*NOTE—The 1,500 R.p.m. ratings apply to squirrel cage Motors only.



SOLICITING REPAIR



Soliciting motor repair business has a definite place in the selling activities of the industrial specialist. The solicitor makes an intimate contact with the customers, finding opportunities for additional business, improving service and building customer confidence

Frequent calls on a large number of industrials and motor users is the first step in securing motor repair business. The solicitor should have a call book, in which are the names of every motor user in the territory he covers. These names can often be secured from the local power company. By furnishing him with a light delivery truck he can, when necessary, give the customer quick service in the form of pick-up and delivery. Immediate action secures many jobs.

The solicitor must be more than just a salesman. He must know motors and be thoroughly familiar with repair costs. The customer prefers to do business with a man who can set a definite price in advance for the work proposed.



Motor Business


By **TOM MASTERSON**

*Service Solicitor
Penna Electric Repair Co.
Pittsburgh, Pa.*

Samples play an important part in getting additional business. One of the samples always carried by the solicitor is a coil with which he can demonstrate its construction and the quality of material used.



The plant electrician has numerous problems and will appreciate advice and help if properly offered. Such relations between the electrician and solicitor are certainly advantageous to the industrial contractor represented.



The customer likes to see that something has been done to his motor. As the actual repairs are out of sight the exterior of the motor should be cleaned and, if needed, repainted. When the solicitor delivers a nice appearing job, he is helped considerably in getting additional business.




A portion of the brush stock. The room contains a complete stock of standard brushes and another set of similar bins contains a full line sheet carbon, shunts and terminals. It will be noted that everything is stocked in durable steel bins.



Carbon Brush Room

Confines Dust




Drawing showing the layout of the carbon room. This permits efficient workmanship and keeps a clean shop. One man is in charge of this room.


By confining carbon brushes and stock, tools and brush making equipment in a separate room, the dust which is harmful to insulation is kept from spreading throughout the shop. This room also permits more efficient workmanship

By J. ROLAND STOLZENBACH

President, Roland Electric Company,
Baltimore, Md.




The room contains a drill for drilling special made carbon brushes.



The cutter or saw table equipped with a carborundum wheel. It will be noted that this cutter is equipped with a suction fan carrying the carbon dust to a vacuum bag.

All shunts are fastened into brushes by using special tamping tools and compound. This has been found much more efficient than solder, in that it is not affected by heat.




facts

The statistics on these four pages present a clearer conception of the character of the electrical contracting industry than is generally held. It should inspire pride in the contractors and a new respect for the industry in the minds of others.

Electrical Contractor Population Statistics

	No. of Electrical Contractors	Population Per Contractor	Elec'l Consumers Per Contractor	Thousand K.W. Hrs. Per Contractor		No. of Electrical Contractors	Population Per Contractor	Elec'l Consumers Per Contractor	Thousand K.W. Hrs. Per Contractor
Alabama	173	15,291	1,107	9,585	Nebraska	264	5,223	915	1,887
Arizona	104	4,191	655	2,676	Nevada	44	2,067	401	1,001
Arkansas	114	16,092	1,172	1,119	New Hampshire	236	1,971	498	1,298
California	1,645	3,448	1,098	4,955	New Jersey	999	4,032	1,121	2,230
Colorado	206	5,024	1,013	2,499	New Mexico	69	6,191	473	973
Connecticut	599	2,675	698	2,126	New York	3,303	3,821	1,085	3,454
Delaware	50	4,767	867	1,057	North Carolina	299	10,603	825	3,838
Dist. of Columbia....	82	5,937	Included in Maryland		North Dakota	117	5,833	567	896
Florida	348	4,212	743	1,901	Ohio	1,029	6,452	1,487	6,072
Georgia	221	13,132	1,047	5,138	Oklahoma	287	8,334	1,042	3,404
Idaho	74	6,025	1,148	10,867	Oregon	249	3,832	942	4,561
Illinois	1,801	4,224	1,044	4,076	Pennsylvania	2,149	4,486	946	3,746
Indiana	755	4,272	909	3,221	Rhode Island	245	2,840	759	2,664
Iowa	553	4,463	833	2,639	South Carolina	102	16,983	1,168	14,289
Kansas	400	4,699	860	2,499	South Dakota	121	5,709	695	893
Kentucky	280	9,406	1,019	2,365	Tennessee	228	11,422	1,098	4,519
Louisiana	195	10,741	963	5,075	Texas	667	8,727	1,049	4,188
Maine	229	3,492	840	2,493	Utah	109	4,611	1,084	3,689
Maryland	290	5,604	1,191 (Inc. D.C.)	6,647	Vermont	100	3,591	782	4,551
Massachusetts	1,429	2,976	833	1,859	Virginia	243	9,955	989	5,337
Michigan	1,418	3,415	779	3,127	Washington	318	4,912	1,394	7,898
Minnesota	644	3,985	736	1,550	W. Virginia	224	7,716	864	9,526
Mississippi	105	19,121	981	537	Wisconsin	1,066	2,748	582	2,129
Missouri	689	5,255	965	1,768	Wyoming	38	5,910	920	1,609
Montana	94	5,705	927	17,165	U. S. Total.....	25,004	4,907	966	3,597



CLASS A

Annual Volume \$100,000 or over


4½% of the men do 31% of the business

1110 contractors

Average \$175,000 annual volume

They employ an average of 21 men

Office buildings, public buildings, hotels, theatres, large apartments, factories, mill, and warehouses



BREAKDOWN OF THE CRAFT

CLASS B

Annual Volume \$50,000 to \$100,000

10¼% of the men do 25% of the business

2565 contractors

Average \$60,500.00 annual volume

They employ an average of 8 men


Industrial, commercial and large residential



The 25,000 electricians are placed in five classes to show the business and the number of men in each group in order to show the economic picture of the industry. This shows that 80 per cent of the business is done by the men in the five classes. The bulk of the contractors is being done by men of business ability. The figures also show that the men in Class D are the largest contractors of the industry.

CL
Annual Volume
\$
40% of the of
the business
10,000 or more
Average annual
volume
House wiring and
ends

PERCENTAGE of BUSINESS



CLASS C

Annual Volume \$20,000 to \$50,000

21% of the men do 26% of the business

5250 contractors

Average \$30,500 annual volume

They employ an average of 4 men

Industrial, commercial (small) residential and general wiring



CONTRACTING BUSINESS

Contractors have been... to volume of... each group, in... character of the... 80 percent of... 35 per-... words, the... being done... ability. These... ahead of... D & X. From the... will come the... of it.

CL...
I Vol...
of the of
business
or ma...
age annual
me...
wired



CLASS D

Annual Volume \$6,000 to \$20,000

24 1/4% of the men do 10% of the business

6075 contractors

Average about \$10,000

They employ 1 or 2 men

Residential, repairs and general wiring

35% New Building

65% {

Industrial modernization
Industrial maintenance
Floodlighting
Ventilation wiring
Sound systems
Motor repair
Sign wiring

Store window lighting
Refrigeration wiring
Service station lighting
Office lighting
Signal system wiring
Street lighting

Extensions and additions
Alterations
Wiring old buildings
Additional outlets
Range wiring
Oil burner wiring
Radio wiring

Heating wiring
Decorative outdoor lighting
Farm wiring
Airport wiring
Bridge wiring
Ship wiring
Mine wiring
Fire alarms



85% of

Contractors' Purchases

Thru Supply Jobbers

Motor Sales, Installation and Maintenance 49%

Commercial Lighting 47%

Show Window Lighting 41%

Radio Wiring and Service 39%

Industrial Lighting 32%

General Wiring 31%

Floodlighting 29%

Electric Signs 25%

Ventilation 24%

Signalling Systems 18%

Telephone Work 15%

Residence Lighting 5%

Repair Work 3%

Specialization

A questionnaire to 3,000 contractors asking what they would like to specialize in produced the results shown graphically at the left. Below is a partial list of activities in which electrical contractors have been found to be specializing:

Motorization
Commercial lighting
Show window lighting
Radio wiring
Industrial lighting
General wiring
Floodlighting
Electric signs
Ventilation
Signal systems
Telephone work
Repair work
Industrial
Range wiring

Refrigeration
Farm wiring
Street lighting
Public address system
Marine wiring
Bridge wiring
Mine wiring
Large building wiring
Store maintenance
Hospital wiring
Apartment house wiring
Theatre wiring
School wiring
Elevator wiring

Talking movies
Oilburner wiring
Red Seal wiring
Rewiring
Garage wiring
Antenna installation
Radio interference
Appliance repairs
Filling station
Chain store wiring
Garment shop wiring
Church lighting
Outdoor sports lighting
Airport wiring

BIRMINGHAM COOPERATES

By D. B. CLAYTON
Secretary, Jefferson County Chapter of Electricists
Birmingham, Ala

THE Jefferson County Chapter of Electricists has succeeded in getting the cooperation of the Birmingham Electric Co. in establishing a fair price schedule for installing refrigerators, ranges, heaters, fixtures and old house wiring for the utility. These final prices, which are shown in the accompanying tables, are the result of a fairly recent cooperation between the contractors and the utility and show what can be accomplished when both sides will be fair-minded and are willing to discuss openly each other's problems.

At the beginning of 1930 only one or two of the larger contractors were members of the local chapter. About the first of February the balance of the larger contractors agreed to join the local chapter in an effort to correct numerous ills that were effecting the industry as a whole in Birmingham.

On February 17 we had what might properly be called a re-organization meeting, at which time the old officers resigned and new officers were elected to take over the activities of the association. The old officers had been

INSTALLATION PRICES TO BIRMINGHAM ELECTRIC COMPANY FROM JEFFERSON COUNTY CHAPTER ASSOCIATION OF ELECTRICISTS.

Refrigerators, Ranges, Heaters:

Range with new type switch now required and 60 ampere service....	\$50.00
Range with new type switch now required and 100 ampere service....	60.00
Water heater, in addition to range, protected by cutouts only....	20.00
Double throw 60 ampere switch with the range and water heater....	12.00
Meter loop only for refrigerator where two meters are to be used....	11.00
Meter loop and refrigerator receptacle on separate circuit.....	18.00
Circuit and receptacle for refrigerator on present meter.....	9.00

Fixture Hanging:

Hanging Fixtures on existing outlets, first fixture.....	\$2.50
Each additional fixture.....	1.00
Pull chain switch in the canopy of fixture.....	.80
Additional chain, per foot.....	.25
Extension of wiring for outlet, per foot.....	.50
Outlet box installed in present circuit.....	.50
Inspection	1.00

Old House Wiring in One-Story House:

With new type switch and house to be wired in BX:	
Two drops with meter loop.....	\$22.00
Three drops with meter loop.....	25.00
Four drops with meter loop.....	28.00
Five drops with meter loop.....	31.00
Each additional ceiling outlet.....	3.00
Wall switches, each.....	3.00
Convenience outlet, each.....	3.00
Meter loop only.....	11.00
Hanging fixtures, each.....	1.00
Inspection 1 to 20 fixtures.....	1.00

COST AND SELLING PRICES TO THE BIRMINGHAM ELECTRIC CO. ON CAMPAIGN FIXTURES

TYPE— IVANHOE	FIRST FIXTURE		2nd, 3rd, 4th and 5th FIXTURE		6th and OVER FIXTURE	
	Cost	Selling Price	Cost	Selling Price	Cost	Selling Price
MO-633-16" Plain....	\$11.50	\$14.00	\$10.50	\$13.00	\$10.00	\$12.50
MO-587-16" Plain....	10.40	12.90	9.40	11.90	8.90	11.40
MO-741-16" Plain....	9.30	11.80	8.30	10.80	7.80	10.30
M-587-14" Plain....	9.40	11.40	8.40	10.40	7.90	9.90
M-741-14" Plain....	8.35	10.35	7.35	9.35	6.85	8.85

TYPE— GRAYBAR	FIRST FIXTURE		2nd, 3rd, 4th and 5th FIXTURE		6th and Over FIXTURE	
	Cost	Selling Price	Cost	Selling Price	Cost	Selling Price
9930-16" Susp. D-2...	\$11.00	\$13.50	\$10.00	\$12.50	\$9.50	\$12.00
9930-16" Susp. Plain..	9.30	11.80	8.30	10.80	7.80	10.30
9920-14" Susp. D-2...	9.30	11.30	8.30	10.50	7.80	9.80
9920-14" Susp. Plain..	7.95	9.95	6.95	8.95	6.45	8.45
9930-16" Ceil. D-2...	10.60	13.10	9.60	12.10	9.10	11.60
9930-16" Ceil. Plain..	8.95	11.45	7.95	10.45	7.45	9.95
9920-14" Ceil. D-2...	8.95	10.95	7.95	9.95	7.45	9.45
9920-14" Ceil. Plain..	7.50	9.50	6.50	8.50	6.00	8.00

Extra Chain and Wire, per foot.....25c
NOTE:—These prices include Pull Switch, Installation, Inspection, carrying charge and Mazda Lamps.

ITEMS MAY BE LEFT OFF AT FOLLOWING REDUCTIONS:

300 Watt Lamp.....	Deduct—\$1.25
200 Watt Lamp.....	Deduct— .80
Installation and Inspection.....	Deduct— 3.50 (For First Fixture)
Installation, 2nd Fixture and up.....	Deduct— 1.00 (For Each Fixture)
Pull Chain Switch.....	Deduct— .80

500 Watt Lamp may be furnished in 16" Glassware for .75 EXTRA.

in touch with our national headquarters in an effort to have some understanding brought about between the local chapter and the Birmingham Electric Co., who, at that time, were installing all of the larger appliances that they sold, together with fixtures and other similar appliances and apparatus.

So, at this time, the utility asked for a meeting with the contractors to find out what they wanted. This committee reported back to the association and their report gave us the basis of working out with the Birmingham Electric Co. prices to be used until July 1, 1930. These prices were unit prices, at which the association agreed to handle the installation work of the Birmingham Electric Co., or such parts of it as they gave us.

As soon as this activity was under way, we arrived at a unit price on lighting fixtures, which the Birmingham Electric Co. were selling, in order that orders for these fixtures might be turned over to the contractors, allowing them to purchase and install the fixtures, rather than the previous arrangement we had which covered

(Continued on page 108)

Opportunities Telephone and

AIRPORTS

Interior telephone system for Office, Waiting Room, Radio office, Hangar, Repair department, and Control tower.
Call system
Public telephone conduit system
Telegraph conduit system
Watchman's recording system
Fire alarm system
Clock system

APARTMENT HOUSES

Interior telephone system for Office, Suites, Janitor, Laundry, Trade door, and Lobby.
Annunciator system
Mail-box system
Speaking tube system
Public telephone conduit system
Elevator telephone system
Elevator signal system
Clock system
Door openers
Fire alarm system
Watchman's recording system

BANKS

Interior telephone system for Offices, Officials' desks, Tellers' cages, Information, Vault and Clerical departments.
Telegraphic writing system for Tellers' cages, Accounting department, and Filing departments.
Clock system for Bank lobby, Offices, Vault, and Clerical departments.
Emergency alarm system
Guards' call system
Watchman's recorder system
Coupon booth system
Fire alarm system
Automatic vault and building alarm system
Annunciator and code call system
Public telephone conduit system
Telegraph conduit system

CHURCH

Signal system
Automatic fire alarm system

FARMS

Automatic burglar alarm system
Fire alarm system
No voltage alarm system
Brooder and incubator temperature protection system

GARAGES

Interior telephone system for Office, Storage department, Repair department, and Washing department.
Fire alarm system
Public telephone conduit system
Watchman's recording system
Call system

Although older than wiring for light and power, telephone and signaling work has gradually been taking a large secondary place with the contractor and this in spite of the fact that many of the first electrical contractors, who were based in hangers. This work, however, offers a new opportunity to contractors who would specialize in it one of the most profitable.

HOSPITALS

Interior telephone system for Head nurses' office, Nurses' quarters, Doctors' offices, Clinic headquarters, Operating rooms, and Service departments.
Nurses' call system
Elapsed time recorder
Doctors' call system
In-and-out systems
Fire alarm system
Watchman's recorder system
Public telephone conduit system
Telegraph conduit system
Clock system
Elevator signal system
Elevator telephone system

INDUSTRIAL PLANTS

Indicating systems for Rheostats, Turbine governors, Water-tanks, Lift bridges, Turn-tables, Gates or valves, Elevators, Conveyors, Gas tanks, Hoists, Controllers, Voltage regulator rotors, Frequency changer stators, Furnace charge regulation, Heat registering, and Overload indication.
Signalling systems for Start and stop to switchboard, Switchboard to generator room, Steel mill furnaces to blower room, Grain elevator distribution systems, and Crane and derrick control.
Clock system for Office, Plant superintendents' offices and Time-keepers' offices.
Interior telephone system for Executive offices, Superintendents' offices, Foremen's desks, Cranes, Production control departments, Shipping room, Testing laboratories, Emergency hospital, and Purchasing department.
Automatic burglar alarm system for Stock-room, Vaults, Die storeroom, Chemical laboratories, and Research department.
Telegraphic writing system for Office, Production control departments, and Shipping departments.
Fire alarm system
Watchman's recording system
Call system
Public telephone conduit system
Telegraph conduit system

Specialize in Signal Wiring

opportunities of the industry. There is not a city that does not present a large number of prospects. In order to show the size of the opportunity and its diversity, there are listed below applications of telephone and signal wiring that might be sold by the contractor in most every city in the country.—Editors.

HOTELS AND CLUBS

Interior telephone system for Office, Restaurant, Kitchen, Janitor, Bell captain, Valet, Laundry, and Power clocks.
Clock system for Office, Lobby, Guest rooms, Restaurant, and Halls.
Emergency alarm system for Cashier and Office.
Automatic alarm system for Vault.
Telegraphic writing system for Paging, Office, and Service departments.
Watchman's recording system
Fire alarm system
Elevator telephone system
Elevator signal system
Annunciator system
Public telephone conduit system
Telegraph conduit system

OFFICES

Interior telephone system for Executives, Sales department, Credit department, Auditing department, Advertising department, and Clerical departments.
Telegraphic writing system for Telephone operator, Accounting department, Filing department, and Credit department.
Call system (annunciator or telephone)
Public telephone conduit system
Automatic vault alarm system
Clock system
Brokers' automatic stock quotation board

OFFICE BUILDINGS

Interior telephone system for Office, Service departments, and Engine room.
Elevator signal system
Elevator telephone system
Public telephone conduit system
Telegraph conduit system
Clock system
Fire alarm system
Watchman's recording system

RESIDENCES

Interior telephone system for Library, Chambers, Kitchen, Chauffeur, Stables, Gardener, and Gate-men.
Annunciator systems
Door bell system
Public telephone conduit system
Automatic burglar alarm system
Automatic fire alarm system

RESTAURANTS

Interior telephone system
Signal system
Public telephone system
Fire alarm system
Annunciator call system

SCHOOLS

Interior telephone system for Office, Instruction departments, Library, Engineer, Janitor, Study rooms, Auditoriums, and Gymnasium.
Clock system for Classrooms, Halls, Offices, Auditorium, Gymnasium, Library, and Study rooms.
Program system
Fire alarm system
Instructor call system
Watchman's recording system
Public telephone conduit system

STORES

Interior telephone system for Offices, Sales departments, Shipping department, Information departments, Stock-room, Credit department, and Advertising department.
Annunciator call system for Offices, Sales floors, Shipping department, and Stock-room.
Visual signaling system for Parcel checking room, and Shipping department.
Elevator signal system
Elevator telephone system
Public telephone conduit system
Telegraph conduit system
Automatic alarm system
Fire alarm system
Clock system
Watchman's recording system

THEATRES

Interior telephone system for Offices, Ushers, Cashier, Stage, Projection booth, Engineer, and Dressing rooms.
Usher signal system
Seat occupancy signal system
Stage signal system
Public telephone conduit system
Fire alarm system
Emergency alarm system
Clock system for Offices, Lobby, and Stage.

Electrical Contracting

With which is incorporated The Electragist

S. B. WILLIAMS, Editor

Ordinances Protect Public Only

EVERY so often an attempt is made to pass licensing legislation for the protection of those now in the business. In one city recently an ordinance was proposed which would license contractors to do only certain classes of work and jobs of a certain size.

Now, it is true that a man who has been doing house-wiring is hardly equipped to handle a \$50,000 wiring job. To say, however, that he cannot legally do such work is not right.

The law is set up to protect the public safety. If the house-wiring contractor can persuade a customer to let him have an office building job, the law cannot protect the individual customer against inefficiency. It will, through inspection, protect the customer against dangerous work and that is as far as it can go.

Ordinances, such as the one mentioned, are set up as a rule to build a fence around certain classes of work for the benefit of those now in the business. This is distinctly contrary to the principles of American government and, even if passed, can never be enforced.

Contractors have a legitimate weapon for use against the fellow who would grow too fast and try to get into a class of work that he is not equipped to handle. They can insist on rigid inspection and they can urge the customer to demand a satisfactory guarantee of performance. If the small contractor can satisfy the inspector and can fulfill the guarantee then he may not legally be debarred from trying for the business.

Again let us point out that licensing ordinances are enacted as a public protection and not to protect the business of the contractor.

Code Revision

THE National Electrical Code is up for revision again this month. A great many minor changes have been proposed and a few rather important ones. The most notable trend in the proposed changes is that toward recognition of lower cost wiring methods.

It is proposed that a new section be added on non-metallic surface extensions. This new wiring method uses a 2-wire assembly with fittings, which is attached to the wall or baseboard by means of tacks. Its purpose is to supplant flexible cord in supplying additional outlets served from a convenience outlet. In setting up the proposed rules it is provided that no extension be more than 20 ft.; nor have more than 3 receptacles, provided the total outlets on the branch circuit including those on the extension are not over 12. The committee is divided on the report, three members submitting a detailed minority report objecting to Code recognition of the method.

Electric metallic tubing, or thin wall conduit, which so far has been permitted only for exposed work is now proposed for concealed work provided water-tight fittings are employed. If this amendment is accepted, it will mean the extension of the use of this material to almost every class of work.

It is also proposed that less expensive services be permitted through the use of multiple conductor cable.

Recognition of overhead duct systems is proposed. Rules for this class of work have been greatly needed.

The Profit in Range Wiring

THE promotion of electric cooking is going to receive quite a boost this year from the utilities. This will provide additional profitable wiring business for the contractor provided it is handled properly.

As we said last month, it will be a mistake for a utility in such a campaign to attempt to parcel out the range wiring business to all of the contractors. There will be so little of it for any one contractor that the work will be unprofitable unless a larger price is charged than the utility is willing to pay.

Let a few contractors have all of this work and they will be able to do it in the most economical manner and make a profit.

If it is not done this way by consent of the contractors, it will sooner or later drift into the hands of a few incompetents who will take the work at ridiculously low figures.

Isn't it better to keep the business in the hands of the worthwhile contractors?

He Didn't Know It Was Loaded

ALMOST every day we read in the paper of a shooting by somebody who "didn't know it was loaded." It just seems as though people would not learn.

It may appear to be a long jump from firearms to overhead but the thought is the same. When a fellow goes into business he is dealing with something that is loaded—all the time.

The fellow who does not know and understand that every expense must come out of the business is liable to wake up some day to find his business staggering from the effects of a load of overhead—which he did not even suspect existed.

There's a whole lot more to the contracting business than labor and materials. The cost of the automobile, whether it is used in the business or not, has to come out of the till. The same is true of the telephone and the rent and the living expenses.

In other words, everything the contractor spends must come out of the business. That's the small fellow's overhead. He pays himself no salary but lives from the till. Will his business carry that overhead? If it cannot he better increase his income or cut his scheme of living.

If the little fellows working out of their homes, who claim to have no overhead, would only look at their business in this manner, they might get a different and much more helpful conception of things.

Official Code Interpretations

ATENTION of our readers is drawn to the official interpretations which appear from time to time in our Code Chats department. These interpretations of the National Electrical Code are made by an interpretations committee of the Electrical Committee, N. F. P. A., and as such should be recognized by all Code users as the "last word."

Official interpretations are made only upon request and are for the purpose of making clear some point or points in the Code. No interpretation is hastily made, but represents the judgment of those men who, by virtue of their Electrical Committee experience, are in the best position to say what a certain rule actually means.

The National Electrical Code is not perfect, nor is it always clear, and for that reason, it is not surprising that there shall arise honest differences of opinion regarding certain rules. Until the interpretation's committee was set up there was no way of settling such differences except by court action, and that is seldom advisable.

The demand for official interpretations is apparently growing. That is a good thing, for the more interpretations we have the faster will the debatable points be cleared up and the sooner will the understanding of the Code become uniform.

Another Busted Truism

IF one were to ask one hundred representative members of the electrical industry if the electrical contractor was a salesman, the answer would be almost 100 percent "No."

Isn't it strange how often commonly accepted truths are false?

When an industry grows to twenty-five thousand business units there is only one way for the individual concern to survive, and that is by selling. Price-cutting is not the road to profit.

Thousands of electrical contractors have built substantial businesses and have laid aside some money. This couldn't be done if all or even a major portion of the competition was price—if all the contractor did was to wait for work to come his way and then quote a price.

Field editors on ELECTRICAL CONTRACTING have been studying the selling habits of contractors and they have been amazed at the studious and oftentimes ingenious ways in which contractors are creating, stimulating and building business. A number of such activities are reported in this issue. Others will follow in succeeding issues.

It is our hope that by reporting these activities we may help other contractors to broaden their selling efforts and at the same time to create in the industry a truer impression of the business.

Code Chats

A Monthly Discussion of Wiring Practice and Questions of Interpretation, Presented with a View Toward Encouraging a Better Understanding of the National Electrical Code - - -

Conducted by **F. N. M. SQUIRES**

Assistant Chief Inspector, N. Y. Board of Fire Underwriters

Wires to Swinging Signs

QUESTION: When installing a sign at right angle to the building the supports making it possible for the sign to swing, how should the circuit wires leading to the sign be installed?

ANSWER: Signs having any appreciable area to present to wind strain should be so hung that they may swing in order that the wind may be harmlessly spilled from its surfaces. Many a glass panel has been broken or even supports ripped away by the wind pressure, where signs have been rigidly supported and the trouble has been eliminated when the sign was allowed to give to the strain.

This, of course, means that we must provide wiring which will not be injured by the movement. In order that the wires may be subjected

only to the minimum of motion they should be run out on the rigger from which the sign swings, and then drop down to the sign. Open wires, while lending themselves admirably because of their flexibility especially when wound in the old fashioned helices, are not to be recommended because of several other hazards involved.

Rigid conduit, while best for rigidly supported signs, does not fit into this scheme at all. We are left with flexible conduit and armored cable as our wiring means.

According to the Code, armored cable if used should be lead covered. However, some inspection authorities have had so much trouble with the lead that they prefer the ordinary armored cable. In fact, the regular armored cable well painted with asphaltum paint makes a very satisfactory job, but before deviating from the Code in this respect the inspection authority having jurisdiction should be consulted. Also cable having stranded conductors should preferably be used and the cable must be strapped to the sign ahead of the outlet filling. The same argument holds for flexible metallic conduit.

'Miscellaneous' heading. On page 125 of the April, 1930, List you will find The Johns-Manville Corp.'s Home Insulation; and on page 219, you will find the United States Gypsum Co.'s Thermofill mentioned."

Common Neutral

QUESTION: "We wire up small residences here quite frequently where two, three and four circuits only are necessary and the utility company does not run three wires to homes of this kind but two wires only, one of which, of course, is grounded. We would like to know if the Underwriters Rules allow a common neutral for the grounded side, in case only a 110 volt circuit enters the house. We understand



BRINGS SHOP TO PUBLIC:—Roland Stolzenbach, president of the Roland Electric Co., Baltimore, recently had one of his men wind motors in his display window. Thousands of people stopped during the day to watch the work and the stunt proved to be good advertising.

Thermal Insulation of Houses

What types of thermal insulation is now approved as per 502-j? What list of approved materials would such material be listed in?

This question was referred to Underwriters' Laboratories who answered as follows:

"Thermal insulation which has been tested and found suitable for use under the conditions outlined in 502-j of the Code is listed by us in the Electrical List under the general



BUILD UP INDUSTRIAL BUSINESS QUICKLY:—Although Cy Dueweke (left) and his partner, Jos. H. Heckinger, Detroit, Mich., have been doing industrial wiring for a long time, they have made unusual strides in the past three years. They have concentrated on keeping the same customers and adding to the list by recommendations.

Electrical Contracting, February, 1931

You Wouldn't Hang on a Safety Valve!

Of course not! It would be folly to keep a steam safety valve from blowing off steam when the safety factor cries for relief from excessive steam pressure.

Just so with a fuse! When an excessive and continual overload cries for relief, the fuse should blow at the "proper time" — when the safety factor is reached.

Retarding the blow beyond the point of safety, by means of doubling up fuse links or over-done Time Lag in

fuses, will result in burnt casings and damage to equipment.

SUPERIOR TIME LAG in TRICO fuses is safe, accurate and dependable. It is the product of exhaustive engineering, infinite care in construction, and 13 years of actual experiences in the field. TRICO is a TRUE Time Lag Fuse!

Superior Time Lag

Originated and
Pioneered by
TRICO for 13 Years

Money-Saving Factors

No Premature Blowings
No Unnecessary Shutdowns
No Oxidized Contacts
No Charred Casings
Copper-to-Copper Contacts
Reduced Watt Loss
SUPERIOR TIME LAG

To secure these money-saving factors the TRICO renewal element is designed with the thought of performance in mind rather than interchangeability of links. The practical buyer prefers performance.

*And They Cost No More
Than Other Makes of
Renewable Fuses*

TRICO FUSE MFG. CO., 1007 McKinley Ave., Milwaukee, Wis.



REG. U. S. PAT. OFF.

 <p>RENEWABLE FUSES Built-in Money-Saving Factors. Fundamentally Correct.</p>	 <p>FUSE PULLERS For safe pulling of Fuses. Genuine shock-proof horn fibre. 4 sizes.</p>	 <p>KLIPOK CLAMP FOR FUSE CLIPS Reduces Resistance, Preserves Clips and Fuses. Sizes to fit all Clips.</p>	 <p>COLORTOP PLUG FUSES Tells instantly the capacity of a Fuse by its colors, 6 distinct colors.</p>	 <p>NON-RENEWABLE FUSES Built for service, not down to a price.</p>
---	--	---	--	---



THEY PUT IN JOBS THAT LAST:

—A. D. McConnell (left) and F. C. Bragg, of the Electric Construction Co., Little Rock, Ark., long ago adopted the slogan: "Lifetime Wiring." As the firm began in 1887, the customers have had plenty of time to kick, but all seem satisfied. This firm is now established in a fine new home at Eighth and Main streets, directly across from the old place.

from the 'Code Chats' on page 22, your issue of May, 1930, that three wire circuits may use a common neutral of the proper size, for all parts of the house, but we are not sure if a common neutral can be used for a two wire circuit, or if it is necessary that pairs be run to the branch cutouts at the meter. The entering switch is not fused for the neutral, so it is a solid connection throughout."

ANSWER: If a house is supplied with 110 volts through a 2 wire service, the circuits throughout the house should all be 2 wire. Under the old obsolete rule of not over a 660 watt load allowance on a circuit, there would be no particular harm in using a common neutral for two circuits from a 2 wire service as the neutral would only be subjected to a total load of not over 12 amperes and this would not overload the No. 14 circuit wire used as the neutral. But, with the present rule which in effect allows a load of 15 amperes on a branch circuit, two such circuits using a common neutral might result in a load of 30 amperes being impressed on the neutral, which of course would seriously overload it.

This overloading would, of course, be overcome by using a No. 8 wire for the neutral, but this sort of a circuit (using a No. 14 for one of the wires for one of the circuits, and

another No. 14 for the other circuit, and then No. 8 for a neutral common to both circuits) does not meet with the approval of many inspection authorities and probably is very unlikely to be used on account of the cost, as it would be cheaper to use 4 No. 14 wires for the two circuits.

Note also that rule 613-e is under the heading of 613—"Demand Calculations for Feeder Sizes."

A common neutral should only be used on systems designed for its use, such as the "Edison" 3 wire 110-220 volt system, the 4 wire 3 phase system, etc., and should not be used on a 2 wire system or service.

Where a common neutral is permitted and is used, care should be taken to see that it will be of sufficient capacity to carry the maximum load to which it may be subjected.

Also, in all cases where a common neutral (or any neutral for that matter) is used, it must be within the same armor or conduit with the wires with which it serves. This last statement refers to metal clad jobs only.

Across the Line Switch Rules

An explanation of rule 808-h has been requested and the question raised as to why manufacturers of "Across the line" push button magnetic switches print this rule on the inside of the cover of their devices.

Rule 808-h has for its subject "Motor running protective devices" and simply says that these may be shunted or cut out of the circuit during the starting period of the motor, providing, of course, other conditions have been complied with. To make these conditions come within previous rules percentages of 500 and 750 are mentioned. That is, if next back on the line there are other protective devices rated or set at 150 per cent, or 200 per cent, or 250 per cent, or 300 per cent of the motor name plate rating, then surely the 500 per cent or 750 per cent required in 808-h has been complied with and the "motor running protective device" may be shunted out during the starting period.

But 808-h does not supersede nor modify 808-a and we must comply with 808-a, which says that "the following tables (pp 111 to 118) shall govern . . . the maximum allowable rating of the protective devices to be used in the circuit." The percentages shown on the middle of page

109 (Sect. 808-a) merely explain from what the tables were derived.

The manufacturers probably quote 808-h as it seems to be the only one they can print showing permission granted by the Code for the use of connections employed in their devices. But this should not be taken to indicate that the Code permits protecting a motor or its circuit at 500 per cent of the motor rating.

Wires of Different Systems

OFFICIAL INTERPRETATION 57

QUESTION: A 440-volt, 3-phase, 60 cycle induction motor is supplied through a line contactor which is controlled from a remote location by a push button station. Also located at the station is an ammeter supplied by a current transformer located at the contactor. Are the two sets of conductors to the push button station and to the ammeter, respectively, to be regarded as "wires of different systems" within the intent of paragraph (n) of section 503?

FINDING: No.

Location of Dimmer in Circuit

OFFICIAL INTERPRETATION 60

QUESTION: Does paragraph (c) of section 3904 of the 1930 edition of the National Electrical Code permit placing a dimmer in a grounded circuit wire when a single pole circuit switch is installed in the ungrounded wire to control the circuit?

FINDING: Yes. The dimmer is not to be regarded as serving the function of a switch unless it is provided with a completely off open circuit position.



COMMERCIAL LIGHTING SPECIALIST GETS LARGE NUMBER OF STORE JOBS:—Bert Simon, of the Simon Electric Supply Company, Buffalo, concentrates on commercial lighting. He employs salesmen and follows up leads in a manner which gives him a distinct advantage. Of all the new store installations on Main Street, downtown, in the past two years he has done 80%. In the month of October he was so busy he had to put on several extra men.

Distinctive Outlets for RADIO Convenience Wiring

No. 135—For Loud Speaker Connections:

Brass\$1.00
Bakelite 1.10

No. 136—Aerial and Ground:

Brass\$1.00
Bakelite 1.10

No. 131—Volume Control:

Brass\$2.75
Bakelite 2.85

*No. 241—Aerial and Ground and A. C. Connections:

Brass\$2.00
Bakelite 2.20

*No. 242—Loud Speaker and A. C. Connections:

Brass\$2.00
Bakelite 2.20

*No. 353—Loud Speaker, Aerial and Ground, A. C. Connections:

Brass\$3.00

*Yaxley Radio Convenience Outlets with duplex electrical receptacles are listed as Standard by Underwriters' Laboratories.




Special plates in any finish desired; with individual decorations and markings for exclusive hotel installations.

YAXLEY

APPROVED RADIO PRODUCTS

Radio Convenience Outlets



You cannot meet the modern requirements of radio convenience wiring unless you have outlets to fit the specific needs of each installation. Yaxley outlets, for every radio requirement, are designed and built to serve the exacting demands of radio wiring in terms of standard electrical installation.


Yaxley Radio Convenience Outlets are made by a radio parts manufacturer to meet the critical requirements of radio reproduction, extension and control, with the same fine precision that has made Yaxley Approved Radio Products the choice of discriminating set builders for the vital parts of their most successful receivers.

They are the electrical contractor's assurance of customer satisfaction in service, and economy and profit in installation.

YAXLEY MFG. CO.

Dept. E, 1528 W. Adams St.

Chicago, Ill.



Send today for the new Yaxley Radio Convenience Outlet Book.

A. E. I.

NEWS and SERVICE INFORMATION

Material for this department is supplied by the headquarters staff of the Association of Electragists, International, 420 Lexington Avenue, New York, N. Y.

President, L. E. MAYER
14 North Franklin Street, Chicago, Illinois

Vice President, EARL N. PEAK
1603 West Main Street, Marshalltown, Iowa

DIVISIONAL EXECUTIVE COMMITTEEMEN

Eastern
LOUIS KALISCHER
288 Livingston St.
Brooklyn, N. Y.

Southern
J. A. FOWLER
118 Monroe Ave.
Memphis, Tenn.

Southeastern
W. W. INGALLS
315 S.W. 10th Ave.
Miami, Florida

Great Lakes
E. D. BROWN
2470 Grand River
Ave., Detroit, Mich.

Central
E. T. LANGFORD
511 S. Third St.
Minneapolis, Minn.

Mountain
R. R. REID
35 Post Office Pl.
Salt Lake City, U.

Pacific
C. L. CHAMBLIN
639 Mission St.
San Francisco, Cal.

Eastern Canadian
R. A. L. GRAY
85 York Street
Toronto, Ont.

Western Canadian
J. H. SCHUMACHER
344 Main Street
Winnipeg, Man.

At-Large
L. K. COMSTOCK
16 East 52nd St.
New York City

General Manager
LAURENCE W. DAVIS
420 Lexington Ave.
New York City

Ass't to Gen'l Mgr.
ROBERT W. BARNES
420 Lexington Ave.
New York City

Executive Committee to Meet in Kansas City

Members of the A.E.I. executive committee have been advised that President Mayer has selected Kansas City, Mo., for the committee's semi-annual meeting on March 16 and 17. Morning and afternoon sessions are scheduled for each day, the opening session convening March 16 at the Hotel President, the committee's headquarters.

Letters from Harry E. Evans, president of the Greater Kansas City Chapter of Electragists, and from the directors of the Electric and Radio Association of Kansas City extend a cordial welcome and assure every assistance and courtesy to the visiting committeemen. Special arrangements for their entertainment are being planned.

It is also announced that this occasion will be taken for holding a general district meeting of the electrical contractors of Kansas City and surrounding territory on March 17.

New Chapter Officers

Officers of the Hidalgo County Chapter (Texas) for 1931 were elected at the chapter's annual meeting as follows: president, W. F. Wortham (Weslaco); vice-president, J. W. Davis (McAllen); secretary and treasurer, H. L. Scott (Merce-

des); directors, J. H. McLain (Mission), J. W. Martin (McAllen), David Wilson (Donna).

The Hidalgo County Chapter is one of a number of A. E. I. chapters supported by members from smaller cities and towns in one or more counties. Such chapters are especially valuable in bringing together in one organization several electragists who otherwise would have only in-

frequent opportunity for meeting and developing co-operative activities.

The newly elected officers for the Detroit Chapter, A.E.I. for the year 1931 are as follows: president, E. D. Brown, McCleary-Harmon Electric Company; vice-president, Ed. Jarchow, Miller-Seldon Co.; treasurer, W. D. Gale; secretary-manager, C. C. Cadwallader.

Electragists Represented in Code-Making Body

Electragist chapters desiring recommendations for changes in the National Electrical Code to be submitted for consideration by the electrical committee, N.F.P.A. at its meeting in New York City, February 18, 19 and 20 should communicate their recommendations promptly to the headquarters office. Such communications can then be allocated to A.E.I. representatives on the electrical committee who are serving on the article sub-committees by whom, under electrical committee procedure, recommendations are first considered.

A.E.I. representation on the electrical committee affords a continuous point of contact between electragists and the other groups responsible through that body for development of the Code. The influence of



NEW OFFICERS FOR RACINE CHAPTER:—Above are shown the 1931 officers and members of the Racine (Wis.) Chapter of Electragists, who recently held their annual meeting. Left to right, standing: R. R. Oxholm; F. H. Patrick, secretary; Frank Mitzen; A. E. Rood; LeRoy Hess; A. G. Slaasted, vice-president; R. N. Miller and A. C. Larsen, president. Middle row, seated, left to right: M. H. Schultz; T. M. Christensen; O. Christensen; R. E. Le Cointe; J. J. Small, treasurer and Hans M. Jensen. Front row, left to right: Irving Jensen and R. J. Bohm.



The Paulsen Medical Dental Bldg., Spokane, Washington, whose electrical wiring is armoured for permanence by Youngstown-Buckeye Conduit.

Architect—G. ALBIN PEHRSON—Spokane

Engineer—E. L. WEBBER—Spokane

General Contractor—ROUNDS-CLIST CO.—Spokane

Electrical Contractor—BROWN-JOHNSON CO.—Spokane

Conduit Leadership

The true worth of leadership is readily apparent in these days when values are being so closely watched. More money is being spent for those products whose value and quality are known quantities—and in electrical conduit, Youngstown Buckeye continues to lead all others by a wide margin.

Contractors and engineers the country over know that Youngstown Buckeye Conduit is a sound investment. They know that it saves time and money in installing; that it affords permanent protection; and that it costs no more than ordinary rigid steel conduits.

Use Youngstown Buckeye Conduit on your next job and see for yourself just how it saves installation time on the job. You will find Youngstown products handled by leading jobbers everywhere.

THE YOUNGSTOWN SHEET AND TUBE COMPANY

One of the oldest manufacturers of copper-steel, under the well-known and established trade name "Copperoid"

General Offices: YOUNGSTOWN, OHIO

DISTRICT SALES OFFICES:

ATLANTA . . . Healey Building
BOSTON Chamber of
Commerce Building
BUFFALO . . . Liberty Bank Building
CHICAGO . . . Conway Building
CINCINNATI . . . Union Trust Bldg.
CLEVELAND . . . Term'l Tower Bldg.
DALLAS . . . Magnolia Building

DENVER . . . Continental Oil Bldg.
DETROIT Fisher Building
KANSAS CITY, MO. . . Commerce
Building
LOS ANGELES . . . 3000 Santa Fe Ave.
MEMPHIS 42 Keel Avenue
MINNEAPOLIS . . . Andrus Bldg.
NEW ORLEANS . . . Hibernia Bldg.

NEW YORK . . . 30 Church Street
Hudson Terminal Building
PHILADELPHIA . . . Franklin Trust
Building
PITTSBURGH . . . Oliver Building
SAN FRANCISCO . . . 55 New
Montgomery Street
SEATTLE . . . Central Building

ST. LOUIS Louderman Bldg.
YOUNGSTOWN . . . Stambaugh
Building
LONDON REPRESENTATIVE
The Youngstown Steel Products
Company, Dashwood House, Old
Broad Street, London, E. C. Eng.

GALVANIZED SHEETS PROTECT • SAVE WITH STEEL



HEADS CHICAGO MOTOR SPECIALISTS:—For the past two years, S. A. Hohman of Hohman & Hill Co., Chicago, has been president of the Chicago Motor Specialists' Group of the Association of Electragists.

the Code in maintaining standards of safe wiring practice is of fundamental importance to contractors. Therefore, they should use this opportunity for suggesting Code changes based upon local field experience.

Representatives of the A.E.I. on the electrical committee, N.F.P.A. are Allan Coggeshall of New York and A. C. Brueckmann of Baltimore, with Robert A. Goeller, of New York and Earl N. Peak, of Marshalltown, as alternates, each of whom serve on several article committees. Mr. Coggeshall is also a member of the electrical committee's correlating committee, which meets prior to the electrical committee meeting to review reports of the article sub-committees and otherwise facilitate action of the electrical committee on pending matters.

Amendments to A. E. I. Constitution and By-Laws

Amendments to the A.E.I. Constitution and By-Laws drafted to further clarify the relationships between the A.E.I. and its local chapters and members have been submitted to the membership for vote by mail ballot. This membership vote will be the basis for their ratification or other action taken at a special general meeting of the association which President Mayer has called to be held in Kansas City on March 17, concurrently with the ex-

ecutive committee meeting. The general meeting will be open to accredited chapter delegates and other members who can attend.

During the two years the chapter organization plan has been in effect there has been opportunity to study its operation closely and to gain a practical knowledge of situations which might arise regarding local chapter A.E.I. relationships and rights of members who also have become members of chapters. With this experience it is felt that modification of the existing provisions relating to chapters and chapter members, to embody the definite requirements set forth in the form of application for charter, should be given effect at this time.

In the proposed amendments Article X of the Constitution has been expanded in greater detail, and a new Article XIII has been substituted for Section 3 of Article XII of the By-Laws, establishing specifically the jurisdictional relationships of chapters and members in the chapter territories.

New Chapter in Texas

Electragists of San Angelo, Texas have been granted a charter as the San Angelo Chapter, A. E. I., R. F. Bullock, 24 So. Chadbourne St., has been elected president and L. F. Heitzler, 5 So. Chadbourne, secretary.

Motor and Generator Standards Available

Following announcement to A.E.I. motor specialists of the new N. E. M. A. motor and generator stand-



HAS SOLICITORS FOR WIRING:—H. F. Hartman, Scranton, Penna., has four solicitors on appliances and two who work in the rural districts lining up prospects for farm lighting circuits. One of his men recently persuaded every farmer on a rural line to apply for electric service, and of course all wiring was done by Hartman.

ards approximately 100 orders for this helpful reference book have been received at the A.E.I. headquarters.

This publication is a compilation of standards prepared with the cooperation of manufacturers of practically all well-known motors and allied equipment, concerning the manufacture, test and performance of alternating and direct current motors and generators and other widely used apparatus. It contains in convenient form definitions, abbreviations, tables of values and ratings, and of especial value to motor and industrial control specialists a set of connection diagrams, representing up-to-date standardized practice in the United States.

The standards are now available to all motor specialists desiring to purchase them and may be secured on order placed with the A.E.I. headquarters office, at \$1.50 per copy.

Address Changes

The following changes of address of A. E. I. chapter officers have been noted since publication of the January issue: A. P. Bagby, president, Jefferson County Chapter, 3115-3rd Ave., S., Birmingham, Ala.; D. B. Clayton, secretary, Jefferson County Chapter, 844 Martin Building, Birmingham, Ala.; Claude Wilson, secretary, Lubbock Chapter, 1301-19th St., Lubbock, Tex.

New Members

The following applicants have been accepted into the A. E. I. since the publication of the list in the January issue:

TEXAS

Edinburg:

Star Electric Co.

Fort Worth:

Dickey Electric Co.

Ewell Electric Co.

Michael Electric Co.

Mission:

McLain's Radio & Electric Shop.

San Angelo:

Bullock-Taylor Electric Co.


Bunyard Electric Co.

Braden & Co., Fred H.

Texas Electric Co.

"LATROBE" PRODUCTS

No. 300 "LATROBE" MIDGET FLOOR RECEPTACLE AND BOX



Sectional View of No. 300 Box illustrating installation in floor.

This is the only Flush Non-Watertight Floor Receptacle and Box on the market approved by the Underwriters Laboratories for installation in wood floors.

Designed to provide an extremely small flush convenience outlet (only 2" diameter) with low installation cost and rugged mechanical construction. Recommended for installation under dining tables, in living rooms, show windows, etc. Ideal for "all electric" A. C. radio sets. Cheaper to install in old houses than baseboard outlets. Every "Red Seal" wiring job and every "Electrical Home" should be well provided with No. 300 Floor Receptacles.

List Price, each.....\$2.00

NOTE—It is no longer permitted to install ordinary wall boxes in wood floors.



Cut-away view of No. 110 Box showing how the tapered unit receptacle fits tapered opening in top of box body.

No. 110 "LATROBE" NON-ADJUSTABLE WATERTIGHT BOX

The No. 110 Box represents the "last word" in unique design, neat appearance, fewest number of parts and least amount of labor to install. The No. 208 Receptacle is designed to eliminate the use of fussy small screws, receptacle straps, filler plates, complicated assembly, etc. The wireman simply attaches the wires to the Receptacle, fastens on the Cover Plate and the Receptacle is ready for use. Saves 15 to 20 minutes installation time on each box, makes a safer job and leaves more wire space inside the box. Cover Plates are 3½" diameter.


List Price with Receptacle and Bell Nozzle.....\$4.00

No. 208 "T" SLOT RECEPTACLE

This Receptacle fits all "Latrobe" Watertight Boxes and is interchangeable. It is a complete unit and does not have to be taken apart to be wired. Designed to eliminate many of the small fussy parts such as small screws, receptacle straps, filler plates, etc. "Latrobe" Watertight Floor Boxes are the only make on the market that can be equipped with one unit style of receptacle and we unconditionally guarantee No. 208 Receptacles against breakage. Broken Receptacles replaced, no charge.



No. 208 Receptacle with tapered sides to fit tapered tops of all "Latrobe" Watertight boxes.



No. 625 Conduit Bender showing socket clamp.

No. 625 "LATROBE" HAND CONDUIT BENDER

This Bender combines two tools in one. By reversing the movable jaw it can be used for bending either ½" of ¾" conduit. It will not slip or kink the pipe. Deep socket (threaded internally at bottom of socket) for 1" pipe handle, eliminates couplings and insures full strength of handle. The socket clamp is a new feature to insure tight fit on undersize pipe handle and to prevent handle from unscrewing. Made of "Certified" Malleable Iron—guaranteed not to break—and galvanized finish.

List Price, each.....\$3.00

CARRIED IN STOCK BY LEADING JOBBERS

Fullman

Manufacturing Co.

1211 Jefferson St. :: Latrobe, Pa.

Mail this Coupon Today

FULLMAN MANUFACTURING CO., 1211 Jefferson St., Latrobe, Pa.
We are in the market for Floor Boxes. Send us your catalog and a FREE copy of the 1930 Nat'l Elec. Code.

Name.....

Address.....

City.....State.....

Our Jobber is.....

Contracting News

Information of Interest to Electrical Contractors consisting of items of news, short articles, practical ideas, etc. Our readers are invited to contribute to this department

Kansas City Chapter Reelects Officers

Harry C. Evans of Evans Electrical Construction Co. was reelected president of the Greater Kansas City Chapter of Electragists, with the following officers also reelected to serve in 1931: W. T. McAuley, vice-president; and J. F. Costelow, secretary. E. H. Clark, W. T. McAuley, H. F. Hewett, R. B. Randall and J. F. Costelow were reelected as board of directors. G. V. Dameron was appointed chairman of the educational committee; R. B. Randall, chairman of the entertainment committee, and E. H. Clark, chairman of the labor board.

The Approval Bureau, which was opened the early part of 1930, is being successfully maintained by the contractors at a cost of approximately \$1000.00 a month. The plan is that any work having plans or specifications must be certified before work is started and approved when finished.

Lehigh Valley Contractors Hold Election

The 1931 officers elected by the Lehigh Valley Electrical Association are Robert Bauchspies, Lehigh, Pa., president; Joseph Hoffman, Allentown, vice-president; A. W. Reinert, Allentown, secretary-treasurer. The Board of Directors are as follows: Edgar M. Brown, Hellertown, Pa.; W. I. Litzenberger, Catawauqua, Pa.; O. J. Jones, Slatington,

Pa.; John Kates, Allentown; Frederick Dorney, Cetrionia, Pa.; and Gallas Wukitsch and M. H. Schmoyer, both of Allentown.

Plan New Code for South Bend

Plans for a new electrical Code for South Bend, Ind., are now being worked up by the Association of Electrical Engineers of South Bend. The board of directors actively engaged in this work are Charles Colip, chairman; L. Brehmer, treasurer;

C. A. Luxton, secretary and W. R. Place and Bob Koontz, directors.

Wisconsin Forms State Association

Electrical contractors representing 20 cities and towns in Wisconsin met at Milwaukee, Wis., on January 23 to organize a state association.

George Andrae of Milwaukee was elected chairman and a temporary board of directors was appointed to draw up a constitution and by-laws. The temporary name chosen was the Wisconsin State Electrical Contractors and Dealers Association.

Considerable discussion was had on the various objects of the association and among the outstanding were a state license law and merchandising policies. Leo Mayer, president of the Association of Electricists, addressed the meeting.

Code Changes to Be Considered

The electrical committee of the National Fire Protection Association will hold its annual meeting at New York City, on February 17, 18 and 19, at which time the reports of the article committees on proposed changes in the National Electrical Code will receive consideration.

A large number of changes are proposed which, if passed, will probably (Continued on page 85)



REGULAR ATTENDANCE AT NIAGARA FRONTIER CONTRACTORS' MEETINGS:—Although the Niagara Frontier Electrical Contractors' Association meet twice monthly, there is usually a regular attendance. The picture shown above was taken at one of the meetings: Front row, left to right, are Clarence W. Uschold, president; Otto E. Wangler, vice-president; W. T. Bettendorf, secretary, and Al Wolf, treasurer. Second row, Ernest Kronson; Frank Page; Mason Brown; F. Clifford and William Maderer. Third row, S. Galvin; John Mehs; Fred Lederer; A. Kolb; Charles Cook; Frank Schumm and Peter Quirnbach. Rear row, Cornel Stricker; Albert Fromholz; E. Kerling; Fred Bast; David Serns; E. Freeman and A. Fink.



PRI-RACO-UTS

■ Have You Tried ■ Them?

If you haven't tried RACO PRI-OUT BOXES you've been missing some big time and saving benefits. RACO PRI-OUT BOXES mean quicker, easier and better wiring jobs, yet they cost no more than old fashioned boxes.

RACO PRI-OUT BOXES



Constitute the first real improvement ever made in switch boxes.

Consider these 4 outstanding advantages:

NOTICE
"RACO" PRI-OUT Boxes are covered by United States Patents U. S. No. 1709187, Canadian No. 17765, Canadian No. 299,335 and other patents pending. Owned by the Roach-Appleton Mfg. Co. Look for patent numbers or date which appears on products of licensed manufacturers.

1. Wiremen do not injure fingers with Pri-Out Boxes. Discs do not have to be knocked inwardly and broken off with fingers as in old type boxes.
2. The slot in Pri-Out Boxes permits prying tool to be inserted and the disc pried out.
3. Pri-Outs are set flush with the box permitting $\frac{1}{4}$ " more room on inside of the box for wiring.
4. All these features over our regular old style line of knockout boxes at no additional cost.

One pry with any prying tool flings the disc away from the box, quickly, safely, surely. Its simplicity increases the efficiency of your men by reducing fatigue to a minimum.

PRI-RACO-UTS
TRADE MARK

ROACH-APPLETON MFG. CO.
SOUTH BEND, INDIANA

There is no reason why you should lose a lighting job on price . . . no reason why you should lose out because you can't find exactly the unit your customer wants. Put the problem up to Wakefield.



In addition to the regular and popular "Red Spot" hanger lines, Wakefield makes hundreds of lighting specialties and fixtures built to individual specifications . . . for example, fixtures for the U. S. Quartermasters Corps, the Navy and Treasury Departments, the Veterans Bureau. A great hospital job was secured by one of our distributors on a unit specially adapted to the customer's needs . . . a large hotel job came to another of our distributors because we were able to conform to an unusual specification at a very right price and give jig-time delivery.

If you do not find just what you want in our regular data sheets, write us. We may have it or may be able to fabricate it. If price competition has you worried, give us a chance to help you. We may be able to figure a way out . . . Our whole purpose in this advertisement is to assure you that in price or product, you may rely upon Wakefield.



**THE
F. W.
WAKEFIELD
BRASS CO.**

Vermilion, Ohio
U. S. A.

Suggested RESALE PRICES *for* Wiring Supplies

The prices listed on the following pages are merely suggested resale prices for the commonly used standard supplies and equipment employed in electrical construction work. They are based on average current trade costs throughout the country, very largely obtained from jobbers' price sheets, and are also based on average overhead charges.

* * *

Obviously, prices can be suggested only for the widely used products that are nationally distributed, and under no circumstances is this section intended to function as a directory of products or manufacturers.

* * *

The publishers wish to again emphasize that these are merely *suggested* resale prices and while every effort is made to make them universally applicable and accurate we cannot guarantee them or assume any responsibility for errors.

* * *

The prices appearing in this section will be completely revised each month as trade prices may change.

Copyrighted, 1931

by the

Electrical Trade Publishing Co.

Index

To Suggested Resale Prices

A

	Page
AGORNS—for Cords and Chains.....	PL-4 & 19
ADAPTORS and Reducers for Sockets.....	PL-4 & 19
ADAPTI Fittings and Boxes.....	PL-13 & 14
ADJUSTERS—for Cords.....	PL-4
ANCHORS or Expansion Shields.....	PL-10
ANNUNCIATORS—Bell.....	PL-4
ANNUNCIATOR Wire.....	PL-28
APPLETON Entrance Fittings.....	PL-13
ARMORED CABLE—BX and Similar.....	PL-9
" " Fittings.....	PL-14
ASBESTOS Millboard.....	PL-4
" Cord for Appliances.....	PL-8
" Range Wire.....	PL-29
ATTACHMENT Plugs and Caps.....	PL-16
ATTACHMENTS—for Pull Sockets.....	PL-4

B

BABY KNIFE SWITCHES.....	PL-21
BAR Hangers for Boxes.....	PL-5
BASES—for Sockets.....	PL-19
BAYONET Sockets.....	PL-19
BELLS and BUZZERS.....	PL-6
BELL Annunciators.....	PL-4
" Cords.....	PL-8
" Transformers.....	PL-28
" Wire.....	PL-29
BENDS and Elbows for Rigid Conduit.....	PL-9 & 11
BEND HICKS and Elbow Fittings.....	PL-13
BLOCKS—Wood for Fixtures.....	PL-8
" Enclosed Fuse.....	PL-9
BOLTS—Carriage, Stove and Toggle.....	PL-8
" Expansion and Anchor.....	PL-10
BOX—Connectors or BX Fittings.....	PL-14
BOXES—Adapti Boxes.....	PL-13
" Cable and Loom.....	PL-4-5 & 6
" Concrete.....	PL-5
" Conduit.....	PL-4-5 & 6
" Cutout or Service.....	PL-6
" Floor.....	PL-6
" Handy or Utility.....	PL-5 & 8
" Laundry.....	PL-4
" Mail.....	PL-15
" Outdoor Meter.....	PL-22
" Outlet.....	PL-5
" Switch.....	PL-4
" Entrance Switches—See Switches	
BRACKETS—for Insulators.....	PL-7 & 8
BREWERY CORD.....	PL-8
BUSHINGS for Rigid Conduit.....	PL-5 & 9
" Porcelain.....	PL-5
" for Sockets.....	PL-6 & 19
BUTTONS—Push for Bell Work.....	PL-4 & 7
" Ceiling P. & S. Porcelain.....	PL-8
BUZZERS AND BELLS.....	PL-6
BX-BXL Armored Cables.....	PL-9

C

CABINETS—Meter and switch.....	PL-16
CABLES—Armored and Lead Covered.....	PL-9
" Deck.....	PL-8
" Non-Metallic Romex, Etc.....	PL-9
" Packing House.....	PL-8
" Park—Non-Metallic.....	PL-29
" Park—Steel Taped.....	PL-29
" Rubber and Lead Covered.....	PL-28 & 29
" Stage.....	PL-8
CANDLE Sockets.....	PL-19
CANDELABRA Sockets.....	PL-19
CANOPY Switches.....	PL-20 & 21
CANVASITE Cord.....	PL-8

C—Continued

CAPS—for Attachment Plugs.....	PL-16
" Entrance Fittings.....	PL-13
CARRIAGE Bolts.....	PL-8
CEILING Switches.....	PL-21
" Buttons.....	PL-8
CHASE NIPPLES and Couplings.....	PL-16
CHAIN for Pull Sockets.....	PL-19
CIRCUIT Boxes and Residence Panels.....	PL-17
CLAMPS—Grounding.....	PL-9
" Hangers.....	PL-15
" Table for Bell Work.....	PL-7
" or Straps for Pipe.....	PL-9 & 27
CLEAT Rosettes.....	PL-19
CLEATS—Porcelain Insulator.....	PL-15
CLIPS or Straps for Pipe.....	PL-9 & 27
" for Loom.....	PL-9 & 15
COLORING Fluid or Liquid.....	PL-9
COMMERCIAL Glassware.....	PL-14
CONCRETE Boxes.....	PL-5
CONDUIT—Rigid or Flexible Metal.....	PL-9
" Bushings and Locknuts.....	PL-5 & 9
" Couplings.....	PL-9
" Elbows and Bends.....	PL-9 & 11
" Fittings All Types.....	PL-11 to 14
" Flexible Armored.....	PL-9
" Hangers.....	PL-15
" Locknuts and Bushings.....	PL-5 & 9
" Nipples.....	PL-16
" Reducers.....	PL-9 & 16
" Thin Wall.....	PL-9
CONDULETS—Fittings.....	PL-11 & 12
CONNECTORS—Armored for BX, Etc.....	PL-14
" Solderless.....	PL-10
" Fixture, Wire & Cord.....	PL-10
" Greenfield and BX.....	PL-14
" Cord and Motor.....	PL-10
COMPOUND—Pothead.....	PL-17
CORDS—All Types.....	PL-8
" For Pull Sockets.....	PL-19
" Extension—Made-Up.....	PL-10
CORD Adjusters.....	PL-4
" Armored Lamp.....	PL-9
" Connectors.....	PL-9 & 10
COUPLINGS—for Conduit.....	PL-9
COVERS for Outlet Boxes.....	PL-4 & 5
CURRENT TAPS.....	PL-1
CUTOUT Boxes—Steel.....	PL-6
CUTOUTS—Plug & Cartridge Enclosed.....	PL-9

D

DAMP PROOF Office Wire.....	PL-29
DECK Cable.....	PL-8
DELTABESTON Cord.....	PL-8
" Wire.....	PL-28
DIM-A-LITE Sockets.....	PL-19
DOOR Switches and Openers.....	PL-21
" Trips and Springs.....	PL-7

E

ELBOWS or Bends or Conduit.....	PL-9 & 10
ELECTROLET Entrance Fittings.....	PL-13
ENCLOSED Fuses.....	PL-10
" Cutouts.....	PL-9
ENTRANCE Fittings.....	PL-13
" Panel Switches Plug Type.....	PL-21
" Safety Switches.....	PL-21 to 27
ERICKSON Couplings for Conduit.....	PL-9
EXPANSION Shields and Bolts.....	PL-10
EXTENSION Cords made up.....	PL-10
" for Sockets.....	PL-4

F

FEDERAL Bushings and Similar.....	PL-5
FEED THRU and Pendant Switches.....	PL-21
FITTINGS—Armored Cable.....	PL-14
" Adapti.....	PL-13 & 14
" Condulets and Similar.....	PL-11 & 12
" Electrolets and Similar.....	PL-13
" Entrance All Types.....	PL-13
" Groundulets.....	PL-14
" Kondu Threadless.....	PL-12
" Spragulets and Wireless.....	PL-13
FIXTURE Blocks—Wood.....	PL-8
" Cords.....	PL-8
" Studs.....	PL-27
" Wire.....	PL-29
FLASHERS Sheedoodle Plugs.....	PL-16
FLEXIBLE Metal Conduit.....	PL-9
" Loom-Non-Metallic.....	PL-15
FLOOR Pushes and Treads.....	PL-6
" Boxes.....	PL-6
FLUSH Receptacles.....	PL-10
" Switches and Plates.....	PL-20
FRICITION Tape.....	PL-27
FUSES—All Types.....	PL-10
" Blocks—Enclosed.....	PL-9
FUSE Wire.....	PL-10
FUSENTERS and House Panelboards.....	PL-17

G

GASKETS—for Condulets.....	PL-11
G. E. Fittings—Entrance.....	PL-13
GEE VEE Fittings—Entrance.....	PL-13
GLASSWARE—Commercial.....	PL-14
" —Modernistic.....	PL-14
GREENFIELD Flexible Conduit.....	PL-9
" Connectors for Flexible.....	PL-14
GROUNDING Clamps.....	PL-9
GROUND Rods.....	PL-19
GROUNDULETS Fittings.....	PL-14
GUARDS—Lamp.....	PL-14

H

HANDY BOXES.....	PL-5
HANGERS—Conduit and Cable.....	PL-15
" for Outlet Boxes.....	PL-5
HANDLES—for Sockets.....	PL-19
" For Snap Switches.....	PL-20
HOLDERS—Shade.....	PL-15
HOUSE RACKS and Wireholders.....	PL-8

I

INCREASERS for Conduit.....	PL-16
INSULATED Nails.....	PL-16
INSULATING Links for Chain.....	PL-15 & 19
" Paint or Varnish.....	PL-17
" Staples.....	PL-16 & 27
IRON Plugs.....	PL-17

K

KNIFE Switches—Baby.....	PL-21
KNOBS—Tubes and Cleats.....	PL-14 & 15
KONDU Threadless Fittings.....	PL-12 & 13

Electrical Contracting, February, 1931

L

	Page
LAG Screws.....	PL-27
LAMP GUARDS.....	PL-14
LAUNDRY Boxes.....	PL-4
LEAD Covered Armored Cables.....	PL-9
" Covered & Rubber Cov. Cables.....	PL-29
LEVOLIER Switches.....	PL-21
LINKS—Insulating.....	PL-15 & 19
" Renewable Fuse.....	PL-10
LIQUID for Coloring.....	PL-9
LOCKNUTS—Conduit.....	PL-8 & 15
LOOM—Non-Metallic Flexible.....	PL-15
" Clips.....	PL-9
LOCUST Pins.....	PL-7
LUGS—Soldering for Wire.....	PL-15
LUMINOUS Acorns for Cords.....	PL-4 & 19
" Buttons for Switches.....	PL-20

M

MAGNET Wire.....	PL-29
MAIL Boxes.....	PL-15
METAL Molding.....	PL-15
" Wiremold.....	PL-16
METER Boxes Outdoor.....	PL-22
METER and Switch Cabinets.....	PL-16
METER Service Switches.....	PL-21 to 27
MINIATURE and Candelabra Sockets.....	PL-18
MOGUL Sockets.....	PL-19
MOTOR Cord Connectors.....	PL-10
MOLDING Metal.....	PL-15 & 16
" Wiremold.....	PL-16
MULTI Bushings.....	PL-5

N

NAILS—Insulated.....	PL-16
NIPPLES for Conduit.....	PL-16
NON-METALLIC—Park Cables.....	PL-29

O

OFFICE Wire.....	PL-29
OPENERS—Door.....	PL-21
OUTDOOR Meter, Boxes.....	PL-22
OUTLET Boxes and Covers.....	PL-4 & 5
OVALDUCT Metal Moulding.....	PL-16

P

PAINT—Insulating.....	PL-17
PANELBOARDS Small House Type.....	PL-17
PANEL Switches.....	PL-21
PARK Cable.....	PL-29
PASTE Soldering.....	PL-17 & 27
PENDANT Switches.....	PL-21
PINS—Locust.....	PL-7
PIPE—Rigid Conduit.....	PL-9
" Clamps and Straps.....	PL-9 & 27
" Nipples.....	PL-16
" Threaded.....	PL-17
PLATES for Receptacles.....	PL-18
" for Switches.....	PL-20
PLUG Cutouts.....	PL-9
PLUGS—Attachment and Appliance.....	PL-16
" Conduit.....	PL-17

P—Continued

	Page
POTHEAD Compound.....	PL-17
PORCELAIN Bushings.....	PL-5
" Cutouts.....	PL-9
" Knobs and Tubes.....	PL-15
PUSH Buttons, Treads, Springs.....	PL-7

R

RACKS and Wireholders.....	PL-7 & 8
RADIO RECEPTACLES.....	PL-18
RAWLPLUGS.....	PL-19
RECEPTACLES—Flush.....	PL-18
" Radio.....	PL-18
" Sign.....	PL-19
" Surface.....	PL-18 & 19
" for Conduit.....	PL-10 to 14
REDUCERS—Conduit.....	PL-9 & 16
" Chase.....	PL-16
" Socket.....	PL-4
REMOTE CONTROL Switches.....	PL-21
RODS for Grounding.....	PL-19
ROMEX and Similar.....	PL-9
ROSETTES—Porcelain.....	PL-19
" for Conduit Fittings.....	PL-11 to 14
RUBBER TAPE.....	PL-27

S

SAFETY Switches—All Makes.....	PL-21 to 26
SALTS—Soldering.....	PL-26
SCREWS—Lag.....	PL-27
" Machine and Wood.....	PL-27
SERVICE Boxes or Cutout Boxes.....	PL-6
SHADE HOLDERS—Standard.....	PL-15
SHIELDS—Expansion.....	PL-10
SKEEDOODLE Flasher Plugs.....	PL-17
SLATE Base Cutouts.....	PL-9
SNAP Switches—Wall.....	PL-20
" Switches—Pull Cord Type.....	PL-20 & 21
SOCKETS—All Types.....	PL-19 & 20
SOCKET Adapters.....	PL-4
" Attachments.....	PL-4
" Bushings.....	PL-5 & 19
" Extensions.....	PL-4
" Handles.....	PL-19
" Twin.....	PL-19
SOLDER—All Types.....	PL-27
" Paste.....	PL-17 & 27
SOLDERING Lugs.....	PL-15
SOLDERLESS Connectors.....	PL-10
SPACERS—For Boxes.....	PL-4
SPEAKING Tubes.....	PL-15
SPRAGULETS Fittings.....	PL-13
SPRINGS—Window and Door.....	PL-6 & 7
SQUEEZE Connectors.....	PL-14
STAPLES for Bell Work.....	PL-16 & 27
STEEL Taped Park Cable.....	PL-29
STOVE Bolts.....	PL-8
STRAPS and Pipe Clamps.....	PL-9 & 27
STUDS for Fixtures.....	PL-27
SWITCH Boxes.....	PL-4
" Plates.....	PL-20
SWITCHES—Canopy.....	PL-21
" Door.....	PL-21
" Entrance and Panel.....	PL-21 to 27
" Flush-Push-Tumbler.....	
" Snap.....	PL-20
" Knife.....	PL-21
" Meter and Cabinet.....	PL-16
" Panel.....	PL-21

S—Continued

	Page
SWITCHES—Pendant and Feed Thru.....	PL-21
" Pull Cord.....	PL-20 & 21
" Remote Control.....	PL-21
" Time.....	PL-20
SWITCHES SAFETY ENTRANCE TYPE	
Bulldog.....	PL-24 & 25
Columbia.....	PL-25
Murray.....	PL-26
Noark.....	PL-24
Safety Entrance Type	
Square D.....	PL-21 & 22
Trumbull.....	PL-22
Trumbull-Vanderpool.....	PL-22 & 23
Wadsworth.....	PL-26
Westinghouse.....	PL-23 & 24

T

TABLE Clamps.....	PL-7
TAPE—Friction and Rubber.....	PL-27
TAFLETS—Conduit Fittings.....	PL-11
TAP—Current.....	PL-19
TELEPHONES.....	PL-20
" Wire.....	PL-29
TERMINALS and Soldering Lugs.....	PL-15
THIN Wall Conduit.....	PL-9
THREADED Pipe.....	PL-17
THREADED Conduit Fittings.....	PL-12
TIME Switches.....	PL-20
TOGGLE Bolts.....	PL-8
" Switches.....	PL-20
TRANSFORMERS—Bell and Toy.....	PL-28
TREADS—Floor.....	PL-6 & 7
TUBES—Porcelain.....	PL-15
" Speaking.....	PL-15
TUMBLER Switches and Plates.....	PL-19
TWIN Sockets.....	PL-19

U

UTILITY Boxes.....	PL-5
UNILETS Conduit Fittings.....	PL-11

V

V. V. FITTINGS for Conduit.....	PL-11
VAPORPROOF Fittings.....	PL-12
VARNISH and Paint.....	PL-17

W

WEATHERCAPS Entrance Fittings.....	PL-13
WEATHERPROOF Wire.....	PL-29
" Conduit Fittings.....	PL-12
WIRE—Rubber Covered.....	PL-29
" Weatherproof.....	PL-29
" Annunciator.....	PL-29
" Asbestos Range.....	PL-29
" Connectors.....	PL-10
" Damp Proof.....	PL-29
" Deltabeston.....	PL-29
" Lead and Rubber Covered.....	PL-29
" Magnet.....	PL-29
" Telephone and Telegraph.....	PL-29
WIREHOLDERS and Brackets.....	PL-7 & 8
WIRELETS and Spragulets.....	PL-13
WIREMOLD.....	PL-16
WOOD Fixture Blocks.....	PL-8

COVERS

For 3 1/4"-3 1/2"-4" Octagon or Round Boxes

				Black	Galvd.
24C-1	3 1/4"	Blank Cover Flat		\$0.05	\$0.07
24C-2	3 1/4"	Raised		.05	.07
24C-6	3 1/4"	Flat	with 1/2" K. O. in Center	.08	.08
24C-7	3 1/4"	Raised	1/2" K. O.	.08	.08
24C-12	3 1/4"		1/2" Metal Bushing	.06	.08
24C-28	3 1/4"	Spider	for Switch or Receptacle	.07	.09
24C-31	3 1/4"	Raised	Federal Sign	.06	.08
24C-33	3 1/4"	Flat	1 1/2" hole for other	.20	.22
24C-33&36	3 1/4"	Raised	1 1/2" hole for other	.06	.08
24C-39	3 1/4"	Flat	for fluted devices	.18	.20
24C-1	4"	Blank Cover	Flat	.05	.08
24C-2	4"	Raised	Raised	.06	.09
24C-3	4"	Raised	Open 1/2" Deep	.08	.08
24C-6	4"	Flat	with 1/2" K. O. in Center	.06	.09
24C-7	4"	Raised	1/2" K. O.	.07	.10
24C-12	4"		1/2" Metal Bushing	.06	.09
24C-28	4"	Spider	for Switch or Receptacle	.07	.09
24C-31	4"	Raised	Federal Sign	.07	.09
24C-33	4"	Flat	1 1/2" Hole for Std.	.20	.22
24C-33-6	4"	Raised	1 1/2" Ring	.06	.08
24C-39	4"	Flat	for Fluted Devices	.20	.22
24C-48	4"	Raised	1/2" High Open	.07	.10

OUTLET BOXES—Square 4" & 4 1/8"

Universal No.	Size and Description	Depth	Knockouts Bottom	Side	Black	Price	Galvd.
51151	4" Sq. Comb. Gas & Elect.	1 1/4"	5-1/4"	8-1/4"	\$0.16	\$0.20	
51151	4" " "	1 1/4"	5-1/4"	8-1/4"	.18	.22	
51151	4" " "	1 1/4"	5-1/4"	10-1/4"	.16	.20	
51151	4" " "	1 1/4"	5-1/4"	10-1/4"	.18	.22	
51171	4 1/8" " "	2 1/4"	5-1/4"	10-1/4"	.60		
72151	4 1/8" " "	2 1/4"	5-1/4"	10-1/4"	.60		
72171	4 1/8" " "	2 1/4"	5-1/4"	10-1/4"	.64		

COVERS For 4" & 4 1/8" Square Boxes

52C-1	4" Sq. Blank Flat				\$0.08	\$0.10
52C-2	Raised				.11	.13
52C-3	Raised 1/2" High Open				.12	.15
52C-6	Flat with 1/2" K. O. in Center				.10	.12
52C-7	Raised				.13	.16
52C-12	1/2" Metal Bushing				.11	.13
52C-13	for Rect. Switch or Recept.				.10	.12
52C-14	1/2" " "				.10	.13
52C-15	1/2" " "				.15	.17
52C-16	1 1/4" " "				.18	.21
52C-17	1 1/4" " "				.13	.16
52C-18	1 1/4" " "				.15	.17
52C-19	1 1/4" " "				.21	.23
52C-21	1 1/4" " "				.23	.26
52C-28	Flat Spider for Snap Switches				.15	.17
52C-31	Raised for Sign Rec.				.09	.10
52C-35-36	Fluted Devices				.14	.16
52C-39	with 2 1/4" Opening				.27	.30
52C-48	For French Fixture				.10	.13
52C-57	Single Sw. 1/2" High				.34	.37
52C-62					.10	.12
72C-1	4 1/8" Sq. Blank Flat				.27	
72C-2	Raised				.32	
72C-3	Raised Open				.34	
72C-7	With 1/2" K. O. in Center				.34	
72C-12	1/2" Bushing				.34	
72C-14-15	1/2" & 1" for Switch or Rec.				.36	
72C-18	1/2" & 1" 2 Devices				.50	
72C-48	Open 1/2" High				.34	
Special	Cover for One Push or Toggle Switch or Single Duplex Receptacle				.18	.23
For Red Seal Work	Cover Two Push or Toggle Switches or Two Receptacles or Any Combination of Two Devices				.32	.36

EXTENSION RINGS For Octagon & Square Boxes

25151	3 1/4" Octagon Ring—1 1/4" Deep	\$0.23	\$0.25
51151	4" " " or Square Ring 1 1/4" Deep	.25	.27
71151	4 1/8" Square Ring 1 1/4" Deep	.60	
51171	4" Octagon Ring 2 1/4" Deep	.44	.48
51171	4" Square " 2 1/4" Deep	.70	
71171	4 1/8" " " 2 1/4" Deep	.65	

HANDY OR UTILITY BOXES & COVERS

For Use With Rigid Conduit

Description	Universal Numbers	Price
Box 3 1/4"x1 1/2"x1 1/2" For Rigid Cond.	58151	\$0.22
Box 4x2 1/4"x1 1/2" For Rigid Cond.	58361	.22
Box 4x2 1/4"x1 1/2" For Rigid Cond.	58371	.22
Box 4x2 1/4"x2 1/2" For Rigid Cond.	58371	.60
Cover Flat Steel Closed	58C1	.10
Cover Porcelain with Holes	58C1	.13
Cover for Sgle. Receptacle	58C5	.18
Cover for Duplex Receptacle	58C7	.18
Cover for Toggle Switch	58C30	.18
Cover for Sgle. Push Switch	58C3	.18
Cover for Sign Receptacle	58C33	.18
Cover for Snap Switches	58C28	.18
Cover with 1/2" K. O.	58C6	.16
Cover with 1/2" & 3/8" Nipple	58C11	.27
Cover with Bushing for Cord	58C11	.16

CONCRETE BOXES WITH COVERS

Box & Back Plate with 1/2" Stud.	40.27	30.32	35.30	40.30	45.30	50.30	60.30
Box & Back Plate less 1/2" Stud.	.25	.27	.30	.34	.36	.40	.45
Plate only 4 1/2" Round without Fixture Stud 3 1/4" and 2 1/4" K. O.							.10
Plate only 4 1/2" Round with 1/2" Fixture Stud 3 1/4" and 2 1/4" K. O.							.15
Plate only 4 1/2" Round with 1/2" Fixture Stud 3 1/4" and 2 1/4" K. O.							.20

SOLID GANG BOXES

Covers Extra

Galvd. Only	2	3	4	5	6	7	8
Box Price	\$.75	\$1.15	\$1.50	\$2.00	\$3.75	\$5.65	\$8.10
Cover	.38	.55	.75	.95	1.80	3.20	3.85

BOXES, OUTLET

NEW CODE OUTLET BOXES
Box Only

Size	Stud	Clamps	Bush Plates	Price
3 1/4"x1 1/2" Round	Yes	Two	No	\$0.23
3 1/4"x1 1/2" Round	Yes	Two	No	.27
3 1/4"x1 1/2" Octagon	No	Two	Two	.23
3 1/4"x1 1/2" Octagon	Yes	Two	Two	.27
3 1/4"x1 1/2" Round	No	Two	No	.18
3 1/4"x1 1/2" Round	Yes	Two	Two	.23
3 1/4"x1 1/2" Octagon	No	Two	Two	.23
3 1/4"x1 1/2" Octagon	Yes	Two	Two	.27
4x1 1/2" Octagon	No	Two	Two	.27
4x1 1/2" Octagon	Yes	Two	Two	.32
G.E. Cable Boxes for Straight Electric or Combination No. 5200-01				
Hoge Cable Boxes for Straight Electric or Combination No. 2 & 4 & 14				
Thomas & Betts No. 565-66-67-68 Standard Cable Boxes				
Thomas & Betts No. 553-554 Dead Ground Cable Boxes				
Thomas & Betts No. 100-161 Flush Wall Type Cable Boxes				

BAR HANGERS FOR OUTLET BOXES

Boxes Extra

(With 1/2" Fixture Stud)	Price
(With 1/2" Stud add 6c ea.)	Margin
Straight Bar 18" Long	\$0.23
Straight Bar 24" Long	.30
Shallow Offset Bar 19 1/2" Long	.28
Shallow Offset Bar 24" Long	.35
Deep Offset Bar 19 1/2" Long	.28
Deep Offset Bar 24" Long	.35
Straight Old Work Bar 12"	.15
Box Cleat Bar 21"	.12
Straight Saddle Bar	.20

SET-UP BOXES WITH BARS

Size	Ears	Clamps	Bush Plates	For Loom	Galvd. Price
3 1/4"x1 1/2" Round	No	None	None		\$0.30
3 1/4"x1 1/2" Round	No	Two	None		.35
3 1/4"x1 1/2" Round	Yes	None	None		.35
3 1/4"x1 1/2" Round	Yes	Two	None		.40
For New Code Boxes					
3 1/4"x1 1/2" Oct.	Yes	Two	None		.45
3 1/4"x1 1/2" Oct.	Yes	Two	Two		.50
3 1/4"x1 1/2" Round	No	Two	None		.45
3 1/4"x1 1/2" Round	No	Two	Two		.45
4x1 1/2" Oct.	Yes	Two	None		.50
4x1 1/2" Oct.	Yes	Two	Two		.50
For Conduit					
4x1 1/2" Round	No	None	None		.30
4x1 1/2" Round	Yes	None	None		.35

BUSHINGS & LOCKNUTS

BUSHINGS & LOCKNUTS

For Rigid Conduit

Locknuts—Each	1/2"	3/4"	1"	1 1/4"
Bushings—Each	\$.01	\$.01 1/2	\$.02 1/2	\$.05
	.02	.02 1/2	.05	.08
Locknuts—Each	1 1/2"	2"	2 1/2"	3"
Bushings—Each	\$.08	\$.11	\$.19	\$.32
	.10	.20	.30	.40
				.58
				1.40

PORCELAIN CLAMP BUSHINGS

"Federal" or Equivalent

No.	K. O.	Inside Size	Outside Size	Wire Size	Bushing Each	Extra Ring Each
A-1	1/2"	1/2"	1/2"	No. 10	\$.08	\$.04
A-1 1/4	1 1/4"	1 1/4"	1 1/4"	No. 10	.10	.04
A-2	1 1/2"	1 1/2"	1 1/2"	No. 8	.10	.04
A-3	1 3/4"	1 3/4"	1 3/4"	No. 3	.12	.05
A-4	1 1/2"	1 1/2"	1 1/2"	No. 00	.15	.07
A-5	1 1/4"	1 1/4"	1 1/4"	450 CM	.22	.10
A-6	2"	2"	2"	1 Mill. CM	.45	.12
B-1	1 1/2"	1 1/2"	1 1/2"	No. 10	.20	.04
K-1	1 1/2"	1 1/2"	1 1/2"	No. 10	.32	.04
K-2	1 1/2"	1 1/2"	1 1/2"	No. 8	.37	.05

"MULTI" PORCELAIN CLAMP BUSHINGS

No.	Inside Size	Outside Size	For Wires	Price Each Complete
10	1/2"	1/2"	14 B & S	\$0.08
12	3/4"	3/4"	14 B & S	.12
15	1"	1"	14 B & S	.10
20	1 1/4"	1 1/4"	6 B & S	.10
40	1 1/2"	1 1/2"	2 B & S	.12
50	1 3/4"	1 3/4"	350,000	.20
55	1 3/4"	1 3/4"	600,000	.38
60	1 3/4"	1 3/4"	1,000,000	.45

PORCELAIN NO CLAMP BUSHINGS

Multi- With Spring Clip, Not Threaded

Catalog No.	Multi	90A	90B	91	92A	92B
Size of Hole	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"
To Fit Hole	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"
Price	\$.06	\$.06	\$.06	\$.07	\$.07	\$.07

Motor specialists--- pass in review

It's time to pass in review. For the past three months we have been laying our policy before you. Many are the comments and questions we have received in response—praise, doubt, skepticism. » » » Many motor specialists still hesitate to take us seriously; our policy toward them apparently seems to be too good to be true. » » » Others question some of the details of our policy, and for their benefit we herewith pass everything in review. Just read the center part of this advertisement; that's the story, with no "ifs" and "buts" about it. » » » For more details, write any

There are hundreds of thousands of establishments which do not and cannot maintain special electrical departments to specify, buy, install and service electric motors. These are the motor specialist's logical clientele, for Wagner cannot economically and does not desire to contact such a large number of firms. Wagner recognizes the motor specialist's right to sell such establishments without competition from the motor manufacturer. » » »

one of the branch offices listed below—where, incidentally, motor specialist contract blanks await your signature.

Atlanta, Ga.	Houston, Texas	Philadelphia, Pa.
Baltimore, Md.	Indianapolis, Ind.	Pittsburgh, Pa.
Boston, Mass.	Kansas City, Mo.	Portland, Ore.
Buffalo, N. Y.	Los Angeles, Calif.	Salt Lake, Utah
Chicago, Ill.	Memphis, Tenn.	San Francisco, Cal.
Cincinnati, Ohio	Milwaukee, Wis.	Seattle, Wash.
Cleveland, Ohio	Minneapolis, Minn.	St. Louis, Mo.
Dallas, Texas	Montreal, Canada	Springfield, Mass.
Denver, Colo.	New York, N. Y.	Toledo, Ohio
Detroit, Mich.	Omaha, Nebr.	Toronto, Canada

Wagner

Electric Corporation

6400 Plymouth Avenue, Saint Louis, U. S. A.


MOTORS

TRANSFORMERS

FANS

L181-4XA

"AMERICORE" RUBBER COVERED WIRE



*used throughout
interior of Russ Building, San Francisco*

This is the largest office building west of Chicago. The fact that Americore was specified for the interior of this building emphasizes the approval given Americore by Architects and Engineers everywhere. Americore surpasses code requirements—its quality

is outstanding, having proved dependable and economical over a long period of years. When we say "use Americore for Safety," we simply pass on to you the service results of this rubber-covered wire. A complete range of sizes to meet all needs.

AMERICAN STEEL & WIRE COMPANY

Subsidiary of United States Steel Corporation

208 S. La Salle Street, Chicago

Other Sales Offices: Atlanta Baltimore Birmingham*
Denver Detroit Kansas City Memphis Milwaukee
Pittsburgh Salt Lake City St. Louis

Pacific Coast Distributors: Columbia Steel Company,
San Francisco Los Angeles Portland Seattle Honolulu



30 Church Street, New York
Boston Buffalo Cincinnati Cleveland Dallas
Minneapolis-St. Paul Oklahoma City Philadelphia
Wilkes-Barre Worcester

Export Distributors: United States Steel Products Co.,
30 Church St., New York City

DOSSERT CONNECTORS

in the
**American Museum
of
Natural History**



Installation of Dossert connectors at the
American Museum of Natural History.

Fischbach & Moore
Electrical Contractors

Illustration shows one of the many Dossert connectors used in the re-wiring of the American Museum of Natural History. A new power plant was built to take care of increased load and the system is being changed over from 4 wire D. C. to 3 wire D. C.

Over 100,000 ft. of 500,000 C. M. cable is being required and Dossert connectors used to join cable ends at junction boxes and to tap off for branch circuits.



The Dossert Line is complete—the right **SOLDERLESS** Connector for every job. Write for catalog No. 20 describing each product in detail and various applications which will give you latest installation tips.

DOSSERT & COMPANY
242 WEST 41st STREET * * * * NEW YORK, U. S. A.

P&S WIRING DEVICES

USED EVERYWHERE BY ESTABLISHED CONTRACTORS

PORCELAIN

SOCKETS
SWITCHES
RECEPTACLES
OUTLETS
ALABAX

COMPOSITION

METAL

Quality in 1931 will be more essential than ever. Your customers, large and small, appreciate the value in a well planned and designed installation.

P&S Quality Wiring Devices help you render this essential service.

Each device is designed for quick and economical installation.

P&S ALABAX Porcelain Lighting Units in many cases put the finishing touches on the job at a profit.

Use P&S Devices on your next job.

Sold Through Good Jobbers Everywhere.

Manufactured By

PASS & SEYMOUR, INC.

DIVISION C

Solvay Station

Syracuse, N. Y.

Push Buttons, Etc.

Brackets for Insulators

PUSH BUTTONS, TREADS, SPRINGS

STANDARD PUSHES AND TREADS

Description	Ans.	Edw.	Fara.	P&W	Price
Round 1 1/4" and 1 1/2" Stamped Brass.....	506	603	SP51	29	\$0.20
Round 2 1/4" Stamped Brass.....	527	600	SP50	27	.25
Round 2 1/2" with Card Holder Stamped Brass.....	567	601	SP57	25	.40
Rectangular 4 1/2" Stamped Brass.....	604	SP54	55	.40	
Rectangular 3 1/4" x 1 1/4" Stamped Brass.....	605	SP53	50	.40	
Oval 2 1/2" x 1 1/2" Stamped Brass.....	606	SP5530	
Oval 4 1/2" x 2" Stamped Brass.....	609	SP5645	
Pear Push Buttons—Wood or Composition.....	605	67	5-9	3	.60
Pear Push Buttons—Metal, Nickel or Brass.....	68	MP885	
Desk Buttons—1/4" Hole—Nickel.....	562	59	7A	4	.75
Desk Buttons—1/2" Hole—Nickel.....	63	4	.65
Desk Buttons—3/4" Hole—Nickel.....	D53	620	5A	4	.45
High Voltage 1/4" Hole—110 Volts.....	85	855	2.40
Table Clamp with Push Button.....	571	206	TC1	...	1.00
Floor Pushes Combination Nickel.....	560	235	CFP285
Floor Treads—"Daisy" "Dixie".....	800	290	FT1	...	1.50
Wood Push Buttons.....20

BAKELITE OR COMPOSITION PUSHES

Round Plain 1 1/4" Diam.....	\$0.30	Rectangular Plain 1 1/2" x 3 1/4".....	\$0.40
Octagon Fancy 1 1/2" x 1 1/2" Diam.....	.35	Rectangular Fancy 1 1/2" x 3 1/4".....	.60
Oct. Card Holder 2 1/2" x 2 1/4" Diam.....	.40	Rec. Double Card Holder.....	.85

DESK PUSHES—COMPOUND
With Buttons

Make and Description	1	2	3	4	5	6
Edw. #146—Bakelite Block.....	\$2.10	\$3.50	\$3.20	\$3.65	\$4.50	\$5.25
Edw. #197 Less Cord Bake.Bl.....	3.50	4.75	6.00	7.25	8.50	9.75
Edw. #197 with 6' Cord Bake.Bl.....	4.05	6.10	7.75	9.45	11.15	12.85
Edw. #190 Wood—Less Cord.....	4.00	5.35	6.60	8.10	9.40	10.80
Edw. #190 Wood with Cord.....	4.45	6.85	8.35	10.30	12.05	13.90
Fara. #4C Wood Less Cord.....	2.00	2.80	2.60	3.05	3.50	3.90
Fara. #2A Wood Less Cord.....	4.90	7.00	8.50	10.60	12.40	13.80
Fara. B.D.P. Bake. Less Cord.....	3.50	4.75	6.00	7.25	8.50	9.75
Fara. M.D.P. All Metal Less Cord.....	6.00	11.00	16.00	21.00
P&W #4 Wood Less Cord.....	2.60	2.80	3.50	4.30	4.85	5.60
P&W #5 Wood Angle Less Cord.....	13.00	...	13.95
P&W #12 Wood Less Cord.....	3.80	4.25	5.45	6.00

DOOR AND WINDOW SPRINGS

Door Springs	Window Springs
Open Circuit Door Spring.....	\$0.40
Closed Circuit Door Spring.....	.60
Open Circuit Make and Break.....	.60
Open Circuit Door Trip.....	1.00
Open Circuit Single.....	\$0.60
Open Circuit Double.....	.85
Close Circuit Single.....	1.00
Open Circuit Transom.....	1.60

OTHER PUSH BUTTONS

Ansonia

Round Stamped	Price	Round Cast	Price
514 1 1/4" Loose Back.....	\$0.30	511 1 1/4" Loose Back.....	\$0.90
515 2 1/4" Loose Back.....	.40	512 2 1/4" Loose Back.....	1.00
579 1 1/2" Flush Push.....	1.00	508-10 2 1/4" Loose Back.....	1.00
E33 1 1/2" Flush Push.....	1.00	540 2 1/4" Loose Back.....	.60
		550 2 1/4" Loose Back.....	.85
		570 2 1/4" Loose Back.....	.75

Other Ansonia Push Buttons, Etc.

F-33 Stamped Flush Push.....	\$0.70	545 Oblong 2 Gang for Cards.....	\$1.85
G-33 Stamped Diamond Push.....	.70	545 Oblong 3 Gang for Cards.....	2.65
521 Stamped Push.....	.75	545 Oblong 4 Gang for Cards.....	3.65
528-534 Stamped Push.....	.95	546 Oblong 1 Gang.....	1.65
530-537 Stamped Push Loose Back.....	1.00	547 Oblong 1 Gang.....	.75
538 Stamped Oblong Push.....	1.25	548 Oblong 1 Gang.....	1.20
541 Oblong for Card.....	1.65	549 Diamond Push.....	.70
544 Oblong for Card.....	1.20	578 Diamond Push.....	.75
Combination Floor Pushes Complete.....	573		2.50
700 1 Point Wood Base Switch.....			.45

Edwards

Round Desk Buttons		Oblong Push Buttons	
621— $\frac{3}{4}$ " Hole.....	\$1.40	602—2 Gang for Cards.....	\$1.00
622— $\frac{1}{2}$ " Hole.....	1.45	607—Single for Cards.....	.40
625— $\frac{3}{4}$ " Hole.....	.50	608—Single.....	.45
1756— $2\frac{1}{2}$ " Watertight.....	3.00	650—Single Solid Cast Brass..	1.10

Partrick & Wilkins

Round Push Buttons

Stained Wood Push #2.....	\$0.15
Oak Wood Regular #1.....	.35
Oak Open, Closed and Obl. Cont. #1.....	.90
Oak Triple Contact #1.....	.90
Cast Brass 1 1/4" Diam. #8.....	.55
Cast Brass 2 1/4" Diam. #9.....	.65

Oblong Pushes

16 Cast Brass 4 1/2" x 1 1/2" Screw Cap.....	\$1.55
31 Cast Brass 5 x 2 1/2" Screw Cap.....	2.15
44 Cast Brass 4 x 2" Screw Cap.....	1.40
708 Wrought Push and Speak 1 Pce.....	1.00
907 2 Button and Card Holder.....	2.15
908 3 Button and Card Holder.....	2.95
909 4 Button and Card Holder.....	4.55

Electrical Contracting, February, 1931

OTHER PUSH BUTTONS—Continued

Partrick & Wilkins

Desk Push Buttons

Car Push 1 1/4" Hole Black Center.....	\$0.45
Multiple 1 1/4" Hole Black Center.....	1.35
Pony 1 1/4" Hole Black Center.....	1.85

Pear Shape Pushes

Compound Maple 2 Button.....	\$2.00
Compound Maple 3 Button.....	3.00
Wood Rosettes for above.....	.40

MULTIPLE PUSH BUTTONS

Couch "Pushrites"

With Card Holders

Number of Buttons	Wood Base Type		Weighted Base		Flush Brass Plate Type	
	Plain Base	Price	Number	Price	Number	Price
4	7900	\$ 3.35	7980	\$ 3.75	7940	\$ 5.00
6	740	4.60	780	5.20		
8	7910	5.80	7990	6.65	7950	9.15
12	7921	8.30	79010	9.60	7960	13.30
16	7930	10.80	79020	12.45	7970	17.50
20	793	13.30	7902	15.40	797	21.60

COUCH UNMOUNTED PUSH BUTTONS "WORKRITES"

No. 97 for 1/2" Hole.....	\$0.50
Adaptor No. 0684 for same.....	.05

BRACKETS FOR INSULATORS

WOOD BRACKETS

	Each		Each
1 1/2" x 2" x 10".....	\$.07	1 1/2" x 2" x 12".....	\$.08
1 1/2" x 2" x 12".....	.08	2" x 2 1/4" x 12".....	.10
1 1/2" x 2 1/4" x 12".....	.09	2" x 2 1/2" x 12".....	.10
		2" x 3" x 12".....	.15

PINS

	Each		Each
Locust 1 1/4" x 8".....	\$.06	Locust 1 1/4" x 9".....	\$.10
Oak 1 1/4" x 8".....	.05	Oak 1 1/4" x 9".....	.08

HOUSE BRACKETS WITHOUT INSULATORS

Peirce

No.	Light Type	Points	Price	No.	Heavy Type	Points	Price	No.	Corner Type	Points	Price
153	One	25	\$.25	154	One	40	\$.40	150	One	20	\$.30
253	Two	55	.55	254	Two	80	.80	242	Two	50	.55
353	Three	90	.90	354	Three	110	1.10	342	Three	80	.80

WIREHOLDERS WITH INSULATORS

Peirce

No.	Wires	Spacing	Price
1807	One	0"	\$.25
190	"	0"	.25
191	"	0"	.30
296	Two	0"	.55
299	"	0"	.55
394	Three	4 1/4"	.80
396	"	6"	.85

HOUSE RACKS WITH INSULATORS

Peirce

No.	Wires	Length	Space	Price
183	1	6 1/2"	0"	\$0.40
2925	1	0"	0"	.35
494	4	13 1/2"	4 1/4"	.95
286	2	12 1/2"	6"	.80
383	3	12 1/2"	3"	.95
386	3	18 1/2"	6"	1.20

SECONDARY RACKS WITH INSULATORS

Peirce

No.	Light Type			No.	Heavy Type		
	Wires	Space	Price		Wires	Space	Price
276	2	8"	\$.90	278	2	8"	\$1.30
376	3	6"	1.30	378	3	8"	2.15
1276	2	6"	.85	1278	2	8"	1.20
1376	3	6"	1.30	1374	3	4"	1.35
2768	2	8"	.90				
3768	3	8"	1.30	1378	3	8"	2.00

INSULATORS ONLY FOR ABOVE BRACKETS

Peirce

355 Insulator.....	\$.20	1603 Insulator.....	\$.10
356 ".....	.25	1606 ".....	.15
465 ".....	.30		

UNIVERSAL RACK UNITS

Less Insulators

No.	Each
702 Rack Foot with Bolt.....	\$.20
704 4' Extension.....	.25
708 8' ".....	.35
712 12' ".....	.45

HOUSE BRACKETS WITHOUT INSULATORS

National Elec. Products									
Light Type			Heavy Type			Corner Type			
No.	Points	Price Each	No.	Points	Price Each	No.	Points	Price Each	
108-10	1	\$.25	109-10	1	\$.45	111-10	1	\$.30	
	123-6-7	1	.40	111-50	1	\$.50	
108-26	2	.35	109-26	2	.80	
108-29	2	.60	109-29	2	.85	111-29	2	.60	
108-36	3	.95	109-36	3	1.15	111-36	3	.95	

HOUSE RACKS WITH INSULATORS

Light Type				Heavy Type			
No.	Points	Length	Each	No.	Points	Length	Each
104-10	1	5 1/2	\$.45	101-24	2	9 1/2	\$1.10
104-20	2	11 1/2	.90	101-28	3	13 1/2	1.65
104-25	2	11 1/2	1.00	101-34	3	18 1/2	1.75
104-36	3	15	1.25	101-38	4	21 1/2	2.40
104-53	5	18	1.60	101-44	4	17 1/2	2.30
104-53	5	18	1.60	101-54	5	21 1/2	2.70
104	Insulator Only	.12		101	Insulator Only	.18	

WIREHOLDER ACCESSORIES

No. 5000 Corner Chair.....	\$.13	No. 5040 Break Arm Strap.....	\$.14
No. 5020 Insulator.....	.18	No. 5051 " " " Bolt..	.20
No. 5021 U Bolts & Nuts..	.10	No. 5052 T Head Screw.....	.08

SINGLE POINT SCREW BRACKETS

National No.	Find- lay No.		National No.	Find- lay No.		National No.	Find- lay No.	
5211	1930	\$.20	5311	1929	\$.14	5411	1940	\$.25
5211L22	5311L15	5411L28
5213	1930C	.25	5313	1929C	.20	5413	1940C	.30
5213L28	5313L22	5413L35

WIREHOLDERS WITH INSULATORS

For One Wire		For Two Wires		For Three Wires			
Nation- al		Nation- al	Find- lay		Nation- al	Find- lay	
No.	Each	No.	No.	Each	No.	No.	Each
5011.....	\$.28	5002	2002	\$.60	5003	2013	\$.85
5001.....	. 25	5012 55	5023	2003	. 80

WIREHOLDERS WITH INSULATORS

National Elec. Products					
Light Type			Heavy Type		
No.	Points	Length	No.	Points	Length
105-1X	1	6"			
105-1	1	6"	105-1	1	6"
105-10	1	6 1/2"	105-10	1	6 1/2"
105-20	2	10 1/2"	105-20	2	11 1/2"
105-25	2	13 1/2"	105-25	2	14 1/2"
105-36	3	18 1/2"	105-36	3	17 1/2"
105-36	3	18 1/2"	105-36X	3	18 1/2"
105	Insulator Only		105	Insulator Only	
		.12			.10

B-SUNDRIES, BOLTS, ETC.

CARRIAGE BOLTS

Galvanized				
3/4"	1"	1 1/4"	1 1/2"	2"
...

MACHINE BOLTS WITHOUT WASHERS

Galvanized				
Diam.	3"	4"	5"	6"
...

FLAT CROSS ARM BRACES

Galvanized				
Length	20"	22"	24"	26"
...

STOVE BOLTS

Round or Flat Head				
Length	1 1/2"	2"	2 1/2"	3"
...

TOGGLE BOLTS, STEEL

"Paine"				
Size—Diameter	2"	3"	3 1/2"	4"
...

NOTE: For Brass Toggle Bolts—2 1/2 times above prices.

REDUCING WASHERS

For Outlet Boxes & Steel Cabinets				
Reducing Washers	3/4"	1"	1 1/4"	1 1/2"
Price Each	\$.02	\$.02	\$.03	\$.04

ROUND WOOD FIXTURE BLOCKS

Solid Half or Full Plowed				
3" x 4" Round	4" x 5" Round	5" x 6" Round	6" x 8" Round	8" x 10" Round
...

CORDS, FIXTURE, LAMP AND HEATER

SINGLE FIXTURE CORD

Single Lamp Cord				
Type	No. 18	No. 16	No. 14	No. 12
Single Cotton Covered Cord—Light	F-64	\$.01	\$.02	\$.03
Single Cotton Covered Cord—Heavy	F-32	.01 1/2	.02	.03
Single Artificial Silk Cord—Light	F-64	.01 1/4	.02 1/4	.03
Single Artificial Silk Cord—Heavy	F-32	.01 1/2	.03	.04

DOUBLE LAMP CORD

Regular Lamp Cord				
Type	No. 18	No. 16	No. 14	No. 12
Cotton Covered Twisted Pair	C	\$.02	\$.02 1/2	\$.04
" " Parallel Pair	PO	.02 1/4	.04	.05
" " Twisted Parallel Pair	PD	.03	.05	...
Artificial Silk Twisted Pair	C	.02 1/4	.04	.05
" " Parallel Pair	PO	.02 1/4	.05	.07

REINFORCED CORD

Not Asbestos				
Type	No. 18	No. 16	No. 14	No. 12
Cotton Covered Light Type 1/4"	PS	\$.03	\$.04	\$.07
Weatherproof Light Type 1/4"	PSWP	.03 1/4	.04	...
Heavy Type 1/4"	FWP	.04	.05	...

HEAVY DUTY PORTABLE CORD

"Duracord" or Similar. Extra Reinforced				
Type	No. 18	No. 16	No. 14	No. 12
PS Light 2 Cond. Port. Cord	...	\$.08
P Heavy 3 " " " "11	.13	.17
" " " " " "14	.22

ALL RUBBER CORD

"Tirex" "Royal" "Super-Service" "Indestructo" or Similar				
Type	No. 18	No. 16	No. 14	No. 12
SJ Junior 2 Conductor Black	...	\$.07
" " 2 " Green09
" " 2 " Black12
S Type Heavy 2 Conductor Black11	.15	.17
" " 3 " " "13	.16	.22
" " 4 " " "15	.19	.27
" " 5 " " "07	.08	.09

HEATER CORD

Asbestos Covered				
Type	No. 18	No. 17	No. 16	No. 14
Stand. Twisted or Wound Asbest. 1/4"	...	\$.05	\$.05	\$.06
American Beauty Heater Cord Super
Flexible0913
Rockbestos Heater Cord07	.07 1/4	.08
Universal No. 9092 Super Flexible09	.08

"Deltabeston" Heater Cord				
Type	No. 18	No. 17	No. 16	No. 14
Type A Asbestos Braid overall Loco
Cab Cord	...	\$.09	...	\$.10
" C Cotton Braid overall07	.08	.10
" D " " on ea. cond.07	.09	.10
" E Cotton on ea. Cond. & over both08	.10	.11

NOTE—For Armored Cords See Page PL-9.

" Extension Cords See Page PL-10.

" Fixture Wire See Pages PL-26 & 27.

" Bell Wire See Page PL-27.

MISCELLANEOUS CORD

Description				
Type	No. 18	No. 16	No. 14	No. 12
Brewery Cord	CB	\$.03	\$.04	\$.05
Canvaste Cord	CC	.05	.06	.08
Deck Cable	PWP	.05	.07	.10
Packinhouse Cable	PKWP	.05	.06	.07 1/4
Stage & Theatre Cable	T	.05	.06	.07 1/4
Type "K"	K	.05	.06	.07 1/4

Type "K" replaces Brewery, Canvaste and Packinhouse Cable. They are not included in present listing of N. E. C. Code Approved Cords.

Note—These prices are based on less than coil lot trade prices.

CONDUCTING BELL CORD

Spun Silk				
Number of Conductors	2	3	4	5
Cond. Cond. Cond. Cond. Cond.	2	3	4	5
Price Per Foot	\$.08	\$.15	\$.20	\$.21

NOTE—For Armored Lamp Cord See Page PL-9.

RIGID CONDUIT

	Black Per Foot	Galvd. Per Foot	Cutting & Threading Per Thread	Cutting Only Per Cut
1/16	\$.19	\$.11	\$.20	\$.10
1/8	.12	.13	.20	.10
3/16	.17	.19	.25	.10
1/2	.25	.27	.30	.15
5/8	.30	.32	.35	.15
3/4	.40	.43	.40	.20
7/8	.60	.68	.60	.25
1	.80	.88	.80	.30
1 1/8	1.02	1.10	.70	.30
1 1/4	1.25	1.35	.80	.30

	$\frac{1}{2}$ "	$\frac{3}{4}$ "	1"
Threadless Thin Wall Conduit, Per Foot.....	\$.09	\$.12	\$.16
Adaptor, Each.....	.08	.12	.20
Coupling or Connector, Each.....	.22	.30	.40

Note—One Coupling with Bushings is Included with Each 10 Foot Length of Conduit.

Price Each

Size Each	Bends or Elbows		Couplings		Bushings		Locknut Galv.	Erickson Coupl. or Unions	
	Black	Galv.	Black	Galv.	Galv.	Galv.		Galv.	Galv. Reducers
1/4"	\$.16	\$.19	\$.10	\$.11	\$.02	\$.01	\$.40	\$.21	
1/2"	.21	.24	.14	.15	.02 1/2	.01 1/2	.55	.21	
3/4"	.32	.37	.18	.20	.05	.02 1/2	.75	.28	
1 1/4"	.41	.46	.24	.26	.08	.05	1.20	.42	
1 1/2"	.54	.62	.30	.32	.10	.08	1.66	.56	
2"	.88	1.00	.40	.43	.20	.11	3.25	.70	
2 1/4"	1.45	1.65	.65	.62	.30	.19	6.40	1.30	
2 1/2"	3.70	4.25	.74	.81	.40	.32	9.75	1.76	
3"	9.10	9.60	1.00	1.10	.88	.40	2.60	
3 1/2"	9.40	10.75	1.25	1.35	1.40	.58	3.58	

Also on Page PL-10.

Also on Page PL-5.

Also on Page PL-12.

	$\frac{3}{8}"$	$\frac{1}{2}"$	$\frac{3}{4}"$	$1"$	$1\frac{1}{4}"$	$1\frac{1}{2}"$	$2"$
Single Strip Per Foot...	\$.00	\$.12	\$.14	\$.19	\$.40	\$.45	\$.64
Double Strip Per Foot...	.11	.14	.17	.23	.42	.50	.71

For Fittings for Metallic Conduit See Page PL-14.
 For Non-Metallic Conduit or Loom See Page PL-15.
 For Steel Armored Cable & Lead Covered See Next Item.

**ARMORED CABLE, "BX", "ABC", "FLEXSTEEL", OR
SIMILAR**

		Price Per Foot			
		No. 14	No. 12	No. 10	
TWO	Solid	Single Strip	\$.05	\$.09	\$.12
CONDUCTOR	Stranded	" "	" "	" "	" "
THREE	Solid	" "	.09	.11	.15
CONDUCTOR	Stranded	" "	" "	" "	" "
FOUR					
CONDUCTOR	Solid	" "	.19	.23
ONE	Solid	" "	.10	.11	.12
CONDUCTOR	Stranded	" "	" "13
CONDUCTOR	2 Conductor	" "	.07	.11	.13
OVALFLEX	3 Conductor	" "	.10	.14

			Price Per Foot		No. 4
			No. 5	No. 6	
TWO	Solid	Single Strip			
CONDUCTOR	Stranded	" "	\$.19	\$.28	\$.43
THREE	Solid	" "	.23
CONDUCTOR	Stranded	" "	.24	.34	.56
FOUR					
CONDUCTOR	Solid	" "
ONE	Solid	" "	.13	.16
CONDUCTOR	Stranded	" "	.14	.17	.30
OVALFLEX	2 Conductor	" "
	3 Conductor	" "

Double Strip Armored Cable add 30% to above prices.
Anti-Short Fibre Bushings for ABC Cable, Each.....	\$.01
Clips or Staples 3/4" for Armored or Non-Metallic Cable, Each.....	.01

		Price Per Foot		
		No. 14	No. 12	No. 10
Single Conductor Solid Lead Covered	\$.12		
Stranded " " " " " " " "			
Two Conductor Solid " " " " " " " "18	\$.22	\$.28
Stranded " " " " " " " "			
Three " Solid " " " " " " " "26	.31	.37
Stranded " " " " " " " "			

		Price Per Foot		
		No. 8	No. 6	No. 4
Single Conductor Solid Lead	Covered			
	Stranded	\$1.18	\$0.25	
Two	Solid			
	Stranded	.64	.54	
Three	Solid			
	Stranded	.55	.75	\$1.00

	Per Foot		
Single Strip	No. 18	No. 16	No. 14
Plain Armored Lamp Cord, Two Conductor.....	\$.12	\$.13	\$.18
Add 30% for Double Strip			

"Romex", "Loomwire", "Wireflex", or similar

(With or Without Ground Wire)	#14	#12	#10	#8	#6	#4
Wire 2 Conductor per Foot.....	\$0.05	\$0.06	\$0.09	\$0.13	\$0.19	\$0.25
Wire 3 Conductor per Foot.....	.08	.10	.13	.20	.27	.38
Fitting-Straps Each.....	.01	.01	.01	.01	.01	.01
Fitting-Clips Each.....	.03	.03	.03			
Fitting-Connectors Each.....	.10	.10	.20	.20	.30	.55

PLUG CUTOUTS
30 Amp. Porcelain

Disruption	Price
Single Pole—Main Line.....	\$266.00
Double " " ".....	.35
Triple " " ".....	.50
Double Pole Single Branch.....	\$193.50
Triple " " ".....	.35
" " " " ".....	.50
" " " " ".....	.40
Triple to D. P. Double Branch.....	\$219.00
Triple Pole Single Branch.....	\$219.00
Double " " ".....	\$213.50

Plug Type—30 Amp.

BRYANT		With Short Cover		With Long Cover	
		Numbers	Price	Numbers	Price
3	Wire Double Branch—4 Circuit..	72035	\$3.35	82035	\$3.65
G. E. or TRUMBULL		With Covers		Without Cov.	
		G.E.	Trumbull	Price	G.E. Price
3	Wire Single Branch—2 Circuit.	2435	3190	\$1.35	2436 \$.65
3	" Double "—4	2440	4190	1.80	2441 \$.85

Porcelain Base, 250 Volts

	Amp.	Amp.	Amp.
Single Pole Main Line Enclosed Porcelain.....	.40	.65	\$1.20
Double " " " " " " " " " " " " " " " "	.75	1.20	2.30
Triple " " " " " " " " " " " " " " " "	.85	1.65	3.30
Double Pole Single Branch Porcelain.....	.75	1.60	
" " Double " " " " " " " " " " " " " " " "	1.25	3.30	
Triple to Double Pole Double Branch Porcelain ..	1.80	3.60	
Single Pole Single Branch Porcelain ..	1.20	3.30	
Triple Pole Double Branch Porcelain ..	2.40	5.40	
Single Pole Main Line Cutout Base 600 Volt..	.70	1.00	1.50

Slate Price							
250 Volt	600 Volt	30 A.	60A.	100A.	200A.	400A.	600A.
Single Pole-Slate Base-250 V.....		\$.60	\$.90	\$ 1.25	\$ 2.10	\$ 5.20	\$ 6.00
" " " " 600 V.....				1.60	2.50	6.00	7.15

Prices on cutouts do not include fuses

GROUND CLAMPS

Standard Adjustable Ground Clamps, any make	No. 3		No. 4		No. 5		No. 6	
	1/2 to 1"	1 1/2 to 2"	1 1/2 to 2"	2 1/2 to 3"	2 1/2 to 3"	3 1/2 to 4"	3 1/2 to 4"	4 1/2 to 5"
Blackburn.....	.24	.28	.34	.35	.35	.43	.43	.43
Other Types								
Chase Shawmut 3660-68	.25	.30	.35	.45	.50	.60	.65	.70
G. V. A Series 5000.....	.25	.30	.35	.45	.50	.60	.65	.70

	1/4"	3/8"	1/2"	5/8"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
Galvnd. Straps, 2 Hole	\$.01	\$.01	\$.01	\$.01	\$.02	\$.02	\$.04	\$.05	\$.05	\$.06
Per Pound.....	\$.20									
No. Straps per Pound.....	45	40	25	20	13	12	7	5	4	
Light Steel Straps, 1 Hole		.05	.06	.08						
Mail Iron Clamps, 6 Hole	.06	.07	.08	.11	.18	.25	.45	.60	.80	
P & S Conduit Clamps										
With Bolts-Series 1400		.10	.14	.18	.20	.25				
Clips for Loom.....										

(See Also PL-27)

3c Each or 3 for 5c

	7 ounce Cans	16 ounce Cans	30 ounce Cans	1/2 Pint Bottle	1 Pint Bottle	Quart Bottle
Crescent (McGill).....				\$1.25	\$2.50	\$5.00
Celco.....	\$2.50	\$4.00	\$7.50			
Franco.....				1.25	2.25	4.00
Permacolor.....				1.65	3.00	5.00

PL-10

Cord & Wire Connectors

CORD & WIRE CONNECTORS

SMALL FIXTURE & WIRE CONNECTORS

Solderless

Insulated Solderless Wire or Fixture Connectors Similar to "Ideal"
"Marr" "NoTorch" "Simplex" "Wirelets" "Wiremold" "Wirenuts" Etc.—each \$.10
Non-Insulated Solderless Wire Connectors—2 Screw—All Metal..... .10

SET SCREW CONNECTORS

Round Brass

	Wire Size	No.	No.	No.	No.	No.
		12-14	10	8	6	4
Divided Wall—2 Screws.....		\$.06	\$.08	\$.09	\$.10	\$.14
Hole Thru " " " " " " " "	4		.16	.12	.13	.18
" " " " " " " "	2		.11	.13	.15	.17
" " " " " " " "	4					.20
	Wire Size	No.	No.	No.	No.	No.
		2	1/0	2/0	3/0	4/0
Divided Wall—2 Screws.....		\$.15				
" " " " " " " "	4		\$.26	\$.32	\$.50	\$.80
Hole Thru " " " " " " " "	2		.20	.24	.30	
" " " " " " " "	4		.22	.28	.30	.45

SOLDERLESS CONNECTORS

Dossert or Penn-Union

	No.	No.	No.	No.	No.	No.	No.
Size Cond.....	3 to 1	1/0	2/0	3/0	4/0	250,000	300,000
2 Way L's.....	\$0.75	\$0.80	\$1.00	\$1.20	\$1.40	\$1.65	\$1.90
Cable Taps.....	1.05	1.20	1.40	1.75	2.10	2.40	2.85
3 Ways & Y's.....	1.05	1.20	1.40	1.75	2.10	2.40	2.85
Lugs FB Ang.....	.65	.60	.70	.90	1.10	1.20	1.40

CORD & MOTOR CONNECTORS

	No.	Price	No.	Price	No.	Price
Arrow						
Midget Comp. 8238		\$.60				
" " " " 8239		.85				
Motor Conn. RA-8221		.60	8221	\$.55	RP	\$.10
" " " " RA-8222		.65	8222	.55	RA	.15
" " " " RH-8224		1.05	8224	.75	RH	.35
" " " " RG-8281		1.05	8281	.75	RG	.35
" " " " 8334 & 35		1.10	8335	1.10	8334	1.10
Bryant						
Motor Midget KT-130		.70	130	.65	KR	.10
" " " " KG-103		.75	103	.55	KG	.25
GE						
Cord Conn. 1346-1347		.90	1347	.45	1346	.45
" " " " " " " "			1351	.60	2527	.10
" " " " " " " "			2719	.50	2720	.35
" " " " " " " "			2715	.65	2716	.10
" " " " " " " "					1347	.40
Hubbell						
Cord Connector 5894		.80	5574	.55	5896	.25
" " " " 6116		.70	6118	.55	5964	.15
" " " " 6179		.75	6630	.55	6631	.30
" " " " 6180		.65	6630	.55	6181	.10
" " " " 5518		.80	5574	.55	5420	.25
" " " " 7083		1.35	7084	.85	7056	.55
" " " " 7080		1.80	7081	1.10	7092	.75
" " " " 6408		1.25	6409	.85	6149	.45
Weber						
Cord Connector 2274		.60	.74	.45	2200	.20
Wirt						
Cord Connector .50		.55				

NOTE: For Attachment Plugs and other caps—See Pages PL-16 & PL-17

E-SUNDRIES

EXTENSION CORDS—MADE UP

With Plug & Socket, but Guards-Lamps & Handles Extra

	Length in Feet	With Lamp Cord and Key Socket No. 18	With Reinforced Cord and Key Socket No. 16	With Artificial Silk Cord and Key Socket No. 18	With Artificial Silk Cord and Key Socket No. 16
		Twisted			
4 Foot.....		\$.75	\$.85	\$.80	\$.85
6 " " " " " " " "		.80	.90	.90	.95
8 " " " " " " " "		.85	1.00	1.05	1.05
10 " " " " " " " "		.90	1.10	1.10	1.20
12 " " " " " " " "		.95	1.20	1.20	1.30
14 " " " " " " " "		1.00	1.30	1.45	1.45
16 " " " " " " " "		1.05	1.40	1.55	1.55
18 " " " " " " " "		1.10	1.50	1.65	1.65
20 " " " " " " " "		1.15	1.60	1.75	1.75
22 " " " " " " " "		1.20	1.65	1.85	1.85
24 " " " " " " " "		1.25	1.75	1.95	1.95
	Length in Feet		With All Rubber Cord and Weatherproof Socket		
			Light	Heavy	
4 Foot.....		No. 18	No. 16	No. 18	No. 16
6 " " " " " " " "		1.20	1.30	1.40	1.50
8 " " " " " " " "		1.35	1.50	1.65	1.75
10 " " " " " " " "		1.50	1.70	1.90	2.00
12 " " " " " " " "		1.75	1.90	2.15	2.25
14 " " " " " " " "		1.90	2.10	2.40	2.50
16 " " " " " " " "		2.10	2.30	2.65	2.75
18 " " " " " " " "		2.25	2.50	2.90	3.00
20 " " " " " " " "		2.40	2.70	3.15	3.25
22 " " " " " " " "		2.65	2.90	3.40	3.50
24 " " " " " " " "		2.80	3.10	3.65	3.75

ELBOWS & BENDS

For Rigid Conduit

	Size	1/2"	3/4"	1"	1 1/4"	1 1/2"
Black.....		\$.16	\$.21	\$.32	\$.41	\$.54
Galv.....		.19	.24	.37	.46	.62
	Size	2 1/2"	3"	3 1/2"	4"	
Black.....		\$.88	\$1.45	\$3.70	\$5.10	\$9.40
Galv.....		1.00	1.65	4.25	9.30	10.75

EXPANSION SHIELDS & ANCHORS

(Ackerman—Diamond—Dryvin—Johnson—Packtite—Paine—Star or Similar)

	Price	Price	Price	Price
Expansive Screw Anchors or Caulking Anchors for Machine Screws or Bolts				
Size Screw or Bolt	Price	1/2"x1/2"	1/2"x1/2"	1/2"x1/2"
6-32 Screw.....	\$0.06			
8-32 " " " " " " " "	.07			
10-24 " " " " " " " "	.08			
12-24 " " " " " " " "	.10			
1-4x20 Bolt.....	.12			
5-16x18 " " " " " " " "	.15			
3-8x16 " " " " " " " "	.18			
7-16x14 " " " " " " " "	.20			
1-2x13 " " " " " " " "	.20			
5-8x13 " " " " " " " "	.30			

Multi-Size Screw Anchors

	Length of Anchor.....	5 to 10	8 to 14	16 to 20	16 to 20
Price Without Screw.....		\$0.04	\$0.05	\$0.06	\$0.08

LAG SCREW ANCHORS (Diamond or Similar)

	Price	Price	Price	Price
Takes Lag Screw 3/4"		1/2"	1/2"	1/2"
Price Without Lag Screw.....	\$.15	\$.15	\$.18	\$.25
Takes Lag Screw 3/4"		1/2"	1/2"	1/2"
Price Without Lag Screw.....	\$.40	\$.60	\$.90	\$1.00

FUSES

PLUG FUSES

Standard Plug Fuses—Any Make—\$.07 each or 5 for \$.25
(Some Manufacturers put these fuses up 4 in a box, in which case they should be retailed at 4 for \$.25.)

*NCLOSED FUSES, NON-RENEWABLE

	Price Each	Price Each	Price Each	Price Each
	250 Volts	600 Volts	250 Volts	600 Volts
Amps.	Fuse	Fuse	Fuse	Fuse
1 to 30.....	\$.10	\$.30	\$.20	\$.40
35 to 60.....	.20	.40	.35	.65
70 to 100.....	.60	1.10	.95	1.75
110 to 200.....	1.20	1.85	1.85	2.90
225 to 400.....	2.15	4.10	3.35	6.35
450 to 600.....	4.10	6.00	6.35	9.25
650 to 800.....	8.95	11.00	13.85	17.35

RENEWABLE FUSES

	Price	Price	Price	Price
	250 Volts	600 Volts	250 Volts	600 Volts
Amps.	Fuse	Fuse	Fuse	Fuse
1 to 30.....	\$.50	1.10	\$.08	\$.05
35 to 60.....	1.00	1.25	.05	.06
65 to 100.....	2.00	3.00	.10	.10
110 to 200.....	4.00	5.00	.15	.15
225 to 400.....	7.50	11.00	.30	.30
450 to 600.....	11.00	16.00	.60	.60

FUSE WIRE

	Price	Price	Price	Price
Size in Amps.....	1/4	1/2	1	2
Price Per Pound.....	\$65.00	\$60.00	\$2.60	\$2.30
Price Per Foot.....	.01	.01	.01	.01
Size in Amps.....	3	5	8	10
Price Per Pound.....	\$1.90	\$1.50	\$1.50	\$1.25
Price Per Foot.....	.01	.01 1/2	.02	.02 1/2
Size in Amps.....	20	25	30	40
Price Per Pound.....	\$1.00	\$1.00	\$1.00	\$1.00
Price Per Foot.....	.04	.05	.07	.08
Size in Amps.....	60	70	75	80
Price Per Pound.....	\$1.00	\$1.00	\$1.00	\$1.00
Price Per Foot.....	.15	.20	.21	.22

Fuse Strip Any Amperage....\$1.00 per lb.

OPEN LINK FUSES

Small Wire Type

	Price	Price	Price
Size in Amps.....	1 to 30	35 to 60	65 to 100
Numbers.....	00-0-1-2-3	3-5-6	8
Price Each.....	\$.10	\$.14	\$.20

Large Strip Type

	Price	Price	Price
Size in Amps.....	25-100	110-200	225-400
Numbers.....	7	7 to 16	10 to 16
Price Each.....	\$.20	\$.30	\$.60
Size in Amps.....	425-600	600-900	900-1800
Numbers.....	10 to 16	25	40
Price Each.....	\$1.00	\$1.75	\$6.55

STAMPED SHEET METAL LINK FUSES

	Price	Price	Price	Price
Type or Link.....	B	C	D	E-F-H-I-L-M
C to C Distance.....	1 1/2	2 1/4	2 1/2	See Catalog
Price Each.....	\$.11	\$.11	\$.16	\$.30

Electrical Contracting, February, 1931

THREADED CONDUIT FITTINGS

"Condulets" "Taplets" "Unilets" "Electrolets" "V. V."
"Adaptilets" Etc.

	Form 7	2"	2½"	3"	3½"	4"
A		\$2.32	\$2.46	\$4.50	\$10.60	\$11.70
B		2.65		7.30	9.10	10.65
C		3.40	6.24	8.10	11.70	14.30
CO-COV		4.45	6.75	10.27	16.38	17.95
E		3.00	5.46	6.50	10.40	11.70
F						
	For Special Form 6 Entrance Fittings See PL-13					
L	Form 7	7.00	10.66	13.26	23.53	32.50
LB-LF-LF-LR-LRB		3.50	6.50	8.45	13.65	15.60
LF-LB-LR-LRB		6.50	6.50	8.45	13.65	15.60
LB-LB-LR-LW		3.72	8.52			
T All One Size		3.58	6.50	9.75	14.30	16.90
TA All One Size		5.53				
TB-TL-TR		3.58	6.50	9.75	14.30	16.90
U-UB		4.20	7.80	10.15	16.38	18.75
X All One Size		4.90	7.80	13.00	16.90	20.80
Gaskets		.35	.52	.52	.65	.65
Reducers		.70	1.30	1.76	2.60	3.58
Connectors CCT		2.01				
Unions U. N. Y.		4.10	6.65	11.15		

COVERS

For Above

		1/8"	3/8"	1"	1 1/2"
Porcelain Covers with Holes.....		\$.14	\$.21	\$.35	\$.51
Composition " "28	.42	.70	1.40
" " Blank.....		.42	.66	.94	1.54
Porcelain " For Drop Cord.....		.49	.66
" Weatherproof.....		.22	.35
Metal Covers Blank Sheet Steel.....		.12	.16	.33	.45
" " Cast Iron.....		.21	.31	.49	.70
" " with 1/4 Nipple.....		.28	.35	.59	..
" " " "53	.40	.54	..
" " " "35	.42	.56	..
Porcelain Covers with Holes.....		1/8"	3/8"	1"	1 1/2"
Composition " "		\$.67	\$.94	\$1.12	\$1.26
" " Blank.....		1.55	1.68
" " For Drop Cord.....		1.68	1.96	4.46	6.30
" Weatherproof.....	
Metal Covers Blank Sheet Steel.....		.63	.79	1.05	1.12
" " Cast Iron.....		.98	1.26	1.61	1.73
" " with 1/4 Nipple.....	
" " " "
" " " "

RECEPTACLES & ROSETTES

For Above

Plug Receptacles	10 Amp.	2 Pole	250 Watt.	\$.36	\$.36	1 ⁰⁰
"	"	15 "	2 "	125 "	\$.70
"	"	10 "	3 "	125 "63
"	"	10 "	3 "	250 "77	.84
"	"	15 "	3 "	125 "84
"	"	20 "	3 "	250 "	1.10	.91
"	"	20 "	3 "	250 "	1.10	1.20
Lamp Receptacle	660 Watt	with Shade Holder42	.49
Cord Rosette	"	"42	.49	.56

FS SERIES FOR FLUSH DEVICES
Shallow Type Without Covers, Any Make

No. Gang	No. Pipe Outlets	Series	1/4"	1/2"	1"
Single Gang	One	FS-FSA	\$.91	\$1.05	\$1.19
"	Two	FSC-FSL-FSR- FSLA-FSS-FSAA	1.05	1.25	1.54
"	Three	FSCA-FSCC- FSCT-FST	1.40	1.75	2.03
"	Four	FSX-FSCD	1.68	2.10	2.38
Two Gang	One	FS-FSA	1.68	1.82	1.96
"	Two	FSC-FSS	1.82	1.96	2.17
"	Three	FSD	2.03	2.17	2.31
2 Gang Tandem	One	FS	2.31	2.45	2.59
"	Two	FSC	2.45	2.59	2.73
Three Gang	One	FS-FSA	2.52	2.73
"	Two	FSC	2.66	2.87
"	Four	FSD	2.73	3.01	3.32
Four Gang	One	FS-FSA	3.08	3.32
"	Two	FSC-FSSE	3.29	3.50
"	Five	FSD	4.00	4.34

Description	Single	2	3	4
-------------	--------	---	---	---

	Gang	Gang	Gang	Gang
Metal Cover for Flush or Surface Push Button Tumbler Switches.....	\$.21	.42	.63	.84
Metal Cast Covers Guarded for Switches.....	.50	.91	1.40	1.95
Covers for Single Flush Receptacles.....	.35	.70		
" " Duplex " " " "	.42	.84		
" " Single " " Lift Cover....	.84	1.68		
" " with $\frac{3}{4}$ " Brass Nipple.....	.56			
" " " " " "	.68			
" " For Pilot Lamp Rec... ..	1.40			
Iron Vaporproof with Operating Mechanism..	2.45	4.20		
Brass "	3.50	8.05		
Blank Cover Sheet Steel.....	14	.28	.56	.84
" Cast.....	.35	.70	1.05	1.40
Recessed "Cover Sheet Steel.....				

2	Gang for One Switch and one Sgle. or Duplex Receptacle.....	\$.70
2	" " " " Bull's Eye with Jewel	1.78
2	" " " " One lift cover Receptacle	1.05

Type	3 Pole, 250 Volt D. C.	30 Amp. A. C.	60 Amp. A. C.
Crouse-Hinds or Similar	1 1/2"	1 1/2"	1 1/2"
QEE Receptacle	\$10.20	\$10.35	\$10.45
QE	10.10	10.20	10.35
AJA	\$20.80	\$20.95
AJB	19.95	20.10
CP Watertight Plugs	9.70	9.70	9.70
	15.45	15.45	17.60

Type Crouse Hinds or Similar	5 Amp.			10 Amp.		
	1/2"	3/4"	1"	1/2"	3/4"	1"
GL.....	\$.56	\$.70	\$1.05	\$.70	\$.91	\$1.19
GLA.....	.63	.77	1.12	.77	.98	1.26
GLA-GLA-GT.....	.84	.98	1.33	.98	1.19	1.50
GLA-GX-GXA.....	1.05	1.19	1.68	1.19	1.40	1.82
H.....	.42	.56	.91	.56	.77	1.04
HA.....	.49	.63	.98	.63	.84	1.12
HH.....	.56	.70	1.05	.70	.91	1.19
HHC.....	.84	.98	1.33	.98	1.19	1.50
HHA.....	.63	.77	1.12	.77	.98	1.26


Type Crouse Hinds or Similar	5 Amp.			10 Amp.		
	$\frac{3}{4}$ "	$\frac{3}{4}$ "	1"	$\frac{3}{4}$ "	$\frac{3}{4}$ "	1"
G.....	\$.77	\$.91	\$ 1.26	\$.91	\$ 1.12	\$ 1.40
GL.....	.84	.98	1.33	.98	1.19	1.50
GA-GLA-GT.....	1.05	1.19	1.54	1.19	1.19	1.65
GTA-GX.....	1.26	1.40	1.89	1.40	1.61	2.05
GXA.....	1.80	1.71	3.17	1.71	1.82	3.35
H.....	.63	.77	1.19	.77	.98	1.33
HA.....	.70	.84	1.19	.84	1.05	1.33
HH.....	.77	.91	1.26	.91	1.12	1.40
HHC.....	1.05	1.19	1.54	1.19	1.40	1.65
HLA.....	.84	.98	1.33	.98	1.19	1.50

For G & H Fittings For G & H Fittings

Description	Without Adjustable Bar			With Adjustable Bar		
	5 Amp.	10 Amp.	20 Amp.	5 Amp.	10 Amp.	20 Amp.
Porcelain Cover with Wire Holes . . .	\$.28	\$.35	\$.56	\$.21	\$.26	\$.50
Blank Steel Cover21	.28	.35	.14	.21	.35
" Cast35	.42	.56	.28	.35	.50
Sheet Steel with 1/4" Brass Nipple42	.49	.56	.35	.50	.56
" " " " " " " " " " "	.50	.56	.63	.42	.56	.63
" " " " " " " " " "	.56	.63	.70	.50	.56	.63
Receptacle Covers No Shadeholder . .	.70	.70				

Lamp Receptacles one piece with or without Shadeholder Groove.....	\$.35
" " two " " "	.70
" " without " "	.63
Cord Rosette Porcelain.....	.56
" Composition.....	.70

	1/2"	3/4"	1"
A-JB-JU.....	\$.84	\$1.05	\$1.50
L.....	.95	1.19	1.61
T.....	1.19	1.33	1.50
TX.....	1.33	1.50	1.61
E.....	1.50	1.61	1.82
K.....	.70	.91	1.25
KA-KB-KC-KD.....	.84	1.05	1.50



A New Day is Dawning

The increased understanding and appreciation of Complete Electric Service means the dawn of a new day for *ADEQUATE WIRING*—and for contractors who do this modern type of work with "BETTER WIRING MATERIALS."

In this country there are nineteen million homes, wired at different times in the past 25 years, and each wiring installation represents largely the standards of use of electricity at such time. Chances are that a large percentage of homes in your city are typical of these wired homes, in that the wiring installa-

tion, according to present day standards, is inadequate.

Increase your business by talking *ADEQUATE WIRING* to the home-owners in your city; tell them of the convenience of more outlets and more circuits and of heavier circuits in some places—kitchens, dining rooms and laundries.

"RED SEAL" PRODUCTS

"Xduct" and "Electroduct" Rigid Conduit; "Red Seal" ABC Armored Bushed Cable; "Red Seal" Flexible Metallic Conduit; "Loomflex" non-metallic flexible conduit; "Loomflex Cable", non-metallic sheathed; Boxes and Fittings. "Better Wiring Materials"


Remove yourself from the realm of cut-price competition; concentrate on this *adequate wiring* work, which commands a better price and yields a larger profit—use "BETTER WIRING MATERIALS."

AMERICAN CIRCULAR LOOM COMPANY, INC.
233 Broadway New York, N. Y.

♦ ♦ ♦
Offices in Principal Cities

READY FOR YOU *Now!*

The earlier you
start the more
profits you will
make in 1931



the 1931

American Blower Sales & Advertising Plan Book

JUST off the press. Full of new merchandising ideas ... new sales helps ... new advertising material ... all designed to increase Contractor Dealer Profits.

A valuable book for any business. Particularly valu-

able for Sheet Metal, Electrical and Ventilating Contractors. Fill in the coupon today. Assure yourself of an early copy.

There is no obligation, or charge. Get your order in now.

American Blower
VENTILATING, HEATING, AIR CONDITIONING, DRYING, MECHANICAL DRAFT
MANUFACTURERS OF ALL TYPES OF AIR HANDLING EQUIPMENT SINCE 1881

C O U P O N

AMERICAN BLOWER CORPORATION, 6000 Russell Street, Detroit, Michigan

Please send me, without obligation or charge, a copy of the American Blower Blue Book.

Name _____

Firm Name _____

Street & Number _____

City _____ State _____ (1106)



You buy two "ingredients" and get many in **FA**

Workmanship and materials go into **FA** Panelboards, but from them come many values—simplicity, standardization, safety, no maintenance, life-of-building-service, ease of installation, quick deliveries, **FA** co-operation on wiring specifications—

and too many more to list here.

FA experience of years and the spirit of progressiveness in design that have produced all the wide sweeping developments of panelboard history are yours every time you buy an **FA** branded product.

Facilities and **FA** men in every important city places near you practical top speed service. Have you the new Leader Type LNTF Bulletin No. 50 or Catalog No. 45? Write.

Frank Adam

ELECTRIC COMPANY

ST. LOUIS



Atlanta, Ga.
L. A. Crow,
64 Cone St., N. W.
Baltimore, Md.
Wolfe-Mann Mfg. Co.,
312 S. Hanover St.
Boston, Mass.
J. J. Cassidy,
231 Congress St.
Buffalo, N. Y.
Ralph E. Jones,
1890 Hertel Ave.
Chicago, Ill.
Major Equipment Co.
Inc.,
4603 Fullerton Ave.
Cincinnati, Ohio
E. F. Schurig,
105 E. Pearl St.
Cleveland, Ohio
Frank Hecke,
684 The Arcade
Dallas, Texas
R. S. Wakefield,
1814 Allen Bldg.
Denver, Colo.
Alex. Hibbard, Inc.,
1940 Blake St.
Detroit, Mich.
H. H. Norton,
2683 Wabash Ave.

Kansas City, Mo.
Robert Baker,
19 E. 14th St.
Los Angeles, Calif.
E. Zinsmeyer,
1127 S. Wall St.
Memphis, Tenn.
C. R. Rutledge,
293 Monroe Ave.
Minneapolis, Minn.
Leo H. Cooper,
422 Builders' Exh. Bldg.

New Orleans, La.
W. J. Keller,
203 Natches Bldg.
Magazine & Natches Sts.
New York
Fred Kraut,
182 North 11th St.
Brooklyn
Omaha, Nebr.
B. J. Fleming,
213 S. 13th St.
Orlando, Florida
F. W. Knoepfel,
519 Richmond Ave.

Philadelphia, Pa.
W. A. MacAvoy, Jr.,
244 North 10th St.
Pittsburgh, Pa.
W. A. MacAvoy, Jr.,
Dist. Mgr.,
R. E. Thomas,
Res. Mgr.,
Room 1004
427 Fourth Ave.
St. Louis, Mo.
O. H. Rottman,
3650 Windsor Place
San Francisco, Calif.
Leo Van Alta,
240 Fremont St.

Seattle, Wash.
Elec. Eng. Sales Co.,
2914 First Ave., S.
Tulsa, Okla.
P. E. Eberwein,
214 S. Victor St.
Toronto, Can.
Amalgamated Elec.
Co., Ltd.,
Gen. Sales Office,
370 Pape Ave.

Vancouver, Can.
Amalgamated Elec.
Co., Ltd.,
Granville Island
Winnipeg, Man., Can.
Amalgamated Elec.
Co., Ltd.,
877 Notre Dame Ave.
Hamilton, Ont.
Amalgamated Elec.
Co., Ltd.,
18 Mary St.
Montreal, Can.
Amalgamated Elec.
Co., Ltd.,
1006 Mountain St.



Tune in on the Graybar Program
at 10 P.M. Eastern Standard
Time, every Tuesday . . .
Columbia Broadcasting System.

how a little wire can tie up a lot
(...and why it shouldn't)...

It doesn't take much defective wire to tie up the biggest building—as every contractor knows. And tie-ups can be mighty expensive! . . . Careful contractors best serve their clients by installing only quality materials... The electrical contractor knows that it is sometimes difficult to identify quality—when good, bad, and indifferent supplies look so much alike? . . . But he knows, too, that one sure guide is the reputation and experience of the supplier . . . Graybar's record as supplier is the history of quality electrical construction in America from the beginning.

OFFICES IN 76 PRINCIPAL CITIES. EXECUTIVE OFFICES: GRAYBAR BLDG., NEW YORK, N. Y.

GraybaR

Fittings, Conduit

Lamp Receptacle S. H. Groove.....		\$.63
No S. H. Groove.....		.68
Plug Receptacle 10 & 15 Amp.....		.70
" " 20 " "		.91
" " 10 " 3-wire.....		.98
Cord Rosette.....		.49
Blank Cast Cover.....		.42

Prices include Globe & Guard

		Form 75	
		1/2"	1"
V-VA & VDA	as above	\$5.85	\$5.92
VC & VL	"	5.98	6.11
VE-VG & VT	"	0.17	0.30
VX	"	0.50	0.83
VF	"	6.37	6.50
VD & VJ	"	6.70	6.87
		Form 200	
		1/2"	1"
V-VA & VDA	as above	\$7.02	\$7.09
VC & VL	"	7.15	7.28
VE-VG & VT	"	7.28	7.50
VX	"	7.41	7.67
VF	"	7.47	7.60
VD & VJ	"	7.67	7.80

	Form	Form
	75	200
Globes only, clear glass.....	\$1.12	\$1.12
" opal.....	1.50	2.38
" green.....	2.38	3.30
" ruby.....	3.30	4.06
Guards Cast Aluminum.....	2.52	3.15
Hall Shades.....	1.08	2.45
Receptacle with Gasket.....	.70	.56
Reflector Holders Cast Aluminum.....	.70	.91
Adaptor.....	1.05	1.28

(Page 56, Crouse Hinds Cat. 2200 or Similar)

Pendant or Bracket Fixture with Recep. Globe and Guard Form	75....	\$7.93
	200....	8.84

STANDARD TYPES

"Kondur" Crouse-Hinds "Appleton" or Similar

Types	Without Covers	34"	34"	1"	14"
A.		\$.46	\$.62	\$.84	\$1.26
B.		.53	.70	.95	1.47
BE		.95	1.23	1.79	2.74
C.		.74	.94	1.33	2.03
CB		1.04	1.34	2.06	2.96
D.		.74	.94	1.29	2.03
E.		.53	.67	.94	1.45
LB-LF-LL-LR.		.81	.98	1.40	2.17
SE.		.81	1.09	1.71	2.66
T-TL-TR.		1.04	1.34	1.85	2.80
TB.		1.47	1.82	2.38	3.64
U & UB.		1.47	1.82	2.38	3.64
X.		1.33	1.82	2.45	3.43
XB.		2.03	2.52	3.29
LBL-LBR-LU.		1.26	1.63	2.31
		14"	2"	24"	3"
A.		\$1.61	\$3.15	\$ 6.65	\$ 8.10
B.		1.96	3.85	6.65	8.10
BE		2.64	6.30	11.70	13.30
C.		3.66	5.11	8.55	11.15
CB.		3.85	5.11	9.59	14.36
D.		2.66	5.11	8.55	11.15
E.		1.96	3.85	6.65	8.06
LB-LF-LL-LR.		2.94	5.18	8.80	11.50
SE.		3.99	7.00	11.85	14.81
T-TL-TR.		3.66	6.16	9.90	14.40
TB.		5.18	9.90	14.40	19.15
U & UB.		3.29	6.00	10.10	13.20
X.		4.48	8.33	12.35	19.15
XB.	

	1 1/2"	3"	5"	1 1/2"
H Couplings.....	\$.32	\$.48	\$.83	\$1.17
KO Box Connector.....	.20	.29	.67	1.34
NO ".....	.24	.31	.66	.84
SCA Cable Connector.....	.13	.17	.34
SLP Short Elbow.....	.39	.52	.83	1.06
KOL Box Connector.....	.43	.57	.98	1.54
KOR Reducer.....	.58	.63
	1 1/2"	3"	2 1/2"	3"
H Couplings.....	\$1.54	\$3.21	\$4.00	\$6.35
KO Box Connector.....
NO ".....	1.18	2.49	3.28	4.38
SCA Cable Connector.....
SLP Short Elbow.....	.23	.2
KOL Box Connector.....	2.07	4.30
KOR Reducer.....

	1/4"	3/8"	1"	1 1/2"
Blank Metal.....	\$.12	\$.16	\$.32	\$.44
Rubber Gasket.....	.14	.14	.22	.24
Metal, 1/4 Nip.....	.28	.35	.40	.60
" " " " " " " "	.32	.40	.54	.60
" " " " " " " "	.35	.42	.56	.72
" " " " " " " "	.40	.48	.68	.72
Porcelain with Holes.....	.14	.21	.35	.35
Metal, Cord Grip.....	.28	.35	.49	.49

	1 1/2"	2"	2 1/2"	3"
Blank Metal.....	\$.63	\$.79	\$1.05	\$1.06
Rubber Gasket.....	.28	.50	.84	
Metal, 1/4 Nip.....	.83			
" 1/2 ".....	.86			
" 3/4 ".....	.88			
" 1 ".....	.96			
" 1 1/2 ".....	.98		1.12	1.12
Porcelain with Hole.....				
Metal, Cord Grip.....	1.00	1.04	1.25	

Lamp Recept. without Shade Holder Groove PR...	1 1/2"	3/4"	1"
" with Shade Holder Groove PRS....	\$.35	\$.42	\$.49
Porcelain for Weatherproof Socket WP2....	.42	.49	.56
Polarity Plug Receptals 10 Amp. P.....	.28
Duplex PD.....	.66	.63	.70
		.70	.78

Snap Switch	Amp.	Volt	Non Indicating	Sgle. Pole	Dble. Pole	3 Pole
"	5	125	"	\$.70	\$1.26
"	5	125	"	.77
"	10	125	"	1.12	\$1.47	1.47
"	10	125	"	1.26	1.68

Any Make

Type	1 Gang			2 Gang		
	$\frac{1}{2}$ "	$\frac{3}{4}$ "	1"	$\frac{1}{2}$ "	$\frac{3}{4}$ "	1"
FSE-FSB.....	\$1.05	\$1.26	\$1.40	\$1.82	\$2.03	\$2.24
FSC-L & R.....	1.33	1.61	2.03	2.10	2.31	2.66
FST.....	1.76	2.31	2.73
FSU.....	1.26	1.61	2.03
FSD.....	1.75	2.31	2.73	2.38	2.73	3.08

Type	3 Gang			4 Gang		
	$\frac{1}{2}$ "	$\frac{3}{4}$ "	1"	$\frac{1}{2}$ "	$\frac{3}{4}$ "	1"
FSE-FSB.....	\$2.73	\$3.01	\$3.36	\$3.64
FSC-L & R.....	3.03	3.36	3.71	3.99
FST.....
FSU.....
FSD.....	\$3.22	3.57	3.85	\$4.27

	One Gang	2 Gang
Blank Metal Plate.....	\$.37	\$.70
Receptacle Plate.....	.28	.38
Toggle or Push Button Switch Plate.....	.38	

Type	5 Amp.		10 Amp.		
	3/4"	3/4"	3/4"	1"	1"
OA	\$.63	\$.64	\$.77	\$1.05	\$1.33
OB	.77	1.05	.91	1.26	1.68
OEB	1.19	1.54	1.33	1.75	2.24
OL	.86	.77	.70	.98	1.26
OEB	.91	1.12	1.05	1.33	1.75
OL	.91	1.12	1.05	1.33	1.75
OLB	1.19	1.54	1.33	1.75	2.24
OT	1.19	1.54	1.33	1.75	2.24
OTB	1.54	1.96	1.68	2.10	2.60
OU	.77	1.05	.91	1.26	1.68
OUE	1.19	1.54	1.33	1.75	2.24
OY	1.54	1.96	1.68	2.10	2.60
OYB	1.89	2.31	2.03	2.52	3.26

	1 st	2 nd	3 rd	4 th	5 th	6 th	7 th	8 th	9 th	10 th	11 th	12 th	13 th	14 th	15 th	16 th	17 th	18 th	19 th	20 th	21 st	22 nd	23 rd	24 th	25 th	26 th	27 th	28 th	29 th	30 th	31 st	32 nd	33 rd	34 th	35 th	36 th	37 th	38 th	39 th	40 th	41 st	42 nd	43 rd	44 th	45 th	46 th	47 th	48 th	49 th	50 th	51 st	52 nd	53 rd	54 th	55 th	56 th	57 th	58 th	59 th	60 th	61 st	62 nd	63 rd	64 th	65 th	66 th	67 th	68 th	69 th	70 th	71 st	72 nd	73 rd	74 th	75 th	76 th	77 th	78 th	79 th	80 th	81 st	82 nd	83 rd	84 th	85 th	86 th	87 th	88 th	89 th	90 th	91 st	92 nd	93 rd	94 th	95 th	96 th	97 th	98 th	99 th	100 th																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
OA																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									

	5	10	20
	Amp.	Amp.	Amp.
Blank Metal Cover, Round.....	\$.21	\$.28	\$.35
Porcelain Cover, Round with holes.....	.21	.35	.49
Metal cover with 1/4 or 3/4 Cord Grip.....	.35	.42	.46
Blank Metal cover with 1/4 male or female nipple.....	.42	.48	.52
" " " " " " " " " " " " " " " "	.42	.49	.56
" " " " " " " " " " " " " " " "	.49	.56	.63
" " " " " " " " " " " " " " " "	.56	.63	.70
Rubber Gaskets.....	.14	.14	.21
Lamp Receptacles Porcelain Base.....	.42	.42	.42
Connection T. Slot.....	.94	.94	.94

REDUCING BELTINGS								
	Large End	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
Small End	1 1/4"	\$.41	\$.53	\$.71	\$.80	\$1.05	\$1.40	\$1.55
"	"		.60	.76	.90	1.19	1.50	1.67
"	"			.81	.94	1.29	1.60	1.80
"	1 1/2"				1.15	1.45	1.90	2.45
"	1 3/4"					1.51	1.90	2.45
"	2"						2.27	2.97
"	2 1/4"							3.20

Fittings, Threadless

FITTINGS, SPRAGULETS, WIRELETS OR T & B

BRANCH TYPE
Series 48

Series 48		G.E., Steel City or	Price
Description	T & B Numbers	Each	
Branch Body Rectangular for $\frac{1}{2}$ & $\frac{3}{4}$ " Conduit...	SP-48241	\$ 2.10	
Cover Metal Flat Closed.	SP-48C1		
" " " with $\frac{1}{2}$ " Knockout.	SP-48C6		
" " " with $\frac{3}{4}$ " Knockout.	SP-48C8		
" " " Pendant Type with $\frac{1}{2}$ " Bushing.	SP-48C11		
" " " Pendant Type with $\frac{3}{4}$ " Bushing.	SP-48C22 & 23		
" " " with $\frac{1}{2}$ " Male or Female Nipple.	SP-48C75 & 76		
" " " with $\frac{3}{4}$ " Male or Female Nipple.	SP-48C77 & 78		
Cover Porcelain with one or two wire Holes.			
" " " three or four wire Holes.			

SHALLOW TYPE

Description	G.E. Steel City or Black Numbers	Price
Body Octagonal Shape for $\frac{1}{8}$ " or $\frac{3}{8}$ " Conduit.....	SP-1A241	\$.36
Cover Metal Flat Closed.....	SP-1C1	.10
" " Raised with $\frac{1}{8}$ " Knockout.....	SP-1C7	.10
Cover Metal Flat Pendant with $\frac{1}{8}$ " Bushing.....	SP-1AC8	.12
" " ""	SP-1C11	.16
" " with $\frac{1}{8}$ or $\frac{3}{8}$ Male Nip.....	SP-1AC22-24	.30
" " For all surface Mounted Devices.....	SP-1AC28	.15
" " Raised for Sign Rectangles.....	SP-1AC34-35-36	.19
" " Flat for All Flashed Device Boxes.....	SP-1AC30	.15
" Porcelain with one or two holes.....	SP-1AC75 & 76	.15
" " Three or Four holes.....	SP-1AC77 & 78	.15

DEEP TYPE
Series 34

Description	G. E., Steel City or T. & B. Numbers	Price Each
Body Deep Octagonal Shape $\frac{1}{8}$ " & $\frac{3}{16}$ "	SP-34401	\$4.45
Cover Metal Blank Flat	SP-344R1	.14
Cover Metal P. Push Button Switch	SP-344 & 3	.14
" Single Receptacle	SP-345	.14
" Standard Duplex Receptacle	SP-347	.14
" For GE 30 Amp. Polarized Plug Recep.	SP-34R13	.14
" GE Tumbler Switch	SP-344	.14
" Hubbell and H&H Tumbler Switch	SP-34R15	.16

COUPLINGS

SP-1410	Complete Coupling for $\frac{1}{8}$ " Conduit.....	\$.18
SP-1420	" " " " $\frac{1}{4}$ " "25

FITTINGS, ENTRANCE OR SERVICE

"ADAPTI"

Ent. Ells with Cov. Ser. 1100.....	14 ⁵ / ₈	14 ⁵ / ₈	1 ⁰⁰ / ₈	
" Fitt. with Cov. Ser. 2700.....	\$.45	\$.50	\$.50	\$1.05
Angle Ent. Fitt. with Cover Ser. 2700.....	.45	.55	.65	1.10
Signal Ent. Caps No. 2810-2811.....	.75	.55	.65	1.20
	14 ⁵ / ₈	15 ⁵ / ₈	22 ⁵ / ₈	5 ⁵ / ₈
Ent. Ells with Cov. Ser. 1100.....	\$1.55	\$3.00		
" Fitt. with Cov. Ser. 2700.....	1.85	3.00	\$8.25	\$7.65
Angle Ent. Fitt. with Cov. Ser. 2700.....	1.85	3.00	8.25	7.25
Signal Ent. Caps No. 2810-2811.....	2.00	3.00	8.25	

"APPLETON"

FEB Elbow with Cov. 1700 & 1900.....	1 $\frac{1}{2}$ "	3 $\frac{1}{2}$ "	1"	1 $\frac{3}{4}$ "
FE Elbow with Cov. 1713 to 16.....	\$.50	\$.60	\$.70	\$1.70
FC End Fitt. with Cov. 1723-33-43.....	.35	.50	.60
AY Angle Fitt. 1950 to 54.....	.20	.25	.30
LAY End Fitt. with Cov. 1700 to 94.....	.50	.55	.70	1.85
MF Reversible Fitt. 3200-3230.....	.45	.50	.60	1.10
	.45	.55	.75	1.30
FEB Elbow with Cov. 1700 & 1900.....	1 $\frac{1}{2}$ "	2"	2 $\frac{1}{2}$ "	3"
FE Elbow with Cov. 1713 to 16.....	\$1.90	\$3.25	\$7.50	\$9.00
FC End Fitt. with Cov. 1723-33-43.....
AY Angle Fitt. 1950 to 54.....
LAY End Fitt. with Cov. 1700 to 94.....	2.25
	1.75

"BEND HICKS"

	1½"	1½"	1"	1¾"
Bend Hicks Galvanized.....	\$.50	\$.60	\$.65	\$1.75
	1½"	2"	2¾"	3"
Bend Hicks Galvanized.....	\$2.15	\$4.10	\$6.60	\$8.25

"CAP-SWIVEL-LET"

"A" Inside Work #1010 to 1064.....	\$4.20	\$4.25	1"	1 1/4"	1 1/2"	1 3/4"
"BW" Threadless Fitt. 4112-4134.....	.45	.50	.30	.55	.85	.20
"BW" Threaded Fitt. 2112-2124.....	.35	.45				
"FW" Outside Work 1412-1464.....	.40	.50	.65	1.05	1.80	3.00
"LB" Service Entrance 3110-3130.....	.50	.55	.65			
Type "AM" for Nipple 1/4" Long.....	.20	.20	For Nipple 1/4" Long.....	.20	.25	.25
Type "BX" from 1600 to 1613.....	.30	.30	For 1614-1624.....	.30		.30
Per 1632-1634.....	.25					

"CONDULETS"—Form 6

F Type Ent. Fitt. with Porc. Cov.....	1 1/2"	1 1/2"	1"	1 1/4"
LB Type Ent. Fitt. with Metal Cov.....	\$.40	\$.45	\$.60	\$.90
	.45	.50	.60	1.15
F Type Ent. Fitt. with Porc. Cov.....	1 1/2"	2"	2 1/2"	3"
LB Type Ent. Fitt. with Metal Cov.....	\$1.60	\$2.85
	1.40	2.45

"ELECTROLETS"

FB Angle Fitt. with Cov. 713-53.	$\frac{1}{2}^*$	$\frac{3}{4}^*$	$1\frac{1}{2}^*$
KA End Fitt. with Cov. 1013 to 43.	$\frac{1}{2}$	$\frac{3}{4}$	$1\frac{1}{2}$
SLB Elbow Fitt. with Cov. 1 to 4.	.20	.20	.25
Y Capped Elbow Y1 to 5.	.50	.55	.75
FB Angle Fitt. with Cov. 713-53.	$\frac{1}{2}^*$	2^*	$2\frac{1}{2}^*$
KA End Fitt. with Cov. 1013 to 43.	$\frac{1}{2}$	2	$2\frac{1}{2}$
SLB Elbow Fitt. with Cov. 1 to 4.	.20	.20	.25
Y Capped Elbow Y1 to 5.	2.20		

"GENERAL ELECTRIC"

With Covers		\$4 ⁰⁰	\$4 ⁰⁰	1 ⁰⁰	14 ⁰⁰
Ent. Caps Series	1525 to 1534
Capped Elbow Series	1470 to 1472
Capped Elbow Series	1480 to 1484
Insulets Series	1600 to 1612
Insulets Angle Series	1640 to 1642
Entrance Ells	1490 to 1495
With Covers		11 ⁰⁰	2 ⁰⁰		
Ent. Caps Series	1525 to 1532
Capped Elbow Series	1470 to 1472
Capped Elbow Series	1480 to 1484
Insulets Series	1600 to 1612
Insulets Angle Series	1640 to 1642
Entrance Ells	1490 to 1495

GEE-VEE

F Service Cap Series 6000.....	1 ⁵ / ₈ "	3 ³ / ₄ "	1 ⁷ / ₈ "	1 ³ / ₄ "
B " " " 16000.....	.45	.50	.70	\$1.00
F Pipe " " " 1000-1310.....	.40	.50	.75	1.75
B " " " 2000 & 2100.....	.40	.45	.65	1.75
PB Universal " 3000.....	1.00	1.25	1.65	2.75
Weathercap " 40122.....	.30	.30	.30	
Service Elbow " 19000.....	.45	.50	.60	1.10
Endo Terminal Series 90000.....	.15	.20	.25	1.05
Endo with Male Thread Series 70000.....	.25	.35	.50	1.05
Endo for Armored Cable 31143.....				
No. 14-2 or No. 12-3 Wire.....	.50			
Endo for Armored Cable Series 30000, Nos. 14 and 12 wire, \$1.15; No. 10 wire, \$.30; No. 6 wire, \$.45				
SEG Service Elbow Series .400- $\frac{3}{4}$ x $\frac{3}{4}$ x $\frac{3}{4}$; \$.70; 1 x 1 $\frac{1}{2}$ x $\frac{1}{2}$; \$1.15; 1 $\frac{1}{2}$ x 1 $\frac{1}{2}$ x $\frac{1}{2}$; 1.75				
F Service Cap Series 6000.....	1 ⁵ / ₈ "	3 ³ / ₄ "	2 ³ / ₄ "	3 ³ / ₄ "
B " " " 16000.....	1.00	1.35	1.70	\$2.75
F Pipe " " " 1000-1310.....	1.20	1.75	3.00	9.25
B " " " 2000 & 2100.....	1.05			4.15
PB Universal " 3000.....	3.75	5.40	9.50	12.70
Weathercap " 40155.....	.75	3.60		
Service Elbow " 19000.....	1.75	2.40	4.55	7.40
Endo Terminal " 90000.....	1.40	2.40	4.55	7.40

"TAPLETS"

	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
AR End Fitt. with Bushing.....	\$4.40	\$5.70	\$6.90	\$8.10	\$9.30	\$10.50	\$11.70	\$12.90
BF Angle Fitt. with Covers.....	35	55	65	1.20				
FA End Fitt. with Covers.....	15	20						
FB End Fitt. with Covers.....	30	45						
FF Service Fitt. with Covers.....	40	45	.85	1.00	1.70	2.95	6.25	7.65
FH Service Fitt. with Covers.....	.85	1.05	1.50	1.90	3.50	4.90	11.50	12.90
SE Service Elbow with Covers.....	.95	1.10	1.25	1.90	2.05	4.20	8.45	9.85

T & B

Ent. Cap 1525-32 with Cover.....	1½"	1½"	1"	13½"
Capped Elbow 1470-84 with Cover.....	\$.40	\$.50	\$.65	\$1.00
Insulators 1610-11-12 with Cover.....	.50	.60	.70	1.90
Insulators 1640-11-12 with Cover.....	.15	.20	.25	
Angle Insulators 1640-11-12 with Cover.....	.15	.20	.25	
Cable Insulators 2000 with Cover.....	.15			
Ent. Cap 1525-32 with Cover.....	1½"	2"	2½"	3"
Capped Elbow 1470-84 with Cover.....	\$1.70	\$2.95	\$7.55	\$9.25
Insulators 1610-11-12 with Cover.....	2.30			
Angle Insulators 1640-11-12 with Cover.....				
Insulators 1610-11-12 with Cover.....				
Cable Insulators 2000 with Cover.....				

"V. V."

	3*	1*	1*	1*	1*	1*	2*	3*
Type 2 Term. Fitt. with Cov.	40	55	70	80	1.30	1.70	2.30	5.40
Type 6 Term. Fitt. with Bush.	40	55	70	80	1.30	1.70	2.30	5.40
Type 9 Term. Fitt. with Cov.	40	55	70	80	1.30	1.70	2.30	5.40
FAB with Porc. Cover.	25	40	45	60	95	60	12.05	15.40
FAB with Porc. Cover.	25	40	45	60	95	60	12.05	15.40
FC Pipe End Porc. Cover.	15	20	25					
FCBX with Cover.	15	20	25					
FLC with Cast Cover.	55	65	1.15	1.35	2.5			
Y Bend Hick.	50	60	65	1.75	2.15	4.10		

FITTINGS, "ADAPTI"

ROUND "ADAPTI" BOXES

Series Numbers	Style	1 st	2 nd	3 rd	4 th	5 th	6 th
No. 2900 to 2908 ..	1 Back Outlet	\$.40	\$.46	\$.60	\$1.05		
No. 3100 to 3106 ..	Side	.40	.46	.60	1.05	1.80	2.40
No. 3100T & 3101T							
Threadless	" "	.48	.55			
No. 3170 to 3175 ..	" "	.48	.53	.66	1.15	1.85	2.40
No. 3200 to 3205 ..	2 " "	.48	.55	.73	1.25	2.11	2.70
No. 3200T & 3201T							
Threadless	" "	.60	.67			
No. 3270 to 3275 ..	" "	.60	.67	.83	1.40	2.25	2.80
No. 32170 to 32175	" " "	.53	.60	.85	1.34	2.20	2.80
No. 3300 to 3305 ..	3 " "	.64	.75	.98	1.60	2.65	3.00
No. 3300T to 3305T							
Threadless	" "	.80	.92			
No. 33170 to 33175	" "	.70	.82	1.05	1.70	2.70	3.00
No. 3400 to 3405 ..	4 " "	.80	1.00	1.20	1.85	2.85	3.30
No. 3500 to 3505 ..	2 " "	.80	.90	1.10	1.40	2.25	3.30
No. 3800 to 3805 ..	" "	.53	.60	.80	1.40	2.25	3.30
No. 3900 to 4105 ..	3 " "	.80	.93	1.05	1.75	2.85	3.90
No. 4800 to 5005 ..	4 " "	.93	1.05	1.32	1.90	3.80	4.60

PARTS For Above Boxes				
Series No.	Description	3/4"	1"	1 1/2"
500-501-502	Base Only	\$.27	\$.27	\$.54
500X-501X	Extension Ring	.27	.27	.40
501A	Base Concealed to Expd.	.66	.66	.66
0500	" with Tapped Boss	.33	.33	.33
510 to 512	Base	.40	.40	.80
520 to 522	"	.27	.27	.52
30 to 35	Metal Side Plates	.14	.14	.20
40 to 42	Insulated Side Plates	.16	.16	.33
50 to 54	Armd. Flex. Side Plates	.33	.40	.53
60 to 65	Angle Outlet	.16	.22	.42
70 to 75	Elbow Outlet	.22	.29	.50
90 to 93	Connecting Outlet	.26		.33
100 & 101	Straight for No. 500 Base	.16	.22	
110 to 113	" " No. 501 "	.26	.33	.42
120 to 125	" " No. 502 "	.46	.53	.66
130 to 135	" " No. 503 "	1.05	1.32	1.60
140 to 145	" " No. 504 "	2.65	3.05	3.45
300 & 301	Threadless Outlet	.20	.25	
310 & 311	"	.33	.40	
Series No.	Description	1 1/4"	1 1/2"	2"
500-501-502	Base Only	\$.54	\$ 1.08	\$ 1.08
500X-501X	Extension Ring	.40		
501A	Base Concealed to Expd.	.66		
0500	" with Tapped Boss	.80	1.60	1.60
510 to 512	Base	.52	1.08	1.08
520 to 522	"	.20	.38	.38
30 to 35	Metal Side Plates	.33	.66	.66
40 to 42	Insulated Side Plates	.06		
50 to 54	Armd. Flex. Side Plates	.48	.92	1.05
60 to 65	Angle Outlet	.55	1.00	1.12
70 to 75	Elbow Outlet		.40	.46
90 to 93	Connecting Outlet			
100 & 101	Straight for No. 500 Base			
110 to 113	" " No. 501 "	.48		
120 to 125	" " No. 502 "	.80	.92	1.05
130 to 135	" " No. 503 "	1.85	2.10	2.40
140 to 145	" " No. 504 "	3.85	4.25	4.65
300 & 301	Threadless Outlet			
310 & 311	"			

COVERS For Round Adapti Boxes		
Numbers	Description	Price
1	Porcelain One Hole Cover	\$.18
2	Metal For Devices	.30
3	Porcelain One Hole Cover	.30
4	Porcelain	.22
5 & 6	Porcelain with 1/4 Male or Female Nipple	.37
7 & 8	"	.52
9 & 10	Malleable with 1/4 Male or Female Nipple	.30
11 & 12	"	.37

NOTE: For "Adapti" Entrance Fittings See Page PL-13.

GROUNDING FITTINGS & DEVICES
"GROUNDULET", ETC.Crouse Hinds—Appleton & Similar
Type GCA

Fitting No.	Description	Price
GCA-12	For 1/2" Conduit Without Soldering Lug	\$.70
-172	" " " " " "	.75

Type GCD

With Angle Adjustment	1/2" One Strap	3/4" Two Straps	1" Three Straps
GCD-12 Fitting without Lug	\$.80		
GCD-172-22-32 with	.85	\$ 1.55	\$ 2.50

Type GCE

With Threaded Plug Terminal	Price
GCE-142 For 1/2" Conduit & 1/2" Water Pipe without Lug	\$.80
GCE-242 " " " " with Lug	.90
GCE-342 " " " " with Lug	1.05

CONDUIT END TERMINAL Without Bolt or
Soldering Lugs

GCE1 For 1/2" Conduit	Price
GCE2 " 3/4" "	.55
GCE3 " 1" "	.70

Type GC

For Open Ground Wire	Price
GC 91 Cast Brass with No. 4 Lug and One Strap—1/4 to 1" Water Pipe	\$.70
GC-92 Cast Brass with No. 4 Lug & One Strap 1/2 to 2" Water Pipe	.75
GC-922 " " " " " " " " " " " "	1.45

WATER METER SHUNTS

GC191 Water Meter Shunt For 1/2 to 1" Water Pipe	Price
GC192 " " " " " " " " " " " "	1.80

GC BRASS BUSHINGS For Groundulet Fittings

Size	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
Without Screw or Lug	\$.10	.13	.20	.24	.31	.46	.84	\$ 1.10
With Screw & Lug	.20	.24	.31	.32	.40	.61	1.00	1.25

G. E. & T. & B.

GROUND FITTINGS

G. E.	T. & B.	Description	Price
SP-900-05	3670-80	1/2" Body Saws 1/2" to 2"	\$0.90
SP-810-15	3671-81	" " " " " " " "	1.60
SP-820-25	3672-82	" " " " " " " "	2.50

GROUNDING WEDGES

SP-900 to 911	3650 to 3659	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	3 1/2"	4"
		15c	20c	24c	26c	30c	45c	90c	\$1.10	\$2.00	\$2.25

GROUNDING JUMPERS

SP-600 8" Grounding Jumper	Price
SP-601 12" "	\$0.45

FITTINGS OR BOX CONNECTORS, ARMORED CABLE

For BX or Armored Cable	Description	Size of K. O.	Price Each
Standard Squeeze Connector 3/4-1/2"		1 1/2"	\$.06
" Set Screw Connector 3/4-1/2"		1 1/2"	.06
" Slip In Connector 3/4-1/2"		1 1/2"	.06
" Duplex Connector 3/4-1/2"		1 1/2"	.18

STRAIGHT

BOX
CONNECTORSSqueeze
or
Tangent
Type90 DEGREE
ANGLE BOX
CONNECTORSqueeze
or
Tangent
Type45 DEGREE
ANGLE BOX
CONNECTORSqueeze
or
Tangent
TypePANEL BOX
ADAPTOR
FOR CONVERTING
ANY CONNECTOR
INTO A
PANEL
CONNECTORSqueeze
or
Tangent
TypeCOUPLINGS
FOR
FLEXIBLE
STEEL
CONDUIT

For 1/2" Conduit

COUPLINGS FOR
RIGID
FLEXIBLE
CONDUIT

For 1/2" Conduit

Bushings or Ferrules—Brass

FITTINGS FOR "OVALFLEX" ARMORED CABLE

Number	Description	Price
2150-57-60-61	Straps—Fasteners & Bushings	\$.02
2159	Toggle with Wire Loop	.08
2176-2180-2154	Set Screw Connector	.15
2179-2181	Special Box Connector	.10
2155-2156	90 Degree Box Connector	.31
412-413	Connector for Ovalflex to Metal Molding	.35
9080-S	Squeeze Connector	.10

COMMERCIAL GLASSWARE

Standard		Plain White Only	
Fitters NOT INCLUDED	Depth or Length	Size	Price
6" Diameter	5 1/2" Inches to 6" Inches	3 1/4"	\$ 1.00
8" Diameter	5 1/2" " " 6 1/2" " "	4"	1.25
10" " "	6" " " 7 1/2" " "	4"	1.75
12" " "	6 1/2" " " 8 1/2" " "	4" or 6"	3.25
14" " "	7 1/2" " " 10 1/2" " "	6"	4.50
16" " "	8 1/2" " " 11 1/2" " "	6"	5.25
18" " "	9" " " 12" " "	6"	8.25
20" " "	10" " " 10 1/2" " "	8"	15.00


Modernistic Glassware		Plain White Only	
Fitters NOT INCLUDED	Inches	Size	Price
8" Diameter	6 1/2" " "	4"	\$ 1.40
10" " "	7 1/2" " "	4"	1.75
12" " "	8" " "	4"	2.50
14" " "	8 1/2" & 9" " "	6"	3.75
16" " "	9 1/2" & 11" " "	6"	5.25
	10 and 12 1/2" " "	6"	6.75

Ball Globes		Opal or C. R. I.	
6" Diameter	6 Inches Deep	Size	Price
7"	7" " "	3 1/4"	\$ 0.60
8"	8" " "	3 1/4" & 4"	.80
10"	10" " "	4" & 5" & 6"	1.20
12"	12" " "	5" & 6" & 7" & 8"	2.20
14"	14" " "	6" & 7" & 8"	3.50
16"	16" " "	6" & 7" & 8" & 9"	5.25

Miscellaneous Glassware		Price	
Half Shades	4 1/4" Diam. 6" Deep 2 1/4" Fitter	\$0.75	
Mission Bell Shades	4 1/4" " " 2 1/4" " "	.50	
" " " "	7" " " 2 1/4" " "	.60	
" " " "	8" " " 2 1/4" " "	.80	
" " " "	8" " " 2 1/4" " "	1.25	

LAMP GUARDS

Loxon		Price Each	
Lamp Size	Fits Socket	McGill Loxon Nos.	
15-25-40 Watt	Brass or W. P.	1420-1420A-1420B	\$0.60
50-60 Watt	Brass or W. P.	1425-1427A-1427B	.60
100 Watt	Brass or W. P.	1428-1428A-1428B	.60
150 Watt	Brass	2443	.80
200 Watt	Brass or W. P.	2444-2446A-2446B	.85
200 Old Style	Brass	2447	.95
200 Old Style	Weatherproof	2447A-2447B	1.00



Vaporproof connector for joining STEELTUBES to standard threaded fittings.

Standard adapter for joining STEELTUBES to Standard threaded fitting.

Standard connector for joining STEELTUBES to knock-outs in boxes and panels.

Vaporproof connector for joining STEELTUBES to knock-outs in boxes and panels.

Vaporproof coupling for connecting lengths of STEELTUBES.

Standard coupling for connecting lengths of STEELTUBES.

Takes All Fittings No Threads to Cut...

STEELTUBES (E.M.T.)* gives you a choice of two types of fittings... standard and vapor-proof. Both are shown in the illustration above.

This thin-wall conduit assures you of a workmanlike job... the kind that will help you get new wiring contracts. It bends easily... cuts easily... is easy to fish wire through... and there's no threading.

Electrical Division
STEEL AND TUBES, INC.
Cleveland, Ohio
(A Unit of Republic Steel Corp.)

*STEELTUBES Electrical Metallic Tubing is threadless, strong, light and easy to handle. Costs less to buy. Saves time and money on the job.

Steeltubes



STEELTUBES [E.M.T.]* has the same inside diameter as heavy conduit. Made in three sizes ($\frac{1}{4}$ ", $\frac{3}{8}$ " and 1") with diameter and wall thickness shown above. One coupling furnished with each ten-foot length.

STEELTUBES carries the Underwriters' Label, and is approved and listed as Standard by the Associated Factory Mutual.

Another Modern Building uses APPLETON UNILETS!



*Library at University of Oklahoma,
Norman, Oklahoma*



PROPER lighting and proper fittings are essential in a modern library. An interesting installation of Appleton Unilets is illustrated above in the Library of the University of Oklahoma.

Malleable iron gives Appleton Unilets

greater strength and yet they are lighter in weight. There is maximum wiring space and the cadmium finish resists rust and corrosion.

Our literature will show you just the right type for any job. Write today

SOLD THROUGH JOBBERS

APPLETON ELECTRIC COMPANY

1704 Wellington Ave., Chicago, U. S. A.

New York—150 Varick St.

San Francisco—655 Minna St.

Los Angeles—340 Azusa St.

Seattle—628 Railroad Ave.

Manufacturers of Appleton Constant Duty and Portable Type Reelites

APPLETON

Threaded Malleable

UNILETS

Reg. U. S. Pat. Off.

Standard for Better Wiring

APPLETON ELECTRIC COMPANY
1704 Wellington Avenue, Chicago

Gentlemen:

Please send us literature on Unilets and Conduit Fittings.

Name of Company.....

By.....

Kind of Business.....

Address.....

Molding

OVALDUCT

3 Wire Per Foot \$.17

OVALDUCT FITTINGS

No.	Description	Price Each
24-CQ	Extension box cover for 4" outlet boxes.....	\$ 4.25
401	Box Connector with 3/4" Bondnut.....	.15
3133	Squeeze Type Coupling 1 1/4" long.....	.15
2134	90 Degree Internal Elbow.....	.31
1135	45 Flat.....	.26
2136	One piece 90 degree elbow.....	.60
1158	90 Box Connector.....	.30
2159	Wire Toggle Fastener.....	.30
2161	Strap Fastener.....	.02
2181	Connector Ovalduct to Oval Knockout.....	.10
2602	Outlet Box 4 x 3/4.....	.20
2603	Extension Ring for Boxes.....	.20
2605	Outlet Box 4 x 3/4 with Fixture Stud.....	.25
2606	3/4 x 3/4.....	.25
2607	3/4 x 3/4.....	.25
4170-51	Sectional Switch Box 4 x 1 1/4 x 1.....	.35
4172-51	Spacer for above box.....	.30

MOLDING, WIREMOLD

MOLDING

No. 500 2-Wire,	price per ft.	\$.10
" 700 4-Wire,	" " "	" .12
" 1000 Master Size,	" " "	" .25

FITTINGS FOR No. 500

2 Wire		
Number	Description	Price
502	Bushing.....	\$0.04
504	Supporting Strap.....	.04
506	Connecting Cover.....	.02
511-12	45 & 90 Deg. Elbows.....	.24
515	Tee Plain.....	.26
516	Cross Plain.....	.38
517	Internal Elbow.....	.24
518	Extension.....	.22
519	Corner Box.....	.22
521	1 Piece Rosette.....	.26
523	1/4" Fixture Rosette.....	.75
524	3/8".....	.70
525	Receptacle Base.....	.80
526	Keyless Receptacle.....	.65
527	Attachment Plug.....	1.00
528-23	2 & 3/4" but. plug.....	.36
558	Overwork Coupling.....	.36
589	Moulding Connector.....	.08

FITTINGS FOR No. 700

4 Wire	
5701	Coupling.....\$0.04
5702	Bushing......04
703	1 2 Hole Strap.....06
704	1 2 Hole Strap.....06
706	Connection Cover.....04
5707	Multiple Strap.....10
5708	Fixture Hook.....22
5709	Ground Clamp.....12
5711-12	Elbows 45 & 90 Deg.....22
5715	Tee.....36
5717	Internal Elbow.....25
5717A	Elbow Put. Box.....50
5718	Ext. Elbow.....45
5719	Corner Box.....65
5720	Narrow Fitting.....55
5720A	Show Case Outlet.....45
5721	1 Piece Rosette.....70
5724	Comb.....35
5725	Receptacle Base.....80
5726	Keyless Receptacle.....95
5727	Plug Receptacle.....1.00
5728	Utility Box.....40
5729	Conduit Ty.....28
5730	Contact Block.....26
5731	Blank Cover.....15
5732-3	2 1/2" x 3" Outlet Box.....45
5733	Crack Extension *.....65
5735	Distribution Box.....75
5736	Blank Cover.....16
5737	4 1/2" Extension Box.....65
5738	4 1/2" Extension Box.....65
5738D	Diplo Tie Hook Conn. 1.50
5738E	Stamped Hook
CAMPBELL	

FITTINGS FOR No. 700

Number	Description	Price
7390	6 1/2" Fixture Box.....	\$0.95
739A	6 1/2" Extension.....	.95
744	Single Deep Box.....	1.20
744-2	2 Gang.....	1.20
745	Combination.....	.70
747	Single Shallow Box.....	.75
747-2	2 Gang.....	1.05
747-3	3 Gang.....	1.15
748	Single Surface.....	.85
748-2	2 Gang.....	1.15
748-3	3 Gang.....	1.20
748S	Shallow Rec.....	.65
749	Switch & Recept.....	.65
750	Push Switch Box.....	1.05
751	Single Adp. Plate.....	.70
752	2 Gang.....	1.25
753	Blank Extension Box.....	1.30
754	Chase Nipple.....	.30
781A	1/2 & 3/4 Pipe Connector.....	.35
782A	3/4 & 1" Pipe Coupling.....	.35
784	1/2 Elbow Box Conn.....	.35
785	3/4 Elbow Box Conn.....	.35
786	Comb. Connector.....	.40
788	Adp. Offset Conn.....	.40
789	Openwork Connector.....	.45

FITTINGS FOR No. 1000 MASTER SIZE

001	Coupling.....	\$0.06
002	Bushing.....	..
003	Clamp.....	..
004	One Hole Strap.....	.03
008	Hanger Assembly.....	..
008A	Hanger Clamp.....	.18
009	Ground.....	.20
010	90 Deg. Flat Elbow.....	.40
013	Adj. Elbow.....	..
017	Internal Elbow.....	.40
018	External.....	.35
020	Keyless Receptacle.....	.50
020A	Adapt.....	1.40
028B	Blank or Outlet Box.....	..
028	Utility Box.....	.70
035	Distribution Box.....	1.10
039	8 3/4" Fixture.....	.90
042	8 1/2" Recp. Box.....	.90
082	Pipe Coupling.....	.60
085	Comb. Connector.....	.31
086	Offset Connector.....	.71
087	Kick Plate.....	.35
088	Reducing Connector.....	.35
000F	Fib. Fitting 18".....	1.71

LEWIS METER AND SWITCH CABINETS

CLASS A					MAIN FUSE ACCESSIBLE	
Amp.	Volts	Wire	Fuse	Neutral	Numbers	Price
30	125-250	3	2	Solid.....	M7311-ML7311	\$15.30
30	125-250	3	2	".....	M7311M-ML7311M	14.60
30	125	2	1	".....	M7211-ML7211	14.70
30	125	2	1	".....	M7211M-ML7211M	14.60
30	125	2	2	Fused.....	M7211D-ML7211D	14.70
60	125-250	3	2	Solid.....	M7312-ML7312	19.70
60	125-250	3	2	".....	M7312M-ML7312M	19.00
60	125	2	1	".....	M7212-ML7212	19.30
60	125	2	1	".....	M7212M-ML7212M	19.00
60	125	2	2	Fused.....	M7212D-ML7212D	19.30
CLASS B					SEALED MAIN FUSE	
30	125	2	1	Solid.....	M5211 or ML5211	\$12.10
30	125-250	3	2	".....	M5311 or ML5311	12.80
30	125	2	2	Fused.....	M 211 or ML 211	12.20
30	125-250	3	2	Unfused.....	M 311 or ML 311	12.10
30	250	2	2	Fused.....	M 221 or ML 221	12.90
30	250	2	2	".....	M 222 or ML 222	15.30
30	125-250	3	2	Unfused.....	M 321 or ML 321	12.90
30	125-250	3	2	Solid.....	M 321SN or ML 321SN	12.70
60	125-250	3	2	".....	M 322 or ML 322	15.30

N-SUNDRIES

PIPE NIPPLES

		Close Nipples—Galv.							
Size Conduit		1/8"	3/8"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
		Cond.	Cond.	Cond.	Cond.	Cond.	Cond.	Cond.	Cond.
Length Conduit		\$0.07	\$0.08	\$0.12	\$0.16	\$0.24
to 3 1/2' Long.....		\$0.10
Standard Short Nipples—Black or Galv.									
2"	2"	\$0.12	\$0.15
2 1/8"	4 1/8"	\$0.21	\$0.21
2 1/4"	4 1/4"
3"	5 1/2"	\$0.35
3 1/2"	5 1/2"	\$0.70
3 1/4"	5 1/4"	\$0.85
Length Conduit		Long Nipples—Black or Galv.							
4' Long.....	\$0.10
5"14	\$0.14	\$0.20	\$0.24	\$0.30	\$0.38
6"15	.17	.22	.28	.34	.40	\$0.50	\$1.00
7"18	.21	.27	.34	.40	.55	1.10	1.25
8"21	.23	.30	.37	.45	.60	1.12	1.40
9"22	.25	.33	.40	.50	.67	1.22	1.55
10"24	.27	.37	.40	.56	.75	1.35	1.65
11"30	.35	.45	.58	.70	.95	1.45	1.80
12"30	.38	.48	.61	.75	1.00	1.55	1.95

CHASE NIPPLES & COUPLINGS

Size	3/4"	3/4"	3/4"	3/4"	1"	1 1/4"	1 1/4"	2"	2 1/4"	3"
Chase Nipples...each	\$.10	\$.10	\$.10	\$.14	\$.25	\$.28	\$.32	\$.50	\$.70	\$ 1.10
* Couplings	.12	.12	.12	.14

For Erickson Couplings, see Page PL-8.

CHASE MALE REDUCERS

CHASE MALE REDUCERS
CHASE FEMALE ENLARGERS

T & B or Similar

$\frac{1}{8}$ " to $\frac{1}{4}$ " Reducers, each.....	\$.20	$\frac{1}{8}$ " to $\frac{1}{4}$ " Enlargers, each.....	\$.20
$\frac{1}{4}$ " " $\frac{3}{8}$ " " "25	$\frac{1}{4}$ " " $\frac{1}{2}$ " " "25
$\frac{1}{4}$ " " 1" " "45	1" " $1\frac{1}{4}$ " " "35
		$1\frac{1}{4}$ " " $1\frac{1}{2}$ " " "50

NAILS—Insulated

Millonite Insulated Nails, per dozen.....	\$.05
Leather Nail Heads, " "05
Staples Insulated, " "05

PLUGS, ATTACHMENT

ATTACHMENT PLUGS COMPLETE

"Pony" Composition.....	Price
Standard.....	\$0.15
Genuine "Bucklite".....	.20
Polarized Standard Plug.....	.25
Large Size Double T Slot Comp.....	.70
Porcelain.....	.50
Weatherproof One Piece Comp.....	.20
Benjamin #603 .90 Plug.....	.20
Pony Body Only.....	.10
Standard Body.....	.15
Large Body.....	.35

10 AMP.—CAPS ONLY

10 AMP.—GAS'S ONE For Attachment Plugs

"Pony" Cap Composition	\$0.10
"Standard" Cap	.10
"Bakelite"	.13
Large Size Cap Composition	.16
Plug With Extension Knob	.20
Soft Rubber Cap	.23
"Standard" Cord Grip Cap	.30
Steel Covered Cap	.15
Brass	.45
Steel Cord Grip	.45
Disappearing Door Comp. Cap	1.00
Brass Cov. Cap	1.20
"Standard" Brass Cov. Finger Grip	.60
"Knostrain" Comp. Cap	.70
Brass Cov. Knostrain	.42
Comp. Fusible Cap	.50
Polarized Wire Comp.	.45
Brass Cov. Cap	.45
Steel	.30
Cord Grip	.40

20 AMP. CAPS

20 AMP. CAPS For Polarized Devices

2	Wire Brass Covered Cap.....	\$0.85
2	" " " " " " " " " " " " " " " "	1.00
2	" Steel Covered Cord Grip Cap.....	.90
2	" " " " " " " " " " " " " " " "	1.10

30 & 40 AMP. CAPS

30 & 40 AMP. CAR'S For Polarized Devices

30 Amp.	2	Wire	Porcelain Cap.	\$1.50
30 "	2	"	Steel Cov. Cord Grip	1.80
30 "	3	"	Porcelain	1.50
30 "	3	"	Steel Cov.	1.70
40 "	3	"	Str. Cap Ground. C. G.	2.80

Flasher Plugs

Diamond Flasher Button...	\$0.60	No. 125 Skeddoodle Plugs...	\$2.50
"Propp" #330 Flasher Button	.50	No. 164 " " " "	.60
"Rodale" 110 Volt Plug	.50	No. 161 " " " "	.80
220 Volt " "	.65	No. 165 " " " "	.90

PLUGS, APPLIANCE

Make	No.	Description	Price
American Beauty	802	Plug Complete for Small Irons.....	\$0.40
	806	" " " " Large " " " "	1.20
	807	" " " " Toasters & Stoves.....	1.20
Beaver	F-1	"Gripall" Super-Type Adjustable Cont..	.40
"Gripall" & "Suitzall"	F-4	" " " Nickel Alloy ..	.50
	F-6	" " " Armored Casing ..	.60
	F-7	" " " Nkl. Alloy Cont. .	.60
	F-7	" " " Adj. Cont. Bakelite ..	.60
	F-22	"Suitzall" Heater Plug—Full Size.....	.20

Electrical Contracting, February, 1931

Plugs, Appliance

PLUGS, APPLIANCE, Continued

Beaver	F-31	Standard Heater Plug—Single Sided Cont.	\$0.15
"Gripall" & "Suitrail"	F-32	Heater Plug Double Sided Contacts	.20
	F-33	Armored Casing (F-32 Type Armored)	.25
	F-34	Medium Heater Plug—Bakelite	.25
	F-36	Small Heater Plug—Black	.20
	G-1	"Gripall" Heater Switch Plug Adj. Cont.	.80
	G-2	"Gripall" Heater Switch Plug Nickel Alloy	.90
	G-21	Contacts	.45
	G-22	Competitive Push Button Type	.45
Bryant	668	Universal Appliance Plug with Switch	.85
	699	Switchless	.50
	752	Appliance Plug with Indicating Switch	.60
	2966	Small Switchless Plug	.45
Cutler-Hammer	7051	Appliance Plug with Switch	.60
G. E.	2602	Armored Heater Plug No Switch	.25
	2633	Large Heater Plug	.20
	2642	Switch " " with " "	.45
	2699	Small " " No " "	.25
	2826	"Handy Pull" Heater Plug	.35
Hemco	H250	Switchless Appliance Plug Bakelite	.50
	H260	Switch " " with " "	.75
Hotpoint	CD6P1	Iron Plug No Switch	.45
	CD69P1	" " " " Armored	.75
	CD79P1	" " " " with " "	1.00
Kool-Pull (Noark)	8037	Appliance Plug—No Switch	.75
	8039	" " " " with " "	1.00
Propp	5	One 4-All Appliance Plug—No Switch	.30
	52	Iron Plug with Switch	.50
	55	Standard Iron Plug—No Switch	.20
	56	Armored " "	.30
Reynolite	500	Heater Plug	.40
	510	Switch Heater Plug	.75
Rodale	P-21	Heater Plug No Switch Cold Molded	.15
	P-29	" " " " Armored	.50
	450	Full Heater Plug—No Switch	.45
	610	Bakelite " " Small	.20
	615	Armored Heater Plug—No Switch	.30
	850	Iron Plug with Switch	.45
	800	Armored " "	.65
Simplex	890	Armored Plug—No Switch	.75
	990	Deluxe Chromplate Plug	1.00
Sunbeam	A-85	Heater Plug	1.50
Torrid	B-070	Automatic Heat Control Plug	1.00
	B-080	Safety " "	1.00
Waage		3 & 4 Heat Plug Only	.50
Westinghouse	299423	Appliance Plug—No Switch	.75
	373656	" " " " With " "	1.00

PANEL BOARDS OR FUSE CABINETS

FRANK ADAM

All 30 Amp.—S. P.—NEC Fuses	Branch	Branch	Branch	Branch
"FBX" Safety Type Fuse Boxes	\$ 3.80	\$ 5.60		
"NR" " " Main Cable Lug Only			\$ 8.90	\$11.90
"NR" " " Solid Neutral	11.15	13.40	15.60	
NR3G " " Main Cable Lug Only			16.50	19.80

BENJAMIN-STARRETT

No.	Type and Description	4	6	8	10	12
66104-12 NP	One Fuse 3 Wire					
	Serv.	\$ 5.20	\$ 7.40	\$ 8.90	\$10.40	\$11.90
66204-12 P	Two Fuse 2 and 3					
	Wire Serv.	7.50	11.15	13.35	15.60	18.60
66304-12 NEP	One Fuse with					
	Switch Pl.	7.10	10.30	12.80	16.50	19.15
66404-12 EP	Two Fuse with					
	Switch Pl.	10.30	15.25	19.15	21.80	25.15

BULLDOG FUSESTERS

No.	Description	2	4	6	8	10	12
CBS	Surface Black Finish with shield	\$1.80	\$2.30	\$3.90	\$7.00	\$9.75	\$10.30
BOS	" " Black Finish without shield	1.65	2.15				
BF	Flush Luminized Finish	2.50	3.70	5.35	8.75	10.30	11.75
BBF	" " Black Finish	2.00	2.75	4.70			
BSF	" " Lum. Finish with Toggle Switches		6.00	9.90	13.20	15.70	19.80
BSSF	" " Lum. Finish with one 30 A. Saftofuse		20.50	22.00	31.75	33.35	35.00
BSSF	" " Lum. Finish with one 60 A. Saftofuse		21.50	22.30	32.25	33.75	35.40
BKF	" " Lum. Finish with Pull Box		6.60	9.90	14.85	17.35	19.80

All-Steel-Equip. Co., FUSE CABS

Style & No.	Description	2	4	6	8	12
C-702-4-6	Surface Small Type	\$1.80	\$2.55	\$3.95		
C-902-4-6	Flush Small Type	2.10	2.80	4.85		
D-3004 to 3074	Surface Type Single Fuse		3.20	5.10	\$7.50	\$10.10
D-3034 to 3064	Flush Type		3.75	5.60	9.00	12.10
D-4002 to 4012	Surface Type Double Fuse		3.20	5.10	10.20	36.00
D-4022 to 4032	Flush Type Double Fuse		3.75	5.60	12.10	45.00
DS-3304 to 4304	Flush or Surface-Sgl.		6.90	9.25	13.80	21.00
DS-3502 to 4502	Flush or Surface-Double		6.90	9.25	21.00	70.00

KILLARK

Standard Flush Type Panels	2	4	6	8	10	12
Series KRP-2 to 12 Inclusive	\$2.00	\$2.90	\$4.75	\$6.50	\$8.50	\$10.75

CUTLER-HAMMER—Fuse Panels—Flush Mounting

Circuits	2	4	6	8	12
Black Finish Series 4355 H1 to 6	\$ 1.00	\$ 2.60	\$ 4.65		
Aluminum Finish Series 4355 H1 to 6	2.40	3.45	5.35		
Circuits	8	10	12	12	12
Black Finish Series 4355 H1 to 6	\$ 8.20	\$ 9.95	\$10.20		
Aluminum Finish Series 4355 H1 to 6	8.65	10.95	11.65		

Electrical Contracting, February, 1931

PL-17

Plates & Plugs

G. E. or TRUMBULL—Residence Panel Boards

	4	6	8	10	12
Surface or Flush Mounting	Circ.	Circ.	Circ.	Circ.	Circ.
Single No. 3104 to 3212					
Flush Mtg. or Fusing					
2906 to 2912					
Surface Mtg.	\$2.80	\$ 4.55	\$ 9.65	\$11.25	\$13.00
Double No. 3404 to 3412					
Flush Mtg. or Fusing					
2704 to 2712					
Surface Mtg.	9 10	12.40	18.15	23.10	26.40

"KILLARK" Fuse Cabinets

Standard Flush Type Panels	2	4	6	8	10	12
Series KRP-2 to 12 Inclusive	\$2.00	\$2.90	\$4.75	\$6.50	\$8.50	\$10.75

SQUARE D—Fuse Cabinets

Series 37000 to 39000	2	4	6	8	10	12
Flush Series 37000 Black	\$1.85	\$2.50	\$4.50	\$7.90	\$ 9.50	\$11.15
" " 37000 Aluminum	2.35	3.35	5.10	8.30	10.00	11.15
Surface Series 39000 Black	1.85	2.50	4.50	7.90	9.50	11.15

NOTE: 2 & 4 Circuit Flush Type arranged for mounting direct to front side of studding with channels for lathe ends, each.....\$0.30

Combination Fuse Cabinets

60 Amp. Fuse Break and 30 Amp. Circuits	2	4	6	8	10	12
Flush Mounting Aluminum	\$7.45	\$12.40	\$14.00	\$14.85	\$23.00	
Surface " " Black	6.45	10.75	11.55	12.40	20.65	

WADSWORTH Fuse Cabinets & Panelboards

All Dead Front Single Fusing	2	4	6	8	10	12
Surface Mtg.	\$2.30	\$3.00	\$4.85	\$5.75	\$7.55	\$11.55
Flush Mtg. Hanger Support	2.85	3.80	6.10	7.55	10.20	12.00
Flush Type for Tgle Sw.	6.85	11.10	13.75	16.40	19.85	
Surface Mtg. Enc. Panel Boards		16 Circuit	20 Circuit	24 Circuit		
Flush	\$22.00	\$25.35	\$32.00			
	24.75	28.00	34.65			

WESTINGHOUSE Junior Residence Type

Junior Residence Panels	2	4	6	8	10	12
No. K-64012-21 & 64052-61	\$2.50	\$2.70	\$3.75	\$5.35	\$8.75	\$10.30
Junior Building Panels for Toggle Switches						
No. K-64034-42 & 64074-81	6.60	9.90	13.20	15.70	19.80	

P-SUNDRIES

RUNNING THREAD, PIPE

Price per Foot	1/8"	1/4"	3/8"	1/2"	5/8"
	\$.25	\$.30	\$.45	\$.55	

SOLDERING PASTE

(Also on Page PL-27.)

Make	2 Oz.	2 Oz.	4 Oz.	Half Pound	One Pound
	Cans	Tubes	Cans	Cans	Cans
Allen	\$.25	\$.40	\$.50	\$.70	\$1.25
Burnley	.20		.30	.40	.65
Crecent	.25		.40	.65	1.00
G. E.	.25		.40	.65	1.00
Highland	.40			.90	1.65
Nokorode	.25			.90	1.50
Star	.25		.40	.65	1.00

PAINT & VARNISH, Insulating

Make	Per Pint	Per Quart	Per Half Gallon	Per Gallon
Armalcac Insulating Compound	\$0.50	\$0.75	\$1.25	\$2.50
Ajax Varnish No. 25	.40	.60	1.25	2.25
Enamelac Insulating Varnish	.40	.70	1.25	2.25
G. E. Black No. 457 Air Drying	.60	.85	1.40	2.60
G. E. Clear No. 152 Air Drying	.80	1.20	2.00	3.85
Mineralac Insulating Compound	.40	.75	1.50	3.00
P. & B. No. 2 Paint	.50	.75	1.25	2.50
Pothead Compound, per Pound				.55

CONDUIT PENNIES

Price Each	1/8"	1/4"	3/8"	1/2"	5/8"	3"	4"
	\$.01	\$.01	\$.01	\$.02	\$.03	\$.04	\$.05

CONDUIT WOOD PLUGS

Price Each	1/8"	1/4"	3/8"	1/2"	5/8"	3"	4"
	\$.02	\$.03	\$.04	\$.08	\$.14	\$.22	\$.32

For Pipe Straps, see Page PL-25. For Solder, Sticks, etc., Page PL-25.

PLATES & PLUGS, RECEPTACLE

PLATES—For Flush Receptacles

All Types	Compo-	.040 Gauge	.060 Gauge
	sition	Lacquer B. Brass	Lacquer B. Brass
Single or Duplex Plate	\$0.20	\$0.15	\$0.20
Lift Cover Plate 1 Outlet	.30	.35	.45
Radio Plates—Sgle. or Duplex	.25	.15	.20
Telephone " One Outlet	.20		.35
" Double	.30		.45
Disappearing Door Plate Sgle			.45
" Duplex			.75
Chapman Receptacle			.75
Blank Plates One Gang	.20	.25	.30
Bull's Eye Plate One Gang	.75	.60	.70
" and 1 Switch Comb.	.80		.90
" and 1 Recept.			.90
Switch and Sgle. or Duplex Recep.	.40	.50	.60
Steel Plates for 30 and 40 Amp. Polarized Receptacles			.75
Solid Brass Plates 30 and 40 Amp.			1.50
Screwless Plates Bakelite for Hubbell Receptacles			.55
Porcelain Enameled Plates for Sgle. or Duplex Receptacles			.25
Mirror Glass Plates for Single Receptacle			1.00
DeLuxe Metal Plates for Single or Duplex Receptacles			.90
DeLuxe Wood Inlaid Plates for Single or Duplex Receptacles			2.35

CAPS & PLUGS For Receptacles

	Blades	Price
10 Amp. Pony Composition Cap.		\$0.10
10 " Standard		.10
10 " Cap With Extension Knob.		.20
10 " Brass Covered Cap.		.40
10 " Steel		.15
10 " Cord Grip Cap.		.30
10 " Tandem Blade Compo. Cap.		.25
Radio Jack Plug.		.50
Chapman Plug Reversible Compos.		.85
Chapman Plug Forel.		.75
Disappearing Door Plug Brass Tap		1.00
10 Amp. 2 Wire Polariz. Comp. Cap.		.25
10 " 2 " Cord Grip Cap.		.40
20 " 2 " Comp.		.50
20 " 2 " Cord Grip		.75
20 " 2 " Comp.		.75
30 " 2 " Cord Grip		1.65
10 " 3 " Comp.		.45
10 " 3 " Cord Grip		.65
20 " 3 " Comp.		.70
20 " 3 " Cord Grip		1.00
30 " 3 " Comp.		1.50
30 " 3 " Comp. Cord Grip		1.50
40 " 3 " Heavy Duty Angle Cap.		2.50
Lamp Only 110 Volts for Bull's Eye Receptacles.		.65

RECEPTACLES, FLUSH

STANDARD RECEPTACLES OR CONVENIENCE OUTLETS

Without Plates		Plates Extra	Price
Shallow Comp.	Single	Single	\$.25
"	"	Duplex	.35
"	Port.	Single	.25
"	"	Duplex	.35
Deep Comp.	Single	Single	.40
"	"	Duplex	.60
"	Port.	Single	.40
"	"	Duplex	.60

SUNDRY RECEPTACLES

Plates Extra Except Where Marked "X"

x		For Lift Cover Plate Single.....	\$.50
"		Duplex.....	.70
x	With Rd. Met. Cvr.	For 3 $\frac{3}{8}$ " Box Single.....	.30
"	"	Duplex.....	.45
"	"	" " " "	.35
"	"	" " " " Duplex.....	.50
"	x	With Rd. Brass Plate Small Single.....	1.10
"	"	Large.....	1.25
"	"	Edison Screw Base Recp. Single.....	.25
"	"	Chapman Receptacle.....	.65
"	"	Radio.....	1.95
"	"	Duplex.....	1.35
"	"	Disappearing Door Recp. Single.....	.75
"	"	Duplex.....	1.10
"	"	Screwless Plate Recp. Single.....	.30
"	"	Duplex.....	.85
"	10 Amp. Polariz.	For 2 Wire Single.....	.85
"	20 "	" " " " Duplex.....	1.25
"	30 "	" " " " " "	1.40
"	10 "	" " " " " "	3.00
"	30 "	" " " " " " Single.....	1.40
"	40 "	" " " " " " Duplex.....	1.60
"	30 "	" " " " " " With Box Cover.....	4.75
"	40 Amp. Polariz.	3 W.re.....	5.50

YAXLEY RADIO RECEPTACLES

No.	Connections	Brass	Bakelite
134	Several loud speakers.	\$2.50	\$2.60
135	Loud speaker.	1.00	1.10
136	Aerial & ground.	1.00	1.10
137	Battery (with plug).	2.00	2.00
138	Electrical only.	1.00	1.10
142	Double loud speaker.	1.15	1.85
241	Loud speaker, aerial & ground.	2.00	2.20
243	Aerial, ground & elect'l.	2.00	2.20
244	Loud speaker & elect'l.	2.00	2.20
245	Loud speaker & battery.	2.00	2.20
249	Aerial, ground & battery.	2.50	2.70
353	Loud speaker, aerial, ground & elect'l.	3.00	3.00

RECEPTACLE COMBINATIONS

With Plates

Pilot Light-Plate and Single Outlet Comp.....	Price \$2.00
Duplex	3.50
Switch and Bull's Eye	3.00
Recept. Only With Plate	2.50
Switch and Plate 10 Amp. Sgle. Out. Com.....	1.75
20	2.50
Hubbell Switch Tap Combination Screw Plate #7093-Recep. #7163.....	1.75
Hubbell Switch Tap & Pilot Light Comb. Screw Plate #7317-Recep. #7280	3.35

RECEPTACLES, PORCELAIN

ALABAX RECEPTACLES AND FIXTURES

Symbol: Column No. 1—Number of Alabax Fixture.

Column No. 2—Resale Price Standard White Glaze Finish.

Column No. 3—Resale Price All Over Color B-D-E-F-G-H.

Column No. 4—Resale Price Stripe Decoration No. 1A-2A-

Column 2	Column 2	Column 2	Column 2	Column 2	Column 2
-------------	-------------	-------------	-------------	-------------	-------------

No. 1 Number	No. 2 White	No. 3 Color	No. 4 Stripes	No. 1 Number	No. 2 White	No. 3 Color	No. 4 Stripes
840	3.33	3.80	4.00	864	2.50	2.95	3.40
845	3.40	3.80	4.00	865	2.50	3.25	3.70
847	3.33	3.80	4.00	866	2.50	3.25	3.70
848	2.00	2.25	2.40	867	2.80	3.25	3.70
849-50	2.45	2.75	2.90	869-70	2.60	2.90	3.05
851	1.50	1.75	1.90	871	1.65	1.90	2.10
852	3.05	3.50	3.95	872	3.05	3.50	3.95
853	3.35	3.80	4.25	873	3.35	3.85	4.25

(Concluded in next column)

ALABAX RECEPTACLES AND FIXTURES—Concluded

Column No. 1 Number	Column No. 2 White	Column No. 3 Color	Column No. 4 Strip	Column No. 1 Number	Column No. 2 White	Column No. 3 Color	Column No. 4 Strip
AL875	\$2.45	\$2.70	\$2.90	AL1007	\$1.50	\$1.50	\$1.50
898	1.95	1.25	1.40	2008	1.50	1.75	1.95
919-20-221.70	1.30	1.20	1.20	2009	1.40	1.70	1.85
921	.75	1.05	1.20	2010	1.55	1.80	2.05
923	2.45	2.70	2011	1.20	1.45	1.65
924	2.10	2.40	2012	1.25	1.50	1.70
929-30	2.05	2.35	2.50	2013	1.70	2.00	2.20
949-50	2.10	2.40	2.60	2014	1.85	2.15	2.30
951	1.15	1.40	1.60	2015	1.55	1.85	2.00
952	2.05	2.35	2.50	2371	1.25	1.50	1.70
960	1.05	1.35	1.60	2469	3.55	4.05	4.45
962	2.10	2.40	2.60	2471	3.10	3.40	3.85
969-70	2.25	2.55	2.75	2669	4.95	5.40	5.85
971	1.30	1.60	1.75	2671	4.45	4.90	5.35
980-82	1.70	2.00	2.20	2846	3.65	4.10	4.55
983	1.65	1.95	2.10	2847	3.95	4.40	4.85
984	1.50	1.75	1.95	2852	3.05	3.50	3.95
986	1.90	2.20	2.35	2853	3.35	3.85	4.25
990	1.95	2.25	2.45	2864	2.50	2.95	3.40
1200-02	2.10	2.40	2.55	2865	2.80	3.25	3.70
1301-03	2.10	2.70	2.90	2870	3.30	3.90	4.35
1273	.50	.65	.75	2873	3.35	3.85
1274	.80	.95	1.05	2990	2.20	2.50
1275	.90	1.05	1.10	2991	1.60	1.90
1276	.20	.30	.40	3100	2.45	2.90	3.35
1300-01	2.95	3.20	3.40	3101	2.10	2.55	3.00
1349-50	2.75	3.05	3.20	3102	1.85	2.30	2.75
1351	1.75	2.05	2.25	3103	1.60	2.40
1369-70	2.90	3.20	3.35	4070	1.50	1.75
1371	1.95	2.25	2.40	4071	1.30	1.55
1449-50	2.80	3.10	3.20	4072	1.55	1.85
1451	1.85	2.15	2.35	4073	1.35	1.60
1469-70	3.00	3.30	3.45	9826	2.20	2.50	2.65
1471	2.00	2.30	2.50	9836	2.15	2.45	2.60
1475-76	2.80	3.05	3.25	9896	2.40	2.65	2.85
1477	3.45	3.75	3.95	9906	2.45	2.75	2.90

The above Prices do not include Glassware or Lamps.

RECEPTACLES, SURFACE

STANDARD RECEPTACLES or Lampholders

Keyless Porcelain

Standard Base

Pony Clear	Receptacle No.	S. H. Groove—Side Screws.....	56715	\$0.15
"	" Round "	" Center ".....	9171	.20
Standard Clear	"	" Side ".....	28795	.35
"	"	" ".....	9402	.30
"	" With Brass Shell	" ".....	4013	.40
"	"	" ".....	9403	.45
" Concealed	"	No. S. H. Groove.....	4000	.45
"	"	" ".....	4001	.50
Oblong Round	"	With ".....	55300	.30
"	"	" ".....	8108	.45
"	"	Removable Ring.....	56744	.50
Oblong	"	S. H. Groove for Mids.....	4026	.60
Mogul-P & S No. 520-Arrow	5012-Hubbell	3464-G.E. 1104.....		.85
Miniature or Candelabra	Receptacle (Small Type).....		9445-6	.20
"	Extended Type.....		367	.25

OUTLET BOX RECEPTACLES or Lampholders

Pull and Keyless—Porcelain and Brass Shell

Standard Base

Porcelain Pull for 3 $\frac{1}{4}$ " & 4" Box.....	\$1.85
Brass Shell " 3 $\frac{1}{4}$ " & 4" "	2.00
Porcelain Keyless for 3 $\frac{1}{4}$ " Box.....	.40
Brass Shell " For 3 $\frac{1}{4}$ " & 4" "50
One Piece Porc. Pull Cord or Ch. 3 $\frac{1}{4}$ " Box.....	.85
	1.00
" Keyless 3 $\frac{1}{4}$ "	.65
Keyless Mounted Blk. Metal Cov. 3 $\frac{1}{4}$ "	.30
Galv. 3 $\frac{1}{4}$ "	.30
Blk. 3 $\frac{1}{4}$ "	.35
Galv. 3 $\frac{1}{4}$ "	.35

T-SLOT BOX RECEPTACLES—Surface Type

le.....

10	Receptacle with Covered Term.....	.60
20	Polarized Conduit Receptacle.....	.85
10	Sgle. Porc. Rec. for 3/4" Box.....	.50
10	Duplex " " " 3/4" ".....	.53
10	Sgle. " " " 4" ".....	.65
10	Duplex " " " 4" ".....	.75

T-SLOT HEAVY DUTY & POLARIZED

Cleat and Concealed Bases

10 A. Small Concealed	2	Wire	\$.50
10 A. Small Cleat	2	"	.50
10 A. For Wood Molding	2	"	.50
10 A. Polarized Cleat	2	"	.70
10 A. Polarized Concealed	2	"	.70
10 A. Polarized Wood Molding	2	"	.80
10 A. Fielding Receptacle	2	"	.60
10 A. Polarized Concealed	3	"	.83
20 A. Polarized Cleat	2	"	.83
20 A. Polarized Concealed	2	"	.83
20 A. Polarized Wood Molding	2	"	.93
20 A. Polarized Concealed	3	"	1.00
30 A. Polarized Composition	3	"	1.25
40 A. Polarized Porcelain	3	"	1.25
40 A. Polarized Composition	3	"	1.80
Porc. Sub. Base for 40 Amp. Rec.....			.20

CANOPY OR FIXTURE RECEPTACLE

Pull for Ceiling Ring	7"	Chain	\$0.30
"	4"	Cord35
"	"	Chain & Ins.35
"	"	" & Cord90
"	3"	Chain50

**SIGN RECEPTACLES—Standard Base
Keyless Removable Ring**

	Price
Stand. Shallow Screw Term.	\$0.25
" " Covered	.35
" " With 6" Wire Lead	.40
" " S. H. Groove	.40
Competitive Shallow Screw Term.	.15
" " Covered	.20
" " No. 14 Wire Lead	.15
Deep Type With Screw Term.	.25
" " Covered	.40
" " No. 18 Wire Lead	.40
Solid Sign Rec. With Screw Trim.	.20

Intermediate Base

	Price
Porcelain Cleat Receptacle	\$.25
" " 3 Screw	.30
" " with Spring Stud	.25
" " Removable Ring	.30

R-SUNDRIES**STANDARD ROSETTES—Porcelain**

	Price
Cleat—1 Piece Junior Fuseless Rosette	.25
" " 2 " Fusible	.35
Concealed—2 Piece Concealed Fuseless Rosette	.25
" " 2 " Fusible	.35
" " 2 " For Wood Moulding—Fusible	.25
" " 2 " Fusible	.35

	3 1/4" Box	4" Box
Box Type—1 Piece Rosette or Box Cover Fuseless	\$.20	.35
" " 1 " with Brass Terminals	.40	.55
" " Brass Covered for Boxes	1.20	

For Special Conduit Rosettes—See Pages PL-10, 11 and 12.

GROUND RODS

	Copperweld	Galvanized Not Wired	Galvanized
Size	Price	Price	Price
1/4" x 5 Foot	\$.60	\$.30	
1/2" x 5 "	.70	.35	
3/4" x 5 "	1.30	.50	
1" x 5 "	1.50	.55	
1 1/4" x 5 "	1.95		
1 1/2" x 5 "	2.40		
1 3/4" x 5 "	1.95		
2" x 5 "	2.30	.85	1.00
2 1/4" x 5 "	3.00	1.10	
2 1/2" x 5 "	3.70		
2 3/4" x 5 "	2.70		
3" x 5 "	4.20		
3 1/4" x 5 "	5.20		

RAWLPLUGS—Standard Types

Number of Rawlplug	Drill Hole	For Screw No.	Price Each Any Length
4	1/8"	6-7	\$.02
8	1/8"	8-9	.03
10	1/8"	10-11	.04
12	1/8"	12	.05
14	1/8"	14	.06
16	1/8"	16-18	.08
20	1/8"	20-22	.12

Rawlplugs for Lag Screws

Size of Lag Screw	Size of Drill Hole	Size of Rawlplug	Price Each Length
1/4"	1/8"	1 1/4"	\$.13
3/8"	1/4"	2"	.15
1/2"	3/8"	2 1/4"	.18
5/8"	1/2"	3"	.20
3/4"	5/8"	3 1/4"	.23
1"	3/4"	4"	.27
1 1/4"	1"	5"	.30

NOTE: For Expansion Shields—See Page PL-10.

SOCKETS**COMPLETE STANDARD SOCKETS**

COMPLETE STANDARD SOCKETS										Pend.
Complete With	Pend. Cap.	1/4"	3/8"	1/2"	3/4"	1"	3/4 Ang.	3/8 Ang.	3/16 Ang.	Pend. Cord Grip
		Standard	Brass Shell	Brass Sockets	Brass Sockets					
Key	.25	.25	.40	.45	.55	.55			.60	.45
Keyless	.20	.20	.35	.40	.50	.53			.58	.40
Push	.30	.32	.50	.55	.60	.65			.70	.50
Push	.30	.30	.45	.50	.55	.60			.65	.50
Electroliner Brass Shell										
Key	.25	.25	.40	.4565
Keyless	.22	.22	.35	.4060
Push	.35	.35	.45	.6070
Push	.30	.30	.40	.5065
Leveller Pull										
Pull	.50	.50	.60
Threaded Catch Brass Sockets										
Key	.45	.45	.65	.65	.6060
Keyless	.40	.40	.55	.55	.6050
Push	.60	.60	.75	.75	.8570
Push	.50	.50	.60	.60	.6560
Cold Molded										
Key	.50	.65	.7080		1.20	.70
Keyless	.45	.60	.6575		1.15	.65
All Porcelain Sockets										
Key	.50	.65	.70	.90	.85		1.30	.70
Keyless	.45	.60	.65	.85	.80		1.25	.70
Push	.95	1.10	1.15	1.35	1.30		1.75	1.20
Push	.65	.75	.80	1.05	1.00		1.40	1.80
Lock Type Brass Shell										
Key	.75	.75	.85	.95	1.00	1.05		1.10	1.00
Keyless	.70	.70	.80	.95	1.00	1.05		1.05	.90
Push	.85	.85	.95	1.05	1.10	1.15		1.20	1.10
Push	1.00	1.00	1.10	1.30	1.25	1.30		1.35	1.20

Sockets, Heavy Duty

Shadeholders for above sockets.	Price
2½ Aluminum or Copper Extra	\$0.38
¾ " " " "	.60
¾ " " " "	.65

HEAVY DUTY SOCKETS—Benjamin		Price Each
Benco Keyless Socket with Clamp Ring	#4700 to #703 Medium Base	\$.11
" Pull without	#712 to #715	1.08
" Pull with	#708 to #709	2.00
Benco Keyless Socket	Brass #4202-4203-4336 & 7	.75
" Pull	#4207-8 4225-26 4236-37 Brass, Copper or Alum.	1.50
" Mogul	Copper Clad #4210-4297	2.00
Benco Threaded Holders Only		2 3/4" 3 3/4" 4"
Polish. Alum. Weatherpr	#4215 & #4217	\$.35 \$.60
Copper	#4370-72 & 73	.40 .60 \$1.00
Brushed Brass	#4377-79 & 80	.40 .60 1.00

	Without Yoke	% or 24 Iron Yoke	% or 24 Alum Yoke
One Piece Socket with Lamp Grip.....	\$1.00	\$1.15	\$1.50
Two Piece Socket with Lamp Grip.....	1.20	1.45	1.70

Porcelain or Smilar		With Type X or XR Fitting	
Medium Base Keyless Tapped	36-34-34 No. 4650-51 & 65.	\$1.20	
" " " "	Self-Locking 36-34-34 No. 4523-29-30-32-33.	1.40	
" " " "	Shock Absorb. 36-34-34 No. 4676-77-78-80-81.	1.60	
" " " "	Shock Absorb. Self Lock No. 4548-49-50-52-53.	2.00	
" " " "	Pull Chain No. 4534-35 & 4600-51-57.	2.00	
Mogul Base Keyless Shock Absorb.	36-34-34 No. 4670-71.	1.60	
" " " "	Not Shock Absorbing No. 4650-57 4666.	1.60	
If X or XR Fitting not supplied on above sockets deduct.		.40	

		Plates & Boxes Extra	Price
Square Handle Porcelain Cup—Sgl. Pole.....	Dble.	\$.30	
" " " " " "	3 Way	1.50	
" " " " " "	" " " " " "	.90	
Composition Cup—Sgl. Pole.....	Dble.	\$.90	
" " " " " "	3 Way	1.40	
" " " " " "	" " " " " "	1.30	
" " " " " "	" " " " " "	2.40	
20 Amp. Sgle. Pole	" " " " " "	1.60	
20 Amp. Dble. Pole	" " " " " "	1.50	
Round Handle Porcelain Cup—Sgl.	3 Way	3.00	
" " " " " "	" " " " " "	1.50	
" " " " " "	" " " " " "	1.50	
" " " " " "	" " " " " "	3.00	

Twin-2 Sgl. Pole Switches.....	\$1.30
Twin-1 Sgl. Three Way.....	1.50
Twin-2 Sgl. 3 Way Switches.....	2.00
Triplet-3 Sgl. Pole Switches.....	1.60
Triplet-2 Sgl. & 1-2 Way Switches.....	2.20
Lock Type Porcelain Cup—Sgl. Pole.....	2.20
Dble.....	2.20
3 Way.....	1.80

EXTRAS—For Luminous Tip add for Each Handle.....	3.80
For Glo Guide Handle Switches add for Each.....	1.00

	Description	Price
10	A. D. P. Switch—Pilot Lt.—.060 Plate	\$3.00
10	" " " " Receptacle	1.75
20	" " " " 15A " "	2.50
	Switch—Tap & Pilot Light with	3.30
	" " " " Receptacle	1.75

	1	2	3	4
	Gang	Gang	Gang	Gang
Stamped Brass Sprayed Finish .040 Thick	\$.15	\$.30	\$.45	\$1.10
" " Brush Brass .040 "20	.40	.60	.20
" " Sprayed .080 "25	.50	.75	1.30
" " Brass .060 "30	.60	.90	1.60
Bakelite or Composition Molded30	.40	.60	1.00
Twin & Triple B. B. or Bakelite Plates25	.25	..
Comb. Switch and Recept. - Moulded Comp.30	.40
Pilot Light75
Hubbell Bakelite Screwless Plates60	1.10	1.60	2.20
Bryant Deluxe Wood Inlaid any Finish	2.75	4.70	7.70	..
All Metal	1.00	1.75	2.45	..
Guth Porcelain Enamel Plates	1.00
Glass Mirror Plates	1.00	1.75	2.60	3.40
Blank Plate .040 Brush Brass Finish30	.60	.90	..

Plate & Boxes Extra						Price
Standard Shallow Type Porcelain Cup—Single Pole.....	"	"	"	"	"	\$0.30
"	"	"	"	Double "	"	1.00
"	"	"	"	3 Way	"	.80
"	"	"	"	4 ".....	"	3.00
Deep Type Porcelain Cup—Single Pole.....	"	"	"	"	"	.70
"	"	"	"	Double "	"	1.10
"	"	"	"	3 Way	"	1.10
"	"	"	"	4 ".....	"	3.30
Special High Grade Composition Cup—Single Pole.....	"	"	"	"	"	1.40
"	"	"	"	Double "	"	1.70
"	"	"	"	3 Way	"	1.70
"	"	"	"	4 ".....	"	3.70

Plate and Boxes Extra—Continued		Price
Lock Type Porcelain Cup—Single Pole.....		\$1.50
.....	Double.....	2.20
.....	3 Way.....	3.20
.....		3.80
Electrolite Non-Indicating.....		2.80
.....	Indicating.....	1.90
Extra for Luminous Button Add Per Switch.....		.40

With Plates		Price
Bryant 117	D. P. Indicat. Switch Flush Receptacle & .060 Plate.....	\$2.35
413	One Push Switch-Bulls Eye and Solid Plate.....	4.50
518	Disap. Door Recp. Bulls Eye—Solid Plate.....	8.25
465	* D. P. Flush Switch & Pilot Lamp .060 Plate.....	3.65
467	* Flush Switch—Flush Recp.—Bulls Eye—Solid Plate.....	5.75
558	Duplex.....	6.60

	Description	Gang 1	Gang 2	Gang 3	Gang 4
Stamped Brass Sprayed Finish .040 Thick.....		\$.16	.30	.45	\$1.10
" " Brush Brass .04030	.40	.60	1.35
" " Sprayed .08025	.50	.75	1.35
" " Bush Brass .06030	.90
Bakelite or Composition30	.40	.60	.90
Bryant DeLuxe Plates Wood Inlaid.....		2.75	4.70	7.70
" All Metal		1.00	1.75	2.45
Guth Porcelain Plates.....		.25	.60	1.00
Glass Mirror Plates.....		1.00	1.75	2.50	3.25
Blank Plate .040 Brush Brass Finish.....		.30	.60	.90
Combination Switch & Receptacle30	.50
" Push & Reset, Plates .060 Brass.....		.30	.50
" " " " Glass Enameled.....		.65
" " " " Mirror Glass.....		1.75

Poles	Volts	Type	Size	5	10	20	30
Single	125	Non-Indicating.....	Pony	Amp.	Amp.	Amp.	Amp.
"	"	Indicating.....	"	\$.40	"	"	"
"	"	Non-Indicating.....	Standard	.60	\$.75	\$1.40	\$2.15
"	"	Indicating.....	"	.65	.85	1.55	2.30
Double	250	Non-Indicating.....	"	.90	1.05	2.20	2.65
"	"	Indicating.....	"	1.00	1.20	2.40	2.90
Trips	"	Non-Indicating.....	"	"	2.95	3.75	4.50
"	"	Indicating.....	"	"	3.10	3.85	4.65
3-Way	125	Non-Indicating.....	"	.90	1.50	2.80	3.50
4-Way	"	Non-Indicating.....	"	1.25	3.00	6.50	"
Electroliner	"	Non-Indicating.....	"	1.45	1.45	2.20	"
"	"	Indicating.....	"	1.65	1.65	2.35	"

Poles	Volts	Type	Size	5	10	20	30
Single	125	Non-Indicating.....	Pony	\$.55
"	125	Indicating.....	"	.60
"	125	Non-Indicating.....	Standard	.65	\$.75	\$ 1.00	\$ 1.25
"	125	Indicating.....	"	.75	1.00	1.80	2.55
Double	250	Non-Indicating.....	"	.95	1.20	2.40	2.90
"	250	Indicating.....	"	1.10	1.35	2.60	3.00
3-Way	125	Non-Indicating.....	"	.95	1.35	2.60	3.00
4-Way	125	Non-Indicating.....	"	1.50	3.05
Electrodes	125	Non-Indicating.....	"	1.60	1.50
"	125	Indicating.....	"	1.70	1.70

	Metal or Composition Covers			
	Single Pole	Double Pole	3 Way	4 Way
125-250 Volt				
5 Amp. Closed or Slott. Base.....	\$.35	\$.85	\$.80	\$1.40
5 Amp. with Outlet Box Cover.....	.5590
10 Amp. Closed or Slott. Base.....	.80	1.10	1.25

	Metal Covered		All Porcelain	
	5 Amp. 125 Volts	Indicating	Indicating	Non-Indicating
Single Pole.....		\$.65	\$.60	\$.75
Double *.....		1.30	1.10	1.25
Three Way.....			1.00	1.20
Electroliner.....		1.60	1.50	1.75

Handles—Standard Type Each	\$.12	—Ratchet Type.....	\$.30
Bases—Porcelain 5 Amp.	\$.12	—10 Amp. \$.15—20 Amp.....	.50
Covers—10 Amp & Under Metal	\$.15	—Porcelain.....	.20
Over 10 Amp.	.3050

PULL CORD SWITCHES—BODIES ONLY		
Small Socket Type		Price
Ceiling—Bottom Pull.....		\$0.95
Wall—Side Pull.....		.95
Rosette—Side Pull.....		.95
Fixture—Bottom Pull.....		1.25
	3/4" Brass Cap.....	.10
	3/4" Brass Cap.....	.20
	3/4" Brass Cap.....	.20
Addition	Small Cleat Base.....	.40
for	Small Slotted or Concealed Base.....	.25
Caps and Bases	Large Concealed Base.....	.40
for	Wood Moulding Base.....	.35
Above Switch	Small Box Base Brass Covered.....	.50
Bodies	3 1/2" Box Base Brass Covered.....	.65
	4" Box Base Brass Covered.....	1.10
	3 1/2" Box Cover with Ring.....	.20
	4" Box Cover with Ring.....	.25

SWITCHES, REMOTE CONTROL

TYPE "F"—"DIAMOND H"

	Single Pole		Double Pole		Three Pole		Four Pole	
Amps	Cat. No.	Price	Cat. No.	Price	Cat. No.	Price	Cat. No.	Price
30	716	\$ 30.00	730	\$ 36.00	790	\$ 43.20	610	\$ 54.00
60	717	43.00	740	48.00	800	54.00	620	65.00
75	718	55.00	750	60.00	810	60.00	630	72.00
100	719	88.00	760	93.60	820	108.00	640	112.00
150	723	100.00	770	108.00	830	124.80	645	146.00
200	724	112.00	780	132.40	840	139.20	650	168.00

**SWITCHES, RESIDENCE, METER
SERVICE, INDUSTRIAL, ETC.**

SQUARE D

For Cadmium Plated or Galvanized Switches Add 40%

SMALL SERVICE ENTRANCE SWITCHES

30 Amp. "Square D" Switches Residence Type

Numbers	Volts	Description	2 Pole	3 Pole
97211-97311	125	For Plug Fuse Solid Neut.....	\$1.65	\$2.50
99211-99311	125	" " " Neut. Fused.....	1.65	3.00
78211-78311	125	" " " Meter Test.....	2.55	4.10
1211	125	Porc. Entr. Switch.....	1.80	
97251-97351	250	Encl. Fused Solid Neut.....	1.65	3.20
99251-99351	250	" " " Fused Neut.....	2.50	4.35

METER SERVICE SWITCHES

"Square D" Accessible Main Fuses Without End Walls

Amps.	Poles	Fused For	Neutral	Meter Test Type		Number	Non-Meter Test Type		Number
				Price			Price		
30	2	2 Plug	Fused		\$ 4.00	10211		\$ 3.65	10211
30	3	2 "	Solid		3.50	10331		3.30	10331
30	3	2 "	Fused		4.50	10381		4.00	10381
30	3	2 "	Unfused		5.20	10381		5.20	10381
30	2	2 Enc.	Fused		4.80	10251		4.60	10251
30	2	1 "	Solid		3.90	10271		3.90	10271
30	3	2 "	Unfused		4.80	10361		4.25	10361
30	3	2 "	Solid		4.80	10371		4.60	10371
60	2	2 "	Fused		15.10	10252		14.20	10252
60	2	1 "	Solid		14.20	10272		13.30	10272
60	3	2 "	Unfused		21.65	10362		20.85	10362
60	3	2 "	Solid		16.00	10372		15.05	10372
100	2	2 "	Fused		23.85	10253		23.00	10253
100	2	1 "	Solid		23.85	10273		23.00	10273
100	3	2 "	Unfused		30.90	10363		29.35	10363
100	3	2 "	Solid		25.60	10373		23.85	10373

METER SERVICE SWITCHES

"Square D" Main Fuses Sealed Without End Walls

[illegible]

Fused		Test Type		Test Type	
Amps.	Poles	For	Neutral	Number	Price
30	2	2 Plug	Fused	36211	\$ 3.50
30	2	1 "	Solid	36231	3.50
30	3	2 "	Unfused	36331	3.70
30	3	2 "	Fused	36251	3.70
30	2	2 Enc.	Fused	36251	4.10
30	2	1 "	Solid	36271	3.80
30	2	2 "	Unfused	36361	4.30
30	3	2 "	Solid	36371	4.30
60	2	2 "	Fused	36252	12.90
60	3	1 "	Solid	36272	12.00
60	3	2 "	Unfused	36362	19.00
60	3	2 "	Solid	36372	13.75
100	2	2 "	Fused	36273	20.25
100	2	1 "	Unfused	36273	21.25
100	3	2 "	Unfused	36383	26.50
100	3	2 "	Solid	36373	23.00

MISCELLANEOUS

					Price
Enclosed Double Branch Cutout No. 35211—30 Amp.	125	Volts.....			\$2.35
Fused Plug Receptacle.....	5021—30	"	125	"	2.20
Cartridge.....	5001—30	"	250	"	5.65
Cabinet Porcelain Fuse Block.....	1021—30	"	125	"	1.25

UNIVERSAL METER SERVICE SWITCHES

"Square D" Meter Service Types

Single Type		Ganging Type	
No. 32211 or 33211.....	\$3.70	All 30 Amp. 125 Volt No. 12211-13211.....	\$4.18
No. 32311.....	4.00	Single Phase & DC No. 12311.....	4.48
No. 34211.....	4.60	without end walls No. 14311.....	5.08
No. 34311.....	5.25		

SWITCHES, KNIFE, ENTRANCE & PANEL

ENTRANCE & PANEL SWITCHES


Description		Location of Fuses	Price
Double Pole, Rev. Blades	Top	\$.75
.....	Bottom	.75
.....	Top	.80
Triple	Top	1.25
.....	Bottom	1.25
Double Pole Single Branch	Top	1.25
.....	Bottom	1.25
.....	Top	1.50
Double Pole—Double Branch	Top	2.80
.....	Bottom	2.80
Trip. to D. P. Double Branch	Top	3.00
.....	Bottom	3.00

BABY KNIFE SWITCHES

Any Make		Porcelain Base 125 Volt		Slate Base 250 Volts	
Any Make		15 Amp.	30 Amp.	15 Amp.	30 Amp.
Single Pole	Single Throw	\$.60	\$.60	\$.60	\$.70
	Double	.85	1.00		
Double	Single	.60	.70	.70	.80
	Double	1.00	1.30		1.40

TYPE "C" OPEN KNIFE SWITCHES

Slate Base Front Connected									
Front Connected Slate Base				Not Fusible		Fusible			
				Pole	Pole	Pole	Pole	Pole	Pole
Sgt. Throw	30 A. 250 V. Only	...	\$1.15	\$1.65	\$2.25
"	250 & 500 V. AC
"	30 A.	1.75	2.65	3.50	\$1.75	\$2.65	\$3.50
"	60 A.	2.00	3.00	4.05	2.95	4.45	5.95
"	100 A.	4.10	6.20	8.25	6.00	9.05	12.05
"	200 A.	7.45	11.15	14.85	11.15	16.75	22.25
Dbl. Throw	30 A. 250 V. Only	...	1.90	2.95	4.20
"	250 & 500 V. AC
"	30 A.	2.60	4.40	6.35	3.65	5.80	8.00
"	60 A.	3.30	5.10	7.25	5.60	9.00	12.35
"	100 A.	7.40	11.40	15.15	12.20	19.55	26.85
"	200 A.	12.35	19.15	25.60	21.45	34.35	43.90



A Line of Devices *for Tumbler* *Switch Plates* That is COMPLETE!

TUMBLER Switches are now used almost exclusively in building construction. Bryant has developed, in addition to a complete line of Tumbler Switches, a number of other devices for use with Tumbler Switch Plates. You will need some of them on every job . . . all of them on some jobs. Familiarize yourself with these devices, as follows:


No. 756 Bakelite Blank Insert
No. 2829 Telephone Cord Outlet
No. 2830 Radio Jack Receptacle

No. 746 Pilot Lamp Jewel
No. 427 Pilot Lamp Receptacle
* No. 770 Convenience Outlet

For complete listings, see Bryant Catalog No. 30, Pages 62, 68, 69, 79, 80, 82, 83, 84 and 90.

*No. 770 is approved for use with Composition Plates only.

E-231



BRYANT

SUPERIOR WIRING DEVICES

Manufactured by
THE BRYANT ELECTRIC COMPANY, BRIDGEPORT, CONN.

MANUFACTURERS OF "SUPERIOR WIRING DEVICES" SINCE 1888-MANUFACTURERS OF HEMCO PRODUCTS

BOSTON • **CHICAGO** • **NEW YORK** • **PHILADELPHIA** • **SAN FRANCISCO**

50 High Street

844 West Adams Street

60 East 42nd Street

1333 Chestnut Street

149 New Montgomery Street

THEY KEEP A-RUNNING



Century 8-inch A.C. 1-speed Stationary Fan

8-IN. STATIONARY FAN

Alternating Current

ADDED TO THE LINE

The addition of this 8-inch Stationary 1-speed Alternating Current Century Fan enlarges the profit possibilities of the Century Fan line . . . Everything necessary to the correct movement of air is included in the design of this 8-inch fan. It is built throughout with rigid adherence to Century standards and is equipped with the Century Wool Yarn System of Lubrication, which assures at least one season's operation without re-oiling . . . Finished in lustrous black.

Century Fans Build Business

CENTURY ELECTRIC COMPANY

1806 PINE STREET • • • ST. LOUIS, MO.

40 U. S. and Canadian Fan Stock Points and More Than 50 Outside Thereof

SINGLE PHASE,
THREE PHASE,
AND DIRECT
CURRENT MOTORS

Century
FANS

MOTOR GENERA-
TOR SETS, ROTARY
CONVERTORS, FANS
AND VENTILATORS

FOR MORE THAN 27 YEARS AT ST. LOUIS ^{278"}


H & H RADIO OUTLET

No. 2145

NEW HOOK-UP FOR RADIO INSTALLATIONS
—modern, unique in idea. Aerial, Ground and Power connections from a ONE-Gang Outlet. Fits all standard-depth wall boxes; takes standard Bakelite Duplex Receptacle Plates. ALL Bakelite, face, body and back. » » » » »

Aerial, ground and power connections are plainly marked on Receptacle. To further insure correct connections, the aerial and ground plug has blades set at angle which prevents insertion in the power slots of Receptacle. In use it is positively fool-proof. » » » » »

Standard plug cap furnished on radio fits the power slots only — and functions there. Firm, positive contacts replace the loose fit of ordinary radio-plug connections. Both the Aerial-Ground and Power Outlets have Finding Grooves for the plug prongs. A divider plate keeps Aerial-Ground and Power circuits separated in wall box. This arrangement meets the requirements of the National Electric Code.




with Plug
Complete
No. 2145

Aerial-Ground-Power from a 1-Gang Outlet

The new Radio Outlet serves equally well for old buildings or new work. As easily installed as any Convenience Outlet; gets rid of objectionable surface wires. Taking a standard wall box and standard plate, this Radio Outlet becomes a part of the newer-standard wiring job, matching the other wiring devices and completing the scheme of modern electrical convenience. Moisture-proof, safe, serviceable, highly workmanlike. Underwriters Laboratories Approved, of course. With Plaster Ears, standard. . . .

HART & HEGEMAN DIVISION
THE ARROW-HART & HEGEMAN ELECTRIC CO.
HARTFORD, CONN. MAKERS OF ELECTRIC SWITCHES SINCE 1890

A MILE-A-MINUTE IN A SAFETY SWITCH



Speed in a Safety Switch? Of course, for the quicker the blades break the circuit, the less arc. » » SQUARE D Industrial Safety Switches break the circuit at an approximate speed of a mile a minute. Result—a *really* quick break, arcing reduced to a minimum and longer contact life. » » SQUARE D Switches rated above 250 Volts are equipped with SQUARE D Arc-Suppressors which cause rupturing of the current in 1/100 of a second, even at 50 percent overload at low power factor. (250-Volt Switches may be so equipped for heavy duty, if required.) » » Other SQUARE D features are individual base construction and keyed cover control for safety. All SQUARE D Industrial Switches are tested at six times the normal horsepower load at low power factor corresponding to the "stalled rotor" condition in a motor circuit. » » More information? Just address your nearest SQUARE D Branch Office or write directly to the SQUARE D COMPANY, DETROIT, MICH.

Affiliated with
DIAMOND ELECTRICAL MAN-
UFACTURING COMPANY, LTD.
Los Angeles San Francisco
Houston

SQUARE D COMPANY, CANADA,
LTD., WALKERVILLE, ONTARIO
Toronto Montreal

SQUARE D

COMPANY
DETROIT, U.S.A.

Factories at:
DETROIT, MICHIGAN; MILWAU-
KEE, WISCONSIN; AND PERU,
INDIANA

BRANCHES IN ALL PRINCIPAL
CITIES

ELECTRICAL EQUIPMENT



"Square D" Without End Walls Live & Dead Fuse Type

METER TESTING							Price
Number	Amps.	Pole	Fused	Neutral	Description		
55211	30	2	1 Plug	Solid	Single Type Fuse	Live.....	\$ 2.95
55211	30	2	"	Fused	"	Dead.....	2.95
SK-916	30	2	"	Solid	"	"	2.95
55311	30	3	2	"	Solid	"	3.70
57311	30	3	2	"	"	Dead.....	3.70
15211	30	3	2	"	Gang Type Fuse	Live.....	2.80
15211	30	3	2	"	"	Dead.....	3.35
29231	30	2	1	Fused	Gang Type Acces. M. Fuses	"	4.40
39331	30	3	2	"	"	"	5.20
15311	30	3	2	"	Solid	"	4.15
17311	30	3	2	"	"	Dead.....	4.15
					"	Live.....	4.15
58251	30	2	2 Cart.	Fused	Extra for End Wall	"	.30
29251	30	2	2	"	Cartridge Fuse	Live.....	3.30
57351	30	3	2	"	"	Dead.....	4.05
28252	60	3	2	"	Solid	"	4.05
	60	3	2	"	Fused	"	8.45
27312	60	3	2	"	Solid	"	8.90
14312	60	3	2	"	"	Dead.....	19.80
28253	100	2	2	"	Fused	"	15.05
27313	100	2	2	"	Solid	"	15.95
14313	100	3	2	"	"	Dead.....	27.90

Number	Amps.	Pole	Fused	Neutral	Description	Price
26311	30	3	2	Plug Solid	Plug Type Fuse Dead.....	\$ 2.58
26351	30	3	2	Cart. "	Cart. Type Fuse Dead.....	4.05
SK-659	30	3	2	Cart. Switched	Cart. Type Fuse Dead.....	4.60
SK-660	60	3	2	" "	Cart. Type Fuse Dead.....	11.70
SK-674	100	3	2	" "	Cart. Type Fuse Dead.....	19.20

"Square D" Accessible Main Fuse Type

METER TEST TYPE				
Number	Amp.	Pole	Fused	Price
30391	30	3	3 Cart.....	\$10.65
30392	60	3	3 "	20.35
30393	100	3	3 "	30.00

Number	Amp.	Pole	Fused	Price
10391	30	3	3 Cart.....	\$10.05
10392	60	3	3 ".....	18.60
10393	100	3	3 ".....	28.25

METER TEST TYPE					Price
Number	Amp.	Pole	Fused		
36351	30	3	3 Cart.	\$11.00
36352	60	3	3 "	17.80
36393	100	3	3 "	26.50

Number	Amp.	Pole	Fused	Price
SK-671	30	3	3 Cart.....	\$ 4.60
SK-672	60	3	3 "	11.70
SK-673	100	3	3 "	19.20

End Walls for 30 Amp. Switches.....	\$.30
60 & 100 Amp. Switches.....	.90
Trough Closing Plates No. 20533 & 34.....	10
Connecting Trough No. 20733—3½" Long.....	45
20738—8½".....	80
Universal End Wall & Shutters.....	30
Meter Shutter only No. 24358.....	15

	Enam.	Galv.
SK2158 with Test Block.....	\$7.05	\$9.55
SK2186 without Test Block.....	4.85	7.30
12611 W. P. Meter Sw. Box	9.90	

**"Square D" Single Throw, Industrial Switches
Quick Break Only**

250 Volts Fusible			575 V. AC with Arc Suppres. Unfused.		
Amps.	2 Pole	3 Pole	Amps.	Description	3 Pole
30	#5251 \$ 3.20	#5351 \$ 5.20	30	575V. Fused.....	#6341 \$10.93
40	#5252 \$ 3.90	#5352 \$ 5.90	40	575V. Fused.....	#6342 \$11.93
60	Solid Neutral #47312	9 10	60	575V Fused.....	#6342 13.65
60	#5253 \$12.75	#5353 15.50	100	575V. Not Fused	#1343 17.30
100	Solid Neutral #48313	14 60	100	575V. Fused.....	#6343 21.85
200	#4254 \$20.00	#4354 26.40	200	575V. Not Fused	#1343 25.35
200	Solid Neutral #47314	22 75	200	575V. Fused.....	#6344 33.25

"Square D" Industrial Quick Make & Break. Single Throw

230 V. DC. and AC. Fusable			250-600 V. DC. and 575 V. AC. Unfusable		
Amps.	2 Pole	3 Pole	Amps	2 Pole	3 Pole
130			130	\$81252 \$ 9.55	\$81351 \$11.40
60	\$80252 13.65	\$80351 13.65	30-60	\$81262 12.75	\$81342 15.95
100	\$80253 20.90	\$80353 27.30	100	\$81263 20.95	\$81343 24.10
200	\$80254 36.40	\$80354 40.95	200	\$81264 28.20	\$81344 34.60

200 Amp. Sw. with 30 Amp. Spacing
(x=250 Volt only.)

"Square D", Quick Break, Industrial, Single Throw

250 Volts		Description		Single Throw	
2 Pole				3 Pole	
No. 89251	\$3.20	Quick Make & Break	No. 89351	\$ 5.20	
91251	2.65	Not Quick Break	91351	4.00	
x90251	7.75	Quick Break Only	x90351	10.00	
(x 60 Amp. Switches with 30 Amp. Clips)					

"Square D", Quick Make & Break, Single Throw

Numbers	Types	Amps.	Volts	2 Pole	3 Pole	4 Pole
76251-351-451	Cover Control.....	30	250 V.	\$15.50	\$16.40	\$22.75
69352-76452	60	250 V.			\$1.85
69351-76451	30	575 V. A.C.			\$2.75
69251-351-451	without Cover Cont.	30	250 V.	13.65	14.60	20.95
69352-69452	60	250 V.			30.00
69341-69441	30	575 V. A.C.			30.00
76251-351	Time Protective.....	30	575 V. A.C.	6.40	8.85	13.65
SK2054	Time Protective.....	30	575 V. A.C.			13.65
No. 98251	For Small AC & DC Motors	up to	3/4 H.P. 230V AC	Volts		1.85

Cutler-Hammer (T-V) Single Throw Industrial Type

Series 4131									
250 Volts DC or AC Fusible					575 Volts AC Fusible				
Amps	2 Pole		3 Pole		Amps	3 Pole		4 Pole	
30	4131H2	\$ 3.20	4131H13	\$ 5.20	30	4131H24	\$10.90	4131H34	\$18.20
60	4131H3	8.20	4131H14	10.00	60	4131H25	13.65	4131H35	20.40
100	4131H4	12.75	4131H15	15.50	100	4131H26	21.85	4131H36	36.00
200	4131H5	20.00	4131H16	26.40	200	4131H27	38.25	4131H37	51.90
400	4131H6	49.15	4131H17	67.35					

125-250 Volt Solid Neut. Fusible					Non-Fusible Type 250 DC 500-600 AC				
Amps	3 Pole		4 Pole		Amps	2 Pole		3 Pole	
30	4131H39	\$ 6.75	4131H44	\$ 8.20	30	4131H54	\$ 3.20	4131H58	\$ 4.10
60	4131H40	9.00	4131H45	11.40	60	4131H55	8.20	4131H59	8.65
100	4131H41	14.40	4131H46	17.60	100	4131H56	10.90	4131H60	12.30
200	4131H42	22.75	4131H47	31.85	200	4131H57	19.10	4131H61	22.75
400	4131H43	63.70	4131H48	82.00	30 Amp 250 Volts Only				

Cutler-Hammer (T-V)

		2 Pole		3 Pole	
Amps	Description	Numbers	Price	Numbers	Price
30	For Plug Fuses.....	4141H1&2	\$ 1.65	4141H3-4	\$ 2.20
30	2 Blades - 2 Fuses.....			4141H5	2.95
30	For Cartridge Fuses.....			4141H6-10	3.60
30	For Cartridge Fuses.....	H4141H7	2.75		
30	For 2 Cart. Blades-2 Fuses.....			4141H11	3.25
30	Non-Fusible.....	4141H23	2.35	4141H24	4.10
60	For Cartridge Fuses.....	4141H13	0.70	4141H14-15	7.80
60	For 2 Blades & 2 Fuses.....			4141H16	7.45
100	For Cartridge Fuses.....	4141H11	10.00	4141H20-21	11.00
100	For 2 Blades & 2 Fuses.....			4141H22	11.90

Cutler-Hammer (T-V) Without End Walls

Meter Test Type		Live Fuse Type	Without End Walls	
30	For Plug Fuses.....	4307H1&5	\$ 2.95	4307H0 \$ 3.70
30	For Cartridge Fuses.....	4307H2&6	3.30	4307H10 4.05
60	For Cartridge Fuses.....	4307H3&7	8.45	4307H11 8.90
100	For Cartridge Fuses.....	4307H4&8	15.05	4307H12 16.00
		Dead Fuse Type		
30	For Plug Fuses.....	4309H1	2.40	4309H3 3.70
30	For Cartridge Fuses.....	4309H4	3.50	4309H6 4.30
60	For Cartridge Fuses.....	4309H7	12.00	4309H9 13.75
100	For Cartridge Fuses.....	4309H10&11	21.20	4309H12 23.00

Cutler-Hammer (T-V) Without End Walls

Accessible Main Flts		Without End Walls	
Test Type			
30	For Plug Fuses.....	4325H1&2	\$ 4.00 4325H3
30	For Cartridge Fuses.....	4325H4&5	4.80 4325H6
60	For Cartridge Fuses.....	4325H7&8	15.05 4325H9
100	For Cartridge Fuses.....	4325H10&11	23.85 4325H12
Non-Test Type			
30	For Plug Fuses.....	4327H1&2	3.65 4327H3
30	For Cartridge Fuses.....	4327H4&5	4.60 4327H6
60	For Cartridge Fuses.....	4327H7&8	14.15 4327H9
100	For Cartridge Fuses.....	4327H10&11	23.00 4327H12

Meter Service and Entrance Switches

All 230 V.—A. C.				Without End Wall			
Description				30 A	60 A	100 A	200 A
Sealed Fuses—Meter Test 3 Phase	3	Wire..		\$11.35	\$17.60	\$27.30	\$57.20
	"	"	"	13.85	33.45	50.15	90.25
Acces.	"	"	"	11.45	21.15	30.80	66.00
	"	"	"	15.60	37.00	53.70	98.60
"	"Non	"	"	10.85	19.35	29.05	48.40
	"	"	"	11.45	21.15	30.80	56.30

Cutler-Hammer (T-V)

No.	Without End Walls	Price
4311H1	All 30 Amp. Standardized Meter Service Switches Branch Circuit Type.	\$3.75
4311H2		4.00
4311H3		4.60

For Detailed Description See Cutler-Hammer (Trumbull Vanderpool) Catalog

Cutler-Hammer (T-V)

	30 Amp.	60 & 10 Amp.
Single Piece End Wall used with Cabinet.....	\$.35	\$.80
Shutters for Shutter Type End Wall.....	.15	.30
Conduit End Wall.....	.35	.80
Universal End Wall.....	.35

Switches

Switches

TYPE "A" SWITCHES

Single Throw—Series 4111

Fusible 250 Volt DC or AC				Fusible 575 Volt AC					
Amps.	2 Pole	3 Pole		Amps	2 Pole	3 Pole			
30	4111H1	\$10.90	4111H20	\$13.65	30	4111H11	\$16.40	4111H30	\$30.00
60	4111H2	13.65	4111H21	18.20	60	4111H12	17.30	4111H31	20.95
100	4111H3	20.95	4111H22	27.30	100	4111H13	27.30	4111H32	31.85
200	4111H4	33.40	4111H23	41.00	200	4111H14	42.80	4111H33	52.80
400	4111H5	68.23	4111H24	91.00	400	4111H15	100.00	4111H34	100.20
Non-Fusible 250DC or 500-600 AC				Non-Fusible 575 AC					
Amps	2 Pole	3 Pole		Amps.	2 Pole	3 Pole			
30	4111H74	9.53	4111H81	11.40	30	4111H77	28.20	4111H87	\$34.60
60	4111H75	13.65	4111H85	15.95	60	4111H78	81.90	4111H88	91.00
100	4111H76	20.95	4111H86	24.10	x250 V. only.				

Non-Fusible 250DC or 500-600 AC

Amps	2 Pole	3 Pole	Amps	2 Pole	3 Pole
30	4111H74\$ 9.55	4111H84\$11.40	200	4111H77\$28.20	4111H87\$34.60
30-60	4111H75 13.65	4111H85 15.95	400	4111H78 81.90	4111H88 91.00
100	4111H76 20.95	4111H86 24.10	250 V. only.		

MOTOR STARTING SWITCHES

Manual Operated		T-V		Amps		Volts		2 Pole		3 Pole		4 Pole	
Series	Description	Light Duty Motor Sw. 1/4 HP or Less		30	115	\$ 1.65							
9115H1	Motor Switch with Thermal Cutout			30	To 550								
4231H	For infrequent Duty			30	220	6.50							
4246H	For infrequent Duty 5 HP.			30	220	12.55							
4246H	For infrequent Duty 7 1/2 HP			30	440								
4246H	For infrequent Duty 7 1/2 HP			60	220	17.30							

SMALL ENTRANCE SWITCHES

Trumbull Electric Closed or Open Ends

Numbers	Amps.	Volts	Fusing	2 Pole	3 Pole
5790 EW Porc. Base	30	125	For 1 Plug Fuse	\$1.65	
5791-2-3-4 & 5893	30	125	Plug Fuses	1.85	\$3.45
5891-5892 Porc. Base	30	125-250	"	1.85	2.40
13640-13641 Kappa	30	250	No Fuse-Slate Base	2.75	4.10
13642-43 & 13743 Kappa	30	250	For Enclosed Fuses	2.75	4.35
13221-13321 Quick Break	30	250	"	3.53	5.20

STANDARDIZED MAIN ENTRANCE SWITCHES

Trumbull Electric Single Phase or DC Solid End Plate

Numbers	Amps.	Volts	Fusing	2 Pole	3 Pole
16361 to 16368	30	125-250	For Plug Fuses	\$3.30	\$4.10
16371 " 16378	30	"	Enclosed Fuses	3.65	4.40
16381 " 16388	60	250	"	9.25	9.70
16391 " 16398	100	250	"	15.85	16.75

STANDARDIZED METER SERVICE SWITCHES

Trumbull Electric For Meter Testing Open End

Numbers	Amps.	Volts	Fusing	2 Pole	3 Pole
16300 to 16309	30	125-250	For Plug Fuses	\$ 2.95	\$ 3.75
16315 " 16324	30	"	Enclosed Fuses	3.35	4.10
16330 " 16338	60	"	"	8.45	8.90
16341 " 16348	100	"	"	15.05	15.95

ACCESSIBLE FUSE METER SWITCHES

Trumbull Electric With Test Blades With and Without End Walls

Numbers	Amps.	Volts	Fusing	2 Pole	3 Pole
18111	30	125	For 1 Plug Fuse	\$ 3.55	
18211-18311	30	125	Plug Fuses	4.05	\$4.55
18121	30	125-250	1 Enclosed Fuse	3.95	
18221-18321	30	"	Enclosed Fuses	4.90	4.90
18122-222-322	60	"	"	15.60	16.75
18123-223-323	100	"	"	24.65	26.40

Without Test Blades

Numbers	Amps.	Volts	Fusing	2 Pole	3 Pole
19111	30	125	For 1 Plug Fuse	\$ 3.35	
19211-19311	30	125-250	Plug Fuses	3.70	\$4.05
19121	30	"	1 Enclosed Fuse	3.95	
19221-19321	30	"	Enclosed Fuses	4.65	4.65
19122-222-322	60	"	"	14.50	15.85
19123-223-323	100	"	"	23.35	24.65

SEALED FUSE METER SWITCHES

Trumbull Electric With Test Blades With and Without End Walls

Numbers	Amps.	Volts	Fusing	2 Pole	3 Pole
15827	30	125	For 1 Plug Fuse	\$ 2.40	
12811-28211-28311	30	125	Plug Fuses	3.55	\$ 3.75
128121	30	125	1 Enclosed Fuse	3.85	
128221-28321	30	125-250	Enclosed Fuses	4.10	4.35
128122-28222-28322	60	"	"	13.25	14.50
128123-223-323	100	"	"	22.00	23.75

Without Test Blades

Numbers	Amps.	Volts	Fusing	2 Pole	3 Pole
129111	30	125	For 1 Plug Fuse	\$ 3.10	
129211-29311	30	125-250	Plug Fuses	3.10	\$ 3.30
129121	30	125	1 Enclosed Fuse	3.45	
129221-29321	30	250	Enclosed Fuses	3.75	3.90
129122-222 & 322	60	250	Enclosed Fuses	12.35	13.65
129123-223 & 323	60	250	Enclosed Fuses	20.70	22.00

No End Walls.

With End Walls.

UNIVERSAL METER SERVICE SWITCHES

Trumbull Electric Without End Walls

Numbers	Amps.	Volts	Fusing	2 Pole	3 Pole
971-123	30	125	For 1 Plug Fuse	\$3.75	
972-123	30	125	For 1 Plug Fuse	4.70	
973-333	30	125	For 2 Plug " Solid Neu.	\$4.10	
975-333	30	125	For 3 Combinations	5.30	5.30
979-333	30	125	For 4 Combinations	5.30	5.30

POLYPHASE ENTRANCE & METER SWITCHES

Trumbull Electric

Series Nos.	Style	3 Wire	4 Wire	3 Wire	4 Wire
16379	Entrance—"DO-ALL"	\$ 4.70			
15321-15623	Acc. Fuse—Test Conn.	11.60	\$15.60	\$21.10	\$37.00
17321-17623	Acc. Fuse without Test Conn.	10.95	12.80	19.40	22.00
26321-26623	Sealed Fuse with Test Conn.	11.50	14.40	17.60	33.50

Series Nos.

Style

3 Wire

4 Wire

END WALLS, SHUTTERS, TROUGHS, ETC.

Trumbull Electric

	30 A.	60 A.	100 A.
End Wall One Piece for Standardized Switches	\$.30	\$.80	\$.80
End Wall One Piece for Polyphase Switches	.30	.90	.80
Shutters for End Walls for Standardized Switches	.15	.30	.30
Shutters for End Walls for Polyphase Switches	.15	.30	.30
Troughs 2-3" & 4" x 4"	\$.40	\$.45	\$.50
5" x 4"	\$.45	\$.50	\$.55

TYPE "A" INDUSTRIAL SWITCHES

Trumbull Single Throw, Quick Make & Break

Amp	2 Pole AC-DC	3 Pole AC Only	2 Pole AC-DC
30	72221 \$10.95	72321 \$13.65	36221 \$ 9.60
60	72222 13.65	72322 18.20	36222 11.85
100	72223 20.95	72323 27.30	36223 20.00
200	72224 36.40	72324 41.00	36224 25.50

Trumbull "SNUF-ARC" TYPE

Amp	Fusible	2 Pole AC-DC	3 Pole AC Only	2 Pole AC-DC	3 Pole AC Only
30	72261 \$16.40	72361 \$20.00	36261 \$12.75	36321 \$11.40	
60	72262 17.30	72362 21.00	36262 13.65	36362 15.95	
100	72263 27.30	72363 31.85	36263 20.95	36363 24.10	
200	72264 43.25	72364 52.80	36264 28.20	36364 34.60	

*230 V. AC, no "Snuf Arc"

TYPE "C" SWITCHES

Trumbull Single Throw, Quick Make & Break

Amp	2 Pole AC-DC	3 Pole AC Only	2 Pole AC-DC	3 Pole AC
30	40221 \$ 5.50	40321 \$ 6.85	20221 \$ 5.00	20321 \$ 6.40
60	40222 8.20	40322 10.00	20222 8.20	20322 8.65
100	40223 12.75	40323 15.50	20223 10.95	20323 12.30
200	40224 20.00	40324 26.40	20224 19.10	20324 22.75

Amp	2P	AC-DC	3 Pole	VAC	3 Pole	Blades	4 Pole	Blades
30	44222	\$ 8.65	44322	\$10.50	43322	\$ 9.55	43422	\$11.85
60	44223	13.20	44323	15.95	43323	15.00	43423	20.95
100	44224	20.50	44324	26.85	43324	23.20	43424	32.30

WESTINGHOUSE

ALL 30 AMP. PORCELAIN BASE

	2 Pole	3 Pole
"Midget"—S. N.—1 Blade—1 Fuse—#62612 & 62613	\$1.65	
"Type 00" Fusible—125-250 V.—Plug Fuses	60969 1.65	60961 \$3.00
"S. N.—3 Blades	60901 1.65	62328 2.70
"Not Fusible—2 Blades—250 Volt	60900 2.55	62352 3.00
"—250 V.—250 V.	60989 2.45	62365 4.00
"Fusible Cart. Fuses—S. N.—250 V.		62363 4.30
"S. N.—3 Blades		62351 3.20
"Type WK-45" Fusible Cart. Fuses—3		62364 4.30
Blades—250 V.		545101 5.20
"Type WK-45" S. N. Fusible Cart. Fuses—		
2 & 3 Blades—250 V.	545301 5.20	545341 5.20
"Type WK-45" Non-Fusible—2 and 3 Pole		
—3 Blades	545001 4.20	545001 4.20

TYPE C METER ENTRANCE

Westinghouse "WK-62" Quick Break

60 Amp.—230 Volts	2 Pole Fusible	3 Pole Fusible	4 Pole Fusible
60 Amp.—230	62304 \$ 9.15	62305 \$10.90	62307 \$13.60
100 "—230	62308 13.60	62309 17.25	62311 29.05
200 "—230	62312 21.80	62313 29.05	62315 47.20

SOLID NEUTRAL FUSIBLE

60 Amp.—3 Poles	2 Blades—2 Fuses	3 Blades—2 Fuses
100 "—3	62332 \$ 9.15	62306 \$10.90
200 "—3	62330 14.55	62310 17.25
	62331 22.70	62314 29.05

UNIVERSAL METER SERVICE SEALED MAIN FUSES

Westinghouse "WK-57" Meter Testing

One & Two Circuit	All 30 Amp.	Four Circuit
57924 \$3.70	125 Volt For	57925 \$5.00
57926 4.05	Plug Fuses	57499 4.60
57928-31 3.60		57928 3.60
57498 5.25		57500 5.25

STANDARDIZED METER SWITCHES

Westinghouse "WK-54" Without End Walls

Amps.	Fused	2 Pole	3 Pole	2 Pole	3 Pole
30	For Plug	No. 61140 \$ 2.40	No. 61142 \$ 3.75	No. 60224 \$ 2.95	No. 59442 \$ 3.70
30	"	61143 3.50	61144 4.30	59441 2.95	60225 3.70
30	Enclosed	61639 3.80	61150 12.80	54371 3.30	60227 4.05
30	"	61145 4.10	61151 13.65	59461 8.40	60229 8.85
60	"	61150 12.80	61153 22.80	59463 14.95	60232 15.90

METER SERVICE AND ENTRANCE SWITCHES

ACCESSIBLE FUSE TYPE

Westinghouse "WK-65"

Amps.	Fused	2 Pole	3 Pole	2 Pole	3 Pole
30	For Plug	No. 65000 \$ 3.50	No. 65002 \$ 4.35	No. 65010 \$ 3.30	No. 65012 \$ 4.00
30	"	65001 4.00	65003 4.85	65011 3.65	65014 4.60
30	Enclosed	65005 3.90	65006 15.85	65063 3.90	65016 14.95
30	"	65003 4.85	65004 15.85	65013 4.60	65018 23.70
60	"	65005 14.95	65006 25.45	65015 14.10	65018 23.70
100	"	65007 23.70	65008 25.45	65017 22.80	65018 23.70

POLYPHASE METER SWITCHES

Westinghouse "WK-54"—Sealed Main Fuses

Amps.	3 Pole	230 Volt AC—Less End Wall	Price
30	60266	3	\$11.00
60	60267	3	16.70
100	60268	3	26.30

Westinghouse "WK-65"—Accessible Fuses

Amps.	3 Pole	230 Volt AC—Less End Wall	Price
30	65100	3	\$11.00
60	65101	3	16.70
100	65102	3	26.30

METER TRIMS—END WALLS—TROUGHS

For Meter Switches

One Piece Meter Trims	30 Amp.	60 & 100 Amp.
Blank End Wall or Shutter Type End Wall	\$0.35	\$0.80
Shutter Type Meter Trim or Adapter Trim	.15	.30
New Universal Trim with Slide	.35	.70
Replacement Plate or Adapting Plate	.15	.30
Wiring Trough 2-3 & 4" Long	40c—5" 45c—6" 50c—7" 55c—8" 60c—9"	
Fuse Receptacle #R57252	Less Fuses	\$1.25

"TYPE A" INDUSTRIAL SWITCHES

Westinghouse "WK-66"—Quick Make & Break

Amps.	2 Pole	3 Pole	4 Pole	Price
30	66100	66101	66102	\$10.90
60	66103	66104	66105	15.15
100	66106	66107	66108	20.90
200	66109	66110	66111	35.30

"TYPE C" INDUSTRIAL SWITCHES

Westinghouse "WK-97"—Quick Make & Break

Amps.	2 Pole	3 Pole	4 Pole	Price
30	597100	597101	597102	\$5.45
60	597103	597104	597105	8.15
100	597106	597107	597108	12.70
200	597109	597110	597111	19.95

ENTRANCE SWITCHES

Noark Closed Ends

Number	Amps.	Volts	Fused For	2 Pole	3 Pole
8283-8383-8393	30	125	Plug Fuses	\$1.65	\$2.50
8683-8693	30	125	N.E.C. Quick Break	1.80	3.20
8226-1-8136-1	60	250	"	6.65	7.25
8221-1-8131-1	100	250	"	10.25	11.90

METER SERVICE SWITCHES

Noark Sealed Service SECO Without End Walls

Number	Amps.	Volts	Fused For	2 Pole	3 Pole
9993	30	125	Plug Fuses	\$2.40	3.75
9543-953-23	30	125	Enclosed Fuses	4.10	4.30
9563-9533	30	125	"	3.80	4.00
9573	30	125	"	11.90	12.80
66576	60	250	"	12.80	13.65
66566-536	60	250	"	21.00	22.85
66561-71-31	100	250	"		

Noark Meter Service & Entrance ACCO Without End Walls

Amps.	Fused For	Meter Service Test Type	Entrance Non Test	2 Pole	3 Pole
30A	Plug	9343 \$3.35	8343 \$3.30		
30A	"	9353 4.00	8353 3.65		
30A	Enc.	9363 4.85	8363 4.60		
30A	"	9373 3.90	8373 3.90		
60A	"	66366 14.95	76366 14.10		
100A	"	66361 23.70	76361 22.85		

Noark Universal Meter Service Switches

No.	791123	—Without End Walls	Price
7923			\$3.75
792123			4.65
793333			4.05
7973 & 9793			5.65
795333-979333			5.25

Noark Doall Without End Plate

Amps.	Fused For	Numbers	2 Pole	Price	Numbers	3 Pole	Price
30A	Plug	913123-911123	\$2.95		912333-914333	\$3.75	
30A	Enc.	921223	3.30		922333-924333	4.05	
60A	"	921226	8.40		925336	8.90	
100A	"	921221	14.95		925331	15.85	

"TYPE C" "NUBLADE"—Quick Break

230 Volts Fusible

Amps.	2 Pole	Price	3 Pole	Price	4 Pole	Price
30	8223	\$2.70	8233	\$4.30	8243	\$8.65
60	8226	8.15	8236	10.00	8246	12.70
100	8221	12.70	8231	15.40	8241	26.30
200	8222	19.95	8232	26.30	8242	43.55
400	8224	49.00	8234	67.15	8244	86.65

230 Volts Solid Neutral

Amps.	2 Pole	Price	3 Pole	Price	4 Pole	Price
30	8933	\$2.75	8933	\$5.20	8943	\$10.00
60	All Solid		8936	10.00	8946	14.50
100	Switching Neutral		8931	15.40	8941	28.15
200			8932	26.30	8942	45.40
400			8934	67.15	8944	90.75

Non-Fusible

Amps.	2 Pole	Price	3 Pole	Price	4 Pole	Price
30	8723	\$2.75	8733	\$4.10	8743	\$8.15
60	8726	8.15	8736	8.65	8746	13.60
100	8721	10.80	8731	12.25	8741	20.90
200	8722	19.05	8732	22.70	8742	38.10
400	8724	36.30	8734	47.20	8744	63.55

Quick Break "TYPE C" "NUBLADE" 575 V.-AC

Amps.	3 Pole	Price	4 Pole	Price	3 Pole	Price	4 Pole	Price
30	8433	\$10.90	8443	\$18.15	8633	\$8.15	8643	\$10.90
60	8436	13.60	8446	19.95	8636	10.90	8646	18.15
100	8431	21.80	8441	36.30	8631	17.25	8641	27.25
200	8432	38.10	8442	51.75	8632	29.00	8642	42.65

ACCESSORIES FOR NOARK SWITCHES

Single Piece End Wall for 30 Amp. Switches	\$1.30	For 60 & 100 Amp.	\$8.80
Shutter for 30	.15	60 & 100	.30
Universal End Wall No. 909103	.40		
Blanking Side No. 909103-908203	.15		
Trough—3-4 & 6" 5.40—6" 5.45—7" 5.50		8" 5.55—9" 5.60	
Cabinet Fuse Block No. 902413	1.25		

POLYPHASE

Meter Service and Entrance Switches

125-250 Volts				Without End Walls			
Main Entrance				Meter Service			
"ACCO" QUAD				"ACCO" QUAD			
BREAK				BREAK			
"DOALL"—3 WIRE Accessible Fuses				Sealed Fuses			
Amps.	Number	Price		Number	Price	Number	Price
30	851233	\$4.65	77033 \$10.40	67033	\$11.05	67533	\$10.75
60	851236	11.60	77036 18.45	67036	20.20	67536	16.75
100	851231	19.05	77031 27.20	67031	30.00	67531	26.30

SOLID NEUTRAL SWITCHES

Noark Fusible—Quick Break

Amps.	Volts	3 Pole-2 Poles	4 Pole-3 Poles	5 Pole-4 Poles	Price
30	125-250	8133	8143	8153	\$12.70
60	"	8136	8146	8156	19.95
100	"	8131	8141	8151	35.85
200	"	8132	8142	8152	50.82
400	"	8134	8144	8154	111.00

BULLDOG SWITCHES

Toggle Type—Quick Make & Break

125 Volt—2 Pole—One Blade	#92211 & T-82211	Price
125 "—2 "—Two	—2 Plug Fuse Connection #90211	4.55
115 "—3 "—Three	—3 "—3 #90311	8.20
125-250 Volts—3 Pole—2 Blades—Solid Neutral	#92311	5.00
125-250 "—3 "—3	91311	7.25
250 Volts—2 Pole—One Blade	#92221	1.80
250 "—2 "—Two	—2 Fuse Connector #90221	5.45
230 "—3 "—Three	—3 "—3 #90321	8.20
250 "—3 "—3	—3 Solid Neutral	7.75
575 "AC 3 "—3	—3 Fuse Connector	12.75
575 Volts—Not Fusible—2 Pole	#93261	5.45
600 "—3 "—3	93351	7.25
600 "—3 "—3	93351R	10.90
Motor Starting Switches	#81321—81321V	9.15

"TYPE C" NON-INTERLOCKING

Quick Make & Break

Single Throw	Fusible	Type "C"
250 Volts DC—230 Volts AC	3 Pole	575 Volts AC
Amps.	2 Pole	3 Pole
30 A. Pore Base	50221S \$3.20	50321S \$5.15
30 A. End Plates	50221P 3.20	50321P 5.15
30 A. Slate Base	50221 5.40	50351 \$10.90
60 A. " "	50222 8.20	50352 13.60
100 A. " "	50223 12.70	50353 21.80
200 A. " "	50224 20.00	50354 38.10
400 A. " "	50225 49.00	50355 67.15

Switches

TYPE "C" NON-INTERLOCKING—Continued

Single Throw		Not Fusible		Type "C"	
Solid Neutral Blades Omitted		3 Pole 2 Blades 2 Fuse Holders 230 V.-AC & DC	4 Pole 3 Blades 3 Fuse Holders 115-230 V.-AC	5 Pole 4 Blades 4 Fuse Holders 115-230 V.-AC	
x 30 Amp. Type C	52311P	\$ 2.50		
60 " " " "	52321P	3.20	52421	\$ 6.40
60 " " " "	52322	9.10	52422	11.40
100 " " " "	52323	14.60	52423	20.50
200 " " " "	52324	22.75	52424	31.85
400 " " " "	52325	63.75	52425	82.00
x This Switch for 125 Volts Ed. Plug Fusible.					

30 AMP. SERVICE ENTRANCE SWITCHES

Bulldog

2 Pole-125 Volt-Fusible-For Plug Fuses No. 100211 S & P.....	\$1.65
2 Pole-125 Volt-Fusible-For Plug Fuses No. 100211 S & P.....	1.65
2 Pole-250 Volt-Fusible-For Cart. Fuses 100221 S & P.....	2.75
2 Pole-250 Volt-Not Fusible-For Cart. Fuses 100321 S & P.....	2.50
3 Pole-115 Volt-Fusible-For Plug Fuses No. 100311 S & P.....	3.00
3 Pole-115 Volt-Fusible-For Plug Fuses Quick Make & Break 104311	4.50

"TYPE A"

Bulldog Single Throw Quick Make and Break

		2 Pole		3 Pole		4 Pole	
250 V. DC & 230 V. AC Fusible No.		Price	No.	Price	No.	Price	
30 Amp.	10221	\$10.90	10321	\$13.60	10421	\$16.35	
60 Amp.	10222	13.60	10322	18.15	10422	21.80	
100 " "	10223	20.90	10323	27.25	10423	36.30	
200 " "	10224	36.30	10324	40.85	10424	54.45	
400 " "	10225	68.10	10325	82.50	10425	107.25	

575 Volts—AC Fusible

30 Amp	10261	\$16.35	10351	\$19.25	10451	\$24.50
60 "	10262	17.25	10352	20.90	10452	26.30
100 "	10263	27.25	10353	31.75	10453	41.75
200 "	10264	42.65	10354	52.65	10454	63.60
400 "	10265	90.75	10355	99.00	10455	128.00

Not Fusible.....	230 V.-A.C. D.C.	575AC.ArcChok	575AC.ArcChok
30 Amp. 230 Volts only..		13221	\$11.35 13421 \$16.35
30-60 Amp.....	13222 \$11.80	13352 15.90	13452 21.80
100 ".....	13223 19.95	13353 24.05	13453 31.75
200 ".....	13224 25.40	13354 34.50	13454 46.30
400 ".....	13225 54.45	13355 82.50	13455 107.25

Not Fusible.....	600 V.-AC&DC	
30-60 Amp.....	13262	\$12.70
100 ".....	13263	20.40
200 ".....	13264	27.65
400 ".....	13265	66.25

COMPENSATOR SWITCHES

Bulldog Quick Make & Break Fusible

Amps.	230 Volt AC			
	3 Pole		4 Pole	
30 A.	30321	\$16.35	30421	\$ 21.80
60 A.	30322	17.45	30422	26.30
100 A.	30323	28.15	30423	47.20
200 A.	30324	47.00	30424	65.35
400 A.	30325	76.25	30425	118.80

Amps.	575 Volts AC Arc Chokers
	3 Pole
30 A.	30351 \$18.35
60 A.	30352 19.25
100 A.	30353 29.95
200 A.	30354 50.85
400 A.	30355 81.70

MOTOR STARTERS

Bulldog

		3 Pole	4 Pole
30 Amp.—Type A—230 Volts AC.....		40321 \$16.35	40421 \$22.70
60 " " " 230 " "		40322 22.70	40422 31.75
30 " " " 460 " "		40341 22.70	40441 31.75
60 " " " 460 " "		40342 32.70	

NOTE: For Bulldog Switches not listed deduct 10% from Bulldog Lists.

SMALL ENTRANCE SWITCHES

Amp.

		Description	3 Pole
Single Fused	Single Blade	125 Volt-Ping Fused	320-321 \$1.50
Double	Double	125 " " "	1980 1.60
"	"	" " " "	3930 1.90
"	"	250 " Cartridge Fused	322 2.30
"	"	250 " "	422 2.50

Description		3 Pole
Single Fused-Single Blade-125 Volt-Plug Fused	
Double " Double " 125 " " "	1931-3	\$2.1
" " " " 250 " " "	3931-2	2.4
" " " " 250 " Cartridge Fused	323	4.0
" " " " 250 " " "	422	4.4

BRANCH CIRCUIT ENTRANCE SWITCHES

Columbia

30 Amp. Series	2 Circuit		4 Circuit		6 Circuit		8 Circuit	
	2 Pole	2 Pole	3 Pole	3 Pole	2 Pole	3 Pole	3 Pole	3 Pole
2401 to 2406	\$3.90	\$4.90	\$5.20	\$5.55	\$5.85	\$6.20	\$7.15	\$7.15
3401 to 3406	4.90	6.20	6.50	7.15	7.45	7.85	8.60	8.60
3501 to 3506		6.85	6.20	6.90	7.50	7.85	8.45	8.45

Series 30—Quick Break—250 Volts for Meter Trims
For Cartridge Fuses

	30 Amp.	60 Amp.	100 Amp.	200 Amp.
2 Pole.....	3022 \$5.55	3025 \$ 8.75	3028 \$12.50	3031 \$18.20
3 Pole.....	3023 7.50	3026 10.00	3029 16.15	3032 24.05

INDUSTRIAL SWITCHES

Columbia

Series 70 Type C Fusible					
	Amps	2 Pole		3 Pole	
		Number	Price	Number	Price
250 Volts	30A	C7001	\$ 9.30	C7002	\$11.30
Fusible	60A	C7004	12.00	C7005	15.50
Quick Make	100A	C7007	18.85	C7008	23.65
& Break	300A	C7010	27.95	C7011	34.65

	Series 70 Type A Fusible					
	Amps		2 Pole		3 Poles	
		Number	Price	Number	Price	
250 Volts	30A	A7001	10.30	A7002	\$12.85	
Fusible	50A	A7004	13.10	A7005	17.30	
Quick Make	100A	A7007	21.45	A7008	27.50	
& Break	300A	A7010	30.50	A7011	28.35	

500 Volts Quick Make & Break	Series 71-500 Volts Fusible					
	Amps	2 Pole		3 Pole		
		Number	Price	Number	Price	
	30A	7101	\$13.60	7102	\$15.50	
	60A	7104	14.00	7105	16.00	
	100A	7107	23.50	7108	26.65	
	200A	7110	37.70	7111	42.25	

Series 73-500 Volts Unfused					
	Amps	2 Pole		3 Pole	
		Number	Price	Number	Price
500 Volts Quick Make & Break	30A	7301	\$10.80	7302	\$12.70
	60A	7304	10.80	7305	13.25
	100A	7307	17.15	7308	19.20
	200A	7310	23.65	7311	28.45

Series 72-600 Volts Fusible					
Amps		2 Pole		3 Pole	
	Number	Price	Number	Price	
600 Volts	30A	7201	\$14.60	7202	\$16.00
Quick Make	60A	7204	14.60	7205	16.00
& Break	100A	7207	24.10	7208	27.15
	200A	7210	38.60	7211	42.50

Series 74-800		Volts		Unfused	
Amps		2 Pole		3 Pole	
	Number	Price	Number	Price	
600 Volts	30A	7401	\$11.70	7402	\$14.35
Quick Make	80A	7404	12.45	7405	14.95
& Break	100A	7407	18.90	7408	21.45
	200A	7410	25.15	7411	29.35

Series 20-250 Volts Fusible					
Amps		2 Pole		3 Pole	
		Number	Price	Number	Price
Quick Break Only 250 Volts	30A	2022	\$ 5.10	2023	\$ 6.85
	60A	2025	6.85	2026	7.90
	100A	2028	10.85	2029	13.35
	200A	2031	19.10	2032	23.85

Series 23-250-500 Volts Unfused					
	Amps	2 Pole		3 Pole	
		Number	Price	Number	Price
Quick Break	30A	2322	\$ 4.75	2323	\$ 6.25
Only	60A	2325	8.95	2326	9.50
250 Volts	100A	2328	11.35	2329	12.50
	200A	2331	19.10	2332	23.40

MOTOR STARTING SWITCHES


Columbia, 250 Volts

		3 Pole	3 Pole
30 Amp. Motor Start Switch.....	6001	\$12.50	6002 \$16.70
60 " " " " " " " " " " " " " " " "	6004	13.10	6005 17.20
			4 Pole
30 Amp. Motor Start Switch.....			6003 \$19.60
60 " " " " " " " " " " " " " " " "			6006 28.80

Wadsworth Switches

MAIN ENTRANCE SWITCHES

Single Phase and D. C. Number	Amps.	Volts	Poles	Blades	Fuses	Neutral	Accessible Fuse Price
1450-1250	30	125	2	1	1 Plug	Solid	\$ 3.50
1402-1202	30	125	2	2	2 "	None	3.90
1403-1203	30	125-250	3	2	2 "	Solid	4.20
2250	30	125	2	1	1 NEC	"	4.10
2202	30	250	2	2	"	None	4.80
2203	30	125-250	3	2	2 "	Solid	4.80
1800	60	125	2	1	1 "	"	13.90
1802	60	125 or 250	2	2	2 "	None	14.70
1803	60	125-250	3	2	2 "	Solid	15.60
1900	100	125	2	1	1 "	"	22.60
1902	100	125 or 250	2	2	2 "	None	23.40
1903	100	125-250	3	2	2 "	Solid	24.30
4603	200	125-250	3	2	2 "	"	44.50
4803	400	125-250	3	2	2 "	"	93.00



Floodlighting is their specialty --and why

IN response to a questionnaire distributed by **ELECTRICAL CONTRACTING**, 29 per cent of the electrical contractors reported a specialized interest in floodlighting.

There are two sound business reasons for this preference—the market and the profit.

The market is at the very door of every contractor. The commercial world is turning to floodlighting as a conspicuous method of publicity. From office building to gas filling station—from bank to billboard—business men are learning the profit in thus interesting the public in the service or product that is for sale.

The profit extends beyond the sale of the projectors. It includes wire, cable, wiring devices, and installation. And, less tangible but equally important, the contractor gains added reputation by virtue of the publicity which his work receives.

Floodlighting specialists of the General Electric Company are always ready to assist contractors in making preliminary surveys of the local market, in helping to merchandise projectors, and in applying their technical experience to individual installations. Address the nearest office of General Electric Company, or of General Electric Supply Corporation.

JOIN US IN THE GENERAL ELECTRIC PROGRAM, BROADCAST EVERY SATURDAY EVENING ON A NATION-WIDE N.B.C. NETWORK

710-86

GENERAL  **ELECTRIC**
SALES AND ENGINEERING SERVICE IN PRINCIPAL CITIES

ARROW

New Canopy Pull Switch for "Type C" Lamps

RATING: 6 AMPS. 125 VOLTS; 3 AMPS 250 VOLTS

WIRED WITHOUT REMOVING MECHANISM

(Switch illustrated with fibre cover removed.)

Here's ease and economy of installation: — just slip off the fibre disc, attach the wires and replace the disc, bending down the tabs.

Made of lustrous brown BAKELITE instead of metal.

Possibility of shorting is eliminated. The current-carrying parts are enclosed in a BAKELITE compartment separated and insulated from all other metal parts.

Compactness of this switch makes installation possible in the smallest units; the hexagonal shape makes it applicable to shallow, modernistic canopies.

Approved by Underwriters Laboratories for 6 Amperes, 125 Volts; 3 Amperes, 250 Volts. Here are the numbers you'll need for specifying:

Cat. No.	List Price	★ DESCRIPTION ★
7743	\$1.50	7 inch chain, $\frac{1}{4}$ " stem
7744	1.50	7 inch chain, $\frac{3}{8}$ " stem
7745	1.50	Short chain, 4 ft. cord, $\frac{1}{4}$ " stem
7746	1.50	Short chain, 4 ft. cord, $\frac{3}{8}$ " stem

Standard package 100, Carton 10.

ARROW ELECTRIC DIVISION

THE ARROW - HART & HEGEMAN ELECTRIC CO.

HARTFORD, CONN.




*The Smallest,
Most Compact
Canopy Switch
on the Market*

BELL TELEPHONE

lessens lightless intervals

IN the new 209 West Seventh Street Building of the Cincinnati and Suburban Bell Telephone Company, lightless intervals caused by the opening of the circuit protective device are fewer and shorter because Nofuze Panelboards are used.



**Nofuze panelboard branch circuit breakers are as easily reclosed as a wall switch.*



209 West Seventh Street Building of the Cincinnati and Suburban Bell Telephone Company. Electrical Contractor—Standish Electric Company, Cincinnati, Ohio.

The circuit is not opened on slight momentary overloads, yet the wiring is protected at all times and under all conditions. The calibration of the breaker cannot be altered, nor can the breaker be held closed against an abnormal overload.

After the overload that opened the circuit has cleared, a mere flip of the handle restores service. The nearest person can reclose the breaker with perfect safety.

In addition, features such as the adjustable corner iron, the rabbit return molding and the indicating adjustable trim clamps facilitate installation, saving time and money.

Ask the Westinghouse office near you for complete information about this superior protective device now being installed in many new buildings throughout the country.

Some Important Installations

Museum of the City of New York
Camden County Court House
Christ Hospital, Cincinnati
Los Angeles Automobile Club
Chesapeake & Ohio Railway
Tennessee Eastman Kodak Co.
Gulf States Steel Company
Celanese Corporation of America

Service, prompt and efficient, by a coast-to-coast chain of well-equipped shops

Westinghouse

T 31668



TUNE IN THE WESTINGHOUSE SALUTE OVER THE N. B. C. NATION-WIDE NETWORK EVERY TUESDAY EVENING.

Wheeler

HIGH MOUNTING UNIT FOR INDUSTRIAL LIGHTING



NOW—another addition to the Wheeler Line—a High Mounting Unit designed for the lighting of interiors from a greater height than usual. Unit is light in weight, easy to install, to wire and to maintain. Its special design concentrates the light directly downward, providing a high intensity of illumination on the working plane. An ideal unit for the lighting of high, narrow bays and craneways in Steel Mills, Foundries, Locomotive Shops, Hangars and similar interiors. Upon request, Wheeler Engineers will gladly submit recommendations for the use of this unit in any plant.

WHEELER LIGHTING

WHEELER REFLECTOR COMPANY, 275 CONGRESS STREET, BOSTON, MASS.

NEW YORK

CHICAGO

ATLANTA

CLEVELAND

Sales Office: St. Louis, Indianapolis, Los Angeles, San Francisco, Seattle. In Canada: Canadian General Electric Co., Ltd.

Wadsworth Switches—Continued

MAIN ENTRANCE SWITCHES—Continued									
POLYPHASE									
Single Phase and D. C.	Amps.	Volts	Poles	Blades	Fuses	Neutral	Accessible Fuses	Price	
2230	30	250	3	3	3	NEC	None	\$10.40	
1830	60	250	3	3	3	"	"	19.10	
1930	100	250	3	3	3	"	"	28.70	
4630	200	250	3	3	3	"	"	44.50	
4830	400	250	3	3	3	"	"	101.00	

METER SERVICE SWITCHES									
Single Phase and D. C.	Amps.	Volts	Poles	Blades	Fuses	Neutral	Accessible Fuses	Price	
1451	30	125	2	1	1 Plug	Solid	\$ 3.80		
1412-1212	30	125	2	2	2 "	None	4.25		
1423-1223	30	125-250	3	2	2 "	Solid	4.75		
2251	30	125	2	1	1 NEC	"	4.15		
2212-2223	30	125 or 250	2 & 3	2	2 "	None&Solid	5.05		
1851	60	125	2	1	1 "	Solid	14.75		
1812-1842	60	125 or 250	2	2	2 "	None	15.65		
1843	60	125-250	3	2	2 "	Solid	16.50		
1951	100	125	2	1	1 "	"	24.35		
1912-1942	100	125 or 250	2	2	2 "	None	24.35		
1943	100	125-250	3	2	2 "	Solid	26.10		
4643	200	125-250	3	2	2 "	"	51.75		
4843	400	125-250	3	2	2 "	"	109.15		

POLYPHASE									
2234	30	250	3	3	3 NEC	None	\$11.25		
1834	60	250	3	3	3 "	"	20.85		
1934	100	250	3	3	3 "	"	30.45		
4634	200	250	3	3	3 "	"	60.65		
4834	400	250	3	3	3 "	"	129.35		

CHANNEL BANKING TYPE									
All 30 Amp.	Volts	Poles	Blades	Fuses	Neutral	Access. Fuses	Price	No Test	Price
125	2	1	1 Plug	Solid	1451T	\$4.25	1450T	\$ 4.05	
125-250	3	2	2 "	"	1423T	5.20	1403T	4.55	
125	2	2	2 "	None	1412T	4.70	1402T	4.35	
125	2	1	1 NEC	Solid	2251T	4.55	2250T	4.60	
250	2	2	2 "	None	2212T	5.55	2202T	5.25	
125-250	3	2	2 "	Solid	2223T	5.55	2203T	5.25	

METER SERVICE SWITCHES									
Single Phase and D. C.	Number	Amps.	Volts	Poles	Blades	Fuses	Neutral	Sealed Fuses	Price
162	60	250	2	2	2 NEC	None	\$ 9.15		
161	60	125-250	3	2	2 "	Solid	9.55		
112	100	250	2	2	2 "	None	15.65		
111	100	125-250	3	2	2 "	Solid	16.50		

SERVICE FUSES DEAD WITH SWITCH OPEN									
38	30	125	2	1	1 Plug	Solid	\$ 2.65		
238	30	125	2	1	1 "	"	4.00		
X360	30	125	2	1	1 "	"	3.45		
X362	30	125	2	1	1 "	"	4.45		
272	30	125	2	2	2 "	None	4.30		
271-292	30	125-250	3	2	2 "	Solid	4.30		
2351	30	125	2	1	1 NEC	"	4.05		
2312	30	250	2	2	2 "	None	4.35		
2323	30	250	2	2	2 "	Solid	4.55		
2051	60	125	2	1	1 "	"	12.60		
2042	60	125 or 250	2	2	2 "	None	13.50		
2043	60	125-250	3	2	2 "	Solid	14.35		
2151	100	125	2	1	1 "	Solid	21.75		
2142	100	125 or 250	2	2	2 "	None	21.75		
2143	100	125-250	3	2	2 "	Solid	23.45		
4743	200	125-250	3	2	2 "	"	44.45		
4943	400	125-250	3	2	2 "	None	101.00		

POLYPHASE									
2334	30	250	3	3	3 NEC	None	\$ 9.85		
2034	60	250	3	3	3 "	"	17.40		
2134	100	250	3	3	3 "	"	26.95		
4734	200	250	3	3	3 "	"	49.75		
4934	400	250	3	3	3 "	"	113.00		

MAIN ENTRANCE SWITCHES									
Single Phase and D. C.	Number	Amps.	Volts	Poles	Blades	Fuses	Neutral	Price	
172	60	250	2	2	2 NEC	None	\$ 9.15		
171	60	125-250	3	2	2 "	Solid	9.30		
102	100	250	2	2	2 "	None	15.65		
110	100	125-250	3	2	2 "	Solid	16.50		

POLYPHASE									
2330	30	250	3	3	3 NEC	None	\$ 9.15		
2030	60	250	3	3	3 "	"	15.60		
2130	100	250	3	3	3 "	"	25.15		

INDUSTRIAL TYPE SWITCHES									
250 Volts	Amps.	Poles	Blades	Fuses	Access. Fuses	Sealed Fuses	Quick Make & Break	Price	
30	2	2	2	2	9532	\$13.65	8532	\$ 8.45	
30	3	3	3	3	9533	15.50	8533	9.75	
60	2	2	2	2	9562	14.65	8562	8.90	
60	3	3	3	3	9563	15.55	8563	10.20	
100	2	2	2	2	9512	25.00	8512	12.45	
100	3	3	3	3	9513	26.80	8513	15.55	

OUTDOOR METER SERVICE SWITCHES									
30 Amp. 3 Pole Solid Neutral Outdoor or Weatherproof								\$15.10	
60 " 3 " " " " " " " " " " " "								20.40	
100 " 3 " " " " " " " " " " " "								41.25	

EXTRA END WALLS—SHUTTERS—TRIMS—ETC.									
Wadsworth									
For 30 Amp. 125 Volt Switches	Flat	Extended	Shutter	Knock-Meter out & Shut-	Shutter ter				
" 30 " 250 " " " "	\$.30	\$.50	\$.30	\$.30	\$.17				
" 60 " 250 " " " "	.50	.65	.50	.35	.25				
" 60 " 250 " 2 Pole	.65	.83	.85	.45	.25				
" 60 " 250 " 3 " "	.75	.90	.75	.50	...				
" 100 " 250 " 2 " "	.82	1.00	.82	.45	...				
" 100 " 250 " 3 " "	.90	1.10	.90	.50	...				
" 200 " 250 " 2 " "	1.00	1.15	1.00	.50	...				
" 200 " 250 " 3 " "	1.10	1.25	1.10	.55	...				

Murray Switches

ENTRANCE SWITCHES									
30 Amp. Number	Volts	Description	With End Walls	2 Pole	3 Pole				
630	125	1 Blade—1 Plug Fuse S. N.	\$1.60						
231-230	125-250	2 " —2 "	1.70	\$2.40					
641-2-6	125	For 1 HP—250 V.—AC & DC Motors	1.80						
643	230	3 Blades 3 Cartridge Fuses	8.20						
647	125-250	2 " 2 " S. N.	2.50						
830	125-250	2 " 2 " Sealed Fuses S. N.	4.00						
831	125-250	2 " 2 Plug Sealed Fuses S. N.	2.25						

ACCESSIBLE MAIN FUSE TYPE AA									
30 Amp. Number	Volts	Description	With End Walls	2 Pole	3 Pole				
780-782	125-250	2 Plug Fuses 2-2 Wire Branches	\$5.80	\$6.80					
781-783	125-250	4 " 4-2 " "	6.55	7.55					
784	125	2 " 1-2 " "	6.60						
785	125	4 " 2-2 " "	7.30						

ACCESSIBLE MAIN FUSE TYPE AA									
Amps.	Poles	Fused for	Neutral	No. Price	Without End Walls	Meter Test Type	Not-Meter Test Type	No. Price	
30	2	1 Plug	Fused	755 \$3.25	754 \$3.05				
30	2	1 Cart.	"	758 4.20	740 3.60				
30	2	2 Plug	"	745 3.70	752 3.35				
30	2	2 Cart.	"	737 4.50	757 4.25				
30	3	2 Plug	Solid	756 4.20	753 3.70				
30	3	2 Cart.	"	742 4.45	758 4.25				
30	2	1 Plug	Fused	776 3.25	774 3.05				
30	3	2 Plug	Solid	775 4.20	779 3.70				
30	2	2 Cart.	"	777 4.45	778 4.25				
60	2	1 Cart.	Fused	766 14.20	773 15.05				
60	2	2 Cart.	"	764 15.05	762 14.20				
60	3	2 Cart.	Solid	765 15.95	763 15.05				
100	2	2 Cart.	Fused	709 23.85	708 22.10				
100	2	2 Cart.	"	718 23.85	716 23.00				
100	3	2 Cart.	Solid	710 25.60	717 23.85				

—Made with cover to permit sealing fuses independent of main cover.

POLYPHASE ENTRANCE & SERVICE									
Entrance Amps.	Volts	Description	With End Walls	3 Wire 4 Wire					
30	700-2	Three Legs Fused	\$11.00	\$11.60					
60	760-9	Four Wire Solid Neutral	19.40	20.00					
100	710-12	All 3 Pole 3 Phase	29.05	29.95					
200	720-22	" " " "	44.55	51.85					
Service	701-3	Three Legs Fused	\$11.60	\$15.60					
60	767-8	Four Wire Solid Neutral	20.70	23.80					
100	711-14	All 3 Pole 3 Phase	30.80	33.25					
200	721-23	" " " "	51.85	90.75					

"UNISAFIT" (Universal Standardized Switches) All 30 Amps						
Number	Pole	Fuse Single	Neutral	Branches & Fusing 2-2-Wire	2 Fuses	Price
235B	2			4-2- "	2 "	\$3.25
236	2			1-3- "	2 "	4.30
237	3	Two	Solid	1-2- "	2 "	3.75
237	2	"		2-2- "	2 "	3.75
237	3	"	Solid	4-2- "	4 "	3.75
238	3	"		2-2- "	4 "	4.55
238	2					4.85

Switches

Diamond E Switches

SMALL ENTRANCE SWITCHES, 30 AMPS.

Volts	For Fuses	Description	2 Pole	3 Pole
125	Plug	All Fused	P-2 \$1.65	P-3 \$2.75
125	Plug	Ground Neutral	P-2S 1.65	P-3S 2.25
250	Cartridge	All Fused	C-2 2.25	C-3 4.00
250	Cartridge	Ground Neutral	C-2S	C-3S 2.90

ALL-N-ONE SWITCHES

Live Front No.	Circuits	Double Fuse Price	Dead Front No.	Circuits	Single Fuse Price
A-2	2	\$3.45	AD-3	3	\$ 5.40
A-3	3	3.90	AD-4	4	5.85
A-5	5	4.15	AD-5	5	6.75
A-7	7	6.60	AD-6	6	7.95
A-9	9	6.95	AD-8	8	9.30
			AD-10	10	11.25

RANGE & WATER HEATER SWITCHES

60 Amp.—125 Volts

No. 501	No. 502	No. 503	No. 504	No. 505	No. 506	No. 507
\$9.90	\$15.25	\$23.00	\$26.75	\$20.25	\$8.90	\$13.90

MOTOR STARTING SWITCHES

MS-1	30 Amp. 3 Pole 220 Volts Quick Make & Break Toggle.....	\$6.00
C-3P	30 Amp. 3 Pole 250 Volts Not Toggle.....	7.10

SAFE LINE SERVICE SWITCHES

No. 904	Single Pole 4 Circuits with Transformer.....	\$7.85
	" " " " without Transformer.....	6.60

INDUSTRIAL TYPE

Quick Break—Single Throw—Fused Bottom

Amp.	No.	Price	250 Volts No.	Price	No.	Price
30	3022	\$ 5.40	3032	\$ 6.75	3042	\$ 7.90
60	6022	5.10	6032	6.00	6042	11.65
100	10022	11.65	10032	13.30	10042	24.10
200	20022	18.25	20032	24.10	20042	39.75
400	40022	44.85	40032	61.50	40042	87.20
600	60022	78.00	60032	91.30	60042	131.10

Amp.	No.	Price	500 Volts No.	Price	No.	Price
30	3025	\$ 9.00	3035	\$ 8.55	3045	\$ 12.45
60	6025	9.90	6035	10.80	6045	13.30
100	10025	13.30	10035	15.80	10045	26.60
200	20025	26.60	20035	30.00	20045	49.20
400	40025	68.00	40035	74.70	40045	116.20
600	60025	98.30	60035	103.00	60045	167.70

Amps.	30 Amp.	60 Amp.	100 Amp.	200 Amp.
Number.....	3026	6026	10026	20026
Price.....	\$15.30	\$15.80	\$25.00	\$38.60

Not Fused—Quick Break

Amps.	Pole	Volts	Single Throw—No Fuse Number	Price	Double Throw—No Fuse Number	Price
30	2	250 DC	3022N	\$ 5.00	3022DN	\$ 10.80
30	3	250 DC	3032N	6.30	3032DN	12.45
30	2	500 AC	3025N	8.65	3025DN	13.15
30	3	500 AC	3035N	8.10	3035DN	16.60
60	2	250-500	6025N	8.10	6025DN	13.15
60	3	250-500	6035N	8.55	6035DN	16.60
100	2	250-500	10025N	11.60	10025DN	24.90
100	3	250-500	10035N	11.25	10035DN	30.70
200	2	250-500	20025N	17.00	20025DN	34.85
200	3	250-500	20035N	20.75	20035DN	50.60
400	2	250-500	40025N	49.80	40025DN	99.60
400	3	250-500	40035N	58.00	40035DN	132.80
600	2	250-500	60025N	83.00	60025DN	141.00
600	3	250-500	60035N	99.60	60035DN	163.50

S-SUNDRIES

WOOD SCREWS

Flat Head

Size	Price Per Doz.	Size	Price Per Doz.	Size	Price Per Doz.
1/4" x 6 & Smaller.....	\$.05	1 1/4" x 12.....	\$.07	2 1/4" x 10.....	\$.08
1/4" x 8.....	.05	1 1/2" x 8.....	.07	2 1/2" x 12.....	.09
1/4" x 10.....	.05	1 3/4" x 8.....	.07	2 3/4" x 8.....	.08
1/4" x 12.....	.05	1 7/8" x 10.....	.07	2 7/8" x 10.....	.09
1/2" x 8.....	.05	2" x 8.....	.07	2 7/8" x 12.....	.10
1/2" x 10.....	.05	2 1/4" x 8.....	.08	3" x 8.....	.09
1/2" x 12.....	.05	2 1/2" x 10.....	.08	3" x 10.....	.10
3/4" x 8.....	.06	2 3/4" x 12.....	.09	3 1/2" x 12.....	.13
3/4" x 10.....	.06	2 7/8" x 8.....	.07	3 1/2" x 14.....	.15
3/4" x 12.....	.07	2 3/4" x 8.....	.07		

NOTE—For Round Head Wood Screws Add 30% to above prices.

MACHINE SCREWS

Round or Flat Head

Size	Price per Dozen Iron	Price per Dozen Brass
1/4" x 1/2".....	\$.05	\$.08
1/4" x 3/4".....	.05	.09
1/4" x 1".....	.05	.10
1/4" x 1 1/4".....	.05	.12
1/4" x 1 1/2".....	.05	.12
1/4" x 1 3/4".....	.05	.12
1/4" x 2".....	.05	.12
1/4" x 2 1/4".....	.05	.12
1/4" x 2 1/2".....	.05	.12
1/4" x 2 3/4".....	.05	.12
1/4" x 3".....	.05	.12
1/4" x 3 1/4".....	.05	.12
1/4" x 3 1/2".....	.05	.12
1/4" x 3 3/4".....	.05	.12
1/4" x 4".....	.05	.12
1/4" x 4 1/4".....	.05	.12
1/4" x 4 1/2".....	.05	.12
1/4" x 4 3/4".....	.05	.12
1/4" x 5".....	.05	.12
1/4" x 5 1/4".....	.05	.12
1/4" x 5 1/2".....	.05	.12
1/4" x 5 3/4".....	.05	.12
1/4" x 6".....	.05	.12
1/4" x 6 1/4".....	.05	.12
1/4" x 6 1/2".....	.05	.12
1/4" x 6 3/4".....	.05	.12
1/4" x 7".....	.05	.12
1/4" x 7 1/4".....	.05	.12
1/4" x 7 1/2".....	.05	.12
1/4" x 7 3/4".....	.05	.12
1/4" x 8".....	.05	.12
1/4" x 8 1/4".....	.05	.12
1/4" x 8 1/2".....	.05	.12
1/4" x 8 3/4".....	.05	.12
1/4" x 9".....	.05	.12
1/4" x 9 1/4".....	.05	.12
1/4" x 9 1/2".....	.05	.12
1/4" x 9 3/4".....	.05	.12
1/4" x 10".....	.05	.12
1/4" x 10 1/4".....	.05	.12
1/4" x 10 1/2".....	.05	.12
1/4" x 10 3/4".....	.05	.12
1/4" x 11".....	.05	.12
1/4" x 11 1/4".....	.05	.12
1/4" x 11 1/2".....	.05	.12
1/4" x 11 3/4".....	.05	.12
1/4" x 12".....	.05	.12
1/4" x 12 1/4".....	.05	.12
1/4" x 12 1/2".....	.05	.12
1/4" x 12 3/4".....	.05	.12
1/4" x 13".....	.05	.12
1/4" x 13 1/4".....	.05	.12
1/4" x 13 1/2".....	.05	.12
1/4" x 13 3/4".....	.05	.12
1/4" x 14".....	.05	.12
1/4" x 14 1/4".....	.05	.12
1/4" x 14 1/2".....	.05	.12
1/4" x 14 3/4".....	.05	.12
1/4" x 15".....	.05	.12
1/4" x 15 1/4".....	.05	.12
1/4" x 15 1/2".....	.05	.12
1/4" x 15 3/4".....	.05	.12
1/4" x 16".....	.05	.12
1/4" x 16 1/4".....	.05	.12
1/4" x 16 1/2".....	.05	.12
1/4" x 16 3/4".....	.05	.12
1/4" x 17".....	.05	.12
1/4" x 17 1/4".....	.05	.12
1/4" x 17 1/2".....	.05	.12
1/4" x 17 3/4".....	.05	.12
1/4" x 18".....	.05	.12
1/4" x 18 1/4".....	.05	.12
1/4" x 18 1/2".....	.05	.12
1/4" x 18 3/4".....	.05	.12
1/4" x 19".....	.05	.12
1/4" x 19 1/4".....	.05	.12
1/4" x 19 1/2".....	.05	.12
1/4" x 19 3/4".....	.05	.12
1/4" x 20".....	.05	.12
1/4" x 20 1/4".....	.05	.12
1/4" x 20 1/2".....	.05	.12
1/4" x 20 3/4".....	.05	.12
1/4" x 21".....	.05	.12
1/4" x 21 1/4".....	.05	.12
1/4" x 21 1/2".....	.05	.12
1/4" x 21 3/4".....	.05	.12
1/4" x 22".....	.05	.12
1/4" x 22 1/4".....	.05	.12
1/4" x 22 1/2".....	.05	.12
1/4" x 22 3/4".....	.05	.12
1/4" x 23".....	.05	.12
1/4" x 23 1/4".....	.05	.12
1/4" x 23 1/2".....	.05	.12
1/4" x 23 3/4".....	.05	.12
1/4" x 24".....	.05	.12
1/4" x 24 1/4".....	.05	.12
1/4" x 24 1/2".....	.05	.12
1/4" x 24 3/4".....	.05	.12
1/4" x 25".....	.05	.12
1/4" x 25 1/4".....	.05	.12
1/4" x 25 1/2".....	.05	.12
1/4" x 25 3/4".....	.05	.12
1/4" x 26".....	.05	.12
1/4" x 26 1/4".....	.05	.12
1/4" x 26 1/2".....	.05	.12
1/4" x 26 3/4".....	.05	.12
1/4" x 27".....	.05	.12
1/4" x 27 1/4".....	.05	.12
1/4" x 27 1/2".....	.05	.12
1/4" x 27 3/4".....	.05	.12
1/4" x 28".....	.05	.12
1/4" x 28 1/4".....	.05	.12
1/4" x 28 1/2".....	.05	.12
1/4" x 28 3/4".....	.05	.12
1/4" x 29".....	.05	.12
1/4" x 29 1/4".....	.05	.12
1/4" x 29 1/2".....	.05	.12
1/4" x 29 3/4".....	.05	.12
1/4" x 30".....	.05	.12
1/4" x 30 1/4".....	.05	.12
1/4" x 30 1/2".....	.05	.12
1/4" x 30 3/4".....	.05	.12
1/4" x 31".....	.05	.12
1/4" x 31 1/4".....	.05	.12
1/4" x 31 1/2".....	.05	.12
1/4" x 31 3/4".....	.05	.12
1/4" x 32".....	.05	.12
1/4" x 32 1/4".....	.05	.12
1/4" x 32 1/2".....	.05	.12
1/4" x 32 3/4".....	.05	.12
1/4" x 33".....	.05	.12
1/4" x 33 1/4".....	.05	.12
1/4" x 33 1/2".....	.05	.12
1/4" x 33 3/4".....	.05	.12
1/4" x 34".....	.05	.12
1/4" x 34 1/4".....	.05	.12
1/4" x 34 1/2".....	.05	.12
1/4" x 34 3/4".....	.05	.12
1/4" x 35".....	.05	.12
1/4" x 35 1/4".....	.05	.12
1/4" x 35 1/2".....	.05	.12
1/4" x 35 3/4".....	.05	.12
1/4" x 36".....	.05	.12
1/4" x 36 1/4".....	.05	.12
1/4" x 36 1/2".....	.05	.12
1/4" x 36 3/4".....	.05	.12
1/4" x 37".....	.05	.12
1/4" x 37 1/4".....	.05	.12
1/4" x 37 1/2".....	.05	.12
1/4" x 37 3/4".....	.05	.12
1/4" x 38".....	.05	.12
1/4" x 38 1/4".....	.05	.12
1/4" x 38 1/2".....	.05	.12
1/4" x 38 3/4".....	.05	.12
1/4" x 39".....	.05	.12
1/4" x 39 1/4".....	.05	.12
1/4" x 39 1/2".....	.05	.12
1/4" x 39 3/4".....	.05	.12
1/4" x 40".....	.05	.12
1/4" x 40 1/4".....	.05	.12
1/4" x 40 1/2".....	.05	.12
1/4" x 40 3/4".....	.05	.12
1/4" x 41".....	.05	.12
1/4" x 41 1/4".....	.05	.12
1/4" x 41 1/2".....	.05	.12
1/4" x 41 3/4".....	.05	.12
1/4" x 42".....	.05	.12
1/4" x 42 1/4".....	.05	.12
1/4" x 42 1/2".....	.05	.12
1/4" x 42 3/4".....	.05	.12
1/4" x 43".....	.05	.12
1/4" x 43 1/4".....	.05	.12
1/4" x 43 1/2".....	.05	.12
1/4" x 43 3/4".....	.05	.12
1/4" x 44".....	.05	.12
1/4" x 44 1/4".....	.05	.12
1/4" x 44 1/2".....	.05	.12
1/4" x 44 3/4".....	.05	.12
1/4" x 45".....	.05	.12
1/4" x 45 1/4".....	.05	.12
1/4" x 45 1/2".....	.05	.12
1/4" x 45 3/4".....	.05	.12
1/4" x 46".....	.05	.12
1/4" x 46 1/4".....	.05	.12
1/4" x 46 1/2".....	.05	.12
1/4" x 46 3/4".....	.05	.12
1/4" x 47".....	.05	.12
1/4" x 47 1/4".....	.05	.12
1/4" x 47 1/2".....	.05	.12
1/4" x 47 3/4".....	.05	.12
1/4" x 48".....	.05	.12
1/4" x 48 1/4".....	.05	.12
1/4" x 48 1/2".....	.05	.12
1/4" x 48 3/4".....	.05	.12
1/4" x 49".....	.05	.12
1/4" x 49 1/4".....	.05	.12
1/4" x 49 1/2".....	.05	.12
1/4" x 49 3/4".....	.05	.12
1/4" x 50".....	.05	.12
1/4" x 50 1/4".....	.05	.12
1/4" x 50 1/2".....	.05	.12
1/4" x 50 3/4".....	.05	.12
1/4" x 51".....	.05	.12
1/4" x 51 1/4".....	.05	.12
1/4" x 51 1/2".....	.05	.12
1/4" x 51 3/4".....	.05	.12
1/4" x 52".....	.05	.12
1/4" x 52 1/4".....	.05	.12
1/4" x 52 1/2".....	.05	.12
1/4" x 52 3/4".....	.05	.12
1/4" x 53".....	.05	.12
1/4" x 53 1/4".....	.05	.12
1/4" x 53 1/2".....	.05	.12
1/4" x 53 3/4".....	.05	.12
1/4" x 54".....	.05	.12
1/4" x 54 1/4".....	.05	.12
1/4" x 54 1/2".....	.05	.12
1/4" x 54 3/4".....	.05	.12
1/4" x 55".....	.05	.12
1/4" x 55 1/4".....	.05	.12
1/4" x 55 1/2".....	.05	.12
1/4" x 55 3/4".....	.05	.12
1/4" x 56".....	.05	.12
1/4" x 56 1/4".....	.05	.12
1/4" x 56 1/2".....	.05	.12
1/4" x 56 3/4".....	.05	.12
1/4" x 57".....	.05	.12
1/4" x 57 1/4".....	.05	.12
1/4" x 57 1/2".....	.05	.12
1/4" x 57 3/4".....	.05	.12
1/4" x 58".....	.05	.12
1/4" x 58 1/4".....	.05	.12
1/4" x 58 1/2".....	.05	.12
1/4" x 58 3/4".....	.05	.12
1/4" x 59".....	.05	.12
1/4" x 59 1/4".....	.05	.12
1/4" x 59 1/2".....	.05	.12
1/4" x 59 3/4".....	.05	.12
1/4" x 60".....	.05	.12
1/4" x 60 1/4".....	.05	.12
1/4" x 60 1/2".....	.05	.12
1/4" x 60 3/4".....	.05	.12
1/4" x 61".....	.05	.12
1/4" x 61 1/4".....	.05	.12
1/4" x 61 1/2".....	.05	.12
1/4" x 61 3/4".....	.05	.12
1/4" x 62".....	.05	.12
1/4" x 62 1/4".....	.05	.12
1/4" x 62 1/2".....	.05	.12
1/4" x 62 3/4".....	.05	.12
1/4" x 63".....	.05	.12
1/4" x 63 1/4".....	.05	.12
1/4" x 63 1/2".....	.05	.12
1/4" x 63 3/4".....	.05	.12
1/4" x 64".....	.05	.12
1/4" x 64 1/4".....	.05	.12
1/4" x 64 1/2".....	.05	.12
1/4" x 64 3/4".....	.05	.12
1/4" x 65".....	.05	.12
1/4" x 65 1/4".....	.05	.12
1/4" x 65 1/2".....	.05	.12
1/4" x 65 3/4".....	.05	.12
1/4" x 66".....	.05	.12
1/4" x 66 1/4".....	.05	.12
1/4" x 66 1/2".....	.05	.12
1/4" x 66 3/4".....	.05	.12
1/4" x 67".....	.05	.12
1/4" x 67 1/4".....	.05	.12
1/4" x 67 1/2".....	.05	.12
1/4" x 67 3/4".....	.05	.12
1/4" x 68".....	.05	.12
1/4" x 68 1/4".....	.05	.12
1/4" x 68 1/2".....	.05	.12
1/4" x 68 3/4".....	.05	.12
1/4" x 69".....	.05	.12
1/4" x 69 1/4".....	.05	.12
1/4" x 69 1/2".....	.05	.12
1/4" x 69 3/4".....	.05	.12
1/4" x 70".....	.05	.12
1/4" x 70 1/4".....	.05	.12
1/4" x 70 1/2".....	.05	.12
1/4" x 70 3/4".....	.05	.12
1/4" x 71".....	.05	.12
1/4" x 71 1/4".....	.05	.12
1/4" x 71 1/2".....	.05	.12
1/4" x 71 3/4".....	.05	.12
1/4" x 72".....	.05	.12
1/4" x 72 1/4".....	.05	.12
1/4" x 72 1/2".....	.05	.12
1/4" x 72 3/4".....	.05	.12
1/4" x 73".....	.05	.12
1/4" x 73 1/4".....	.05	.12
1/4" x 73 1/2".....	.05	.12
1/4" x 73 3/4".....	.05	.12
1/4" x 74".....	.05	.12
1/4" x 74 1/4".....	.05	.12
1/4" x 74 1/2".....	.05	.12
1/4" x 74 3/4".....	.05	.12
1/4" x 75".....	.05	.12
1/4" x 75 1/4".....	.05	.12
1/4" x 75 1/2".....	.05	.12
1/4" x 75 3/4".....	.05	.12
1/4" x 76".....	.05	.12
1/4" x 76 1/4".....	.05	.12
1/4" x 76 1/2".....	.05	.12
1/4" x 76 3/4".....	.05	.12
1/4" x 77".....	.05	.12
1/4" x 77 1/4".....	.05	.12
1/4" x 77 1/2".....	.05	.12
1/4" x 77 3/4".....	.05	.12
1/4" x 78".....	.05	.12
1/4" x 78 1/4".....	.05	.12
1/4" x 78 1/2".....	.05	.12
1/4" x 78 3/4".....	.05	.12
1/4" x 79".....	.05	.12
1/4" x 79 1/4".....	.05	.12
1/4" x 79 1/2".....	.05	.12
1/4" x 79 3/4".....	.05	.12
1/4" x 80".....	.05	.12
1/4" x 80 1/4".....	.05	.12
1/4" x 80 1/2".....	.05	.12
1/4" x 80 3/4".....	.05	.12
1/4" x 81".....	.05	.12
1/4" x 81 1/4".....	.05	.12
1/4" x 81 1/2".....	.05	.12
1/4" x 81 3/4".....	.05	.12
1/4" x 82".....	.05	.12
1/4" x 82 1/4".....	.05	.12
1/4" x 82 1/2".....	.05	.12
1/4" x 82 3/4".....	.05	.12
1/4" x 83".....	.05	.12
1/4" x 83 1/4".....	.05	.12
1/4" x 83 1/2".....	.05	.12
1/4" x 83 3/4".....	.05	.12
1/4" x 84".....	.05	.12
1/4" x 84 1/4".....	.05	.12
1/4" x 84 1/2".....	.05	.12
1/4" x 84 3/4".....	.05	.12
1/4" x 85".....	.05	.12
1/4" x 85 1/4".....	.05	.12
1/4" x 85 1/2".....	.05	.12
1/4" x 85 3/4".....	.05	.12
1/4" x 86".....	.05	.12
1/4" x 86 1/4".....	.05	.12
1/4"		

FRICTION TAPE—Concluded

	Per Pound	Per Half Pound	Per 2 Ounce	Per 1 Ounce	Per Foot
Grimehaw	2.00	1.00	.25	.15	.03
Holdfast	1.00	.50	.15	.10	.02
Holdrite U. S.	.55	.30	.10	.05	.01
I X L	.75	.40	.10	.05	.01
Illinois	.55	.30	.10	.05	.01
Johns Manville Armature	1.75	.90	.20	.10	.02
" " Jomasco	1.00	.55	.15	.10	.02
" " White	1.35	.70	.20	.10	.02
" " No. 3 Now No. 5	.55	.30	.10	.05	.01
" " No. 6 " " 40	.50	.25	.10	.05	.01
Jaxon	.60	.30	.10	.05	.01
Leader	.70	.35	.10	.05	.01
Manson	1.10	.60	.15	.10	.02
Magnet	.75	.40	.10	.05	.01
O. K.	.60	.30	.10	.05	.01
P & B	.60	.35	.10	.05	.01
Paragon	1.65	.85	.20	.10	.02
Service	.90	.45	.15	.10	.02
Stanpat	.55	.30	.10	.05	.01
Sticka	.50	.25	.10	.05	.01
Security	.45	.25	.10	.05	.01
Victor	.55	.30	.10	.05	.01
Vim Gray	1.10	.60	.15	.10	.02

RUBBER TAPE

	Rubber	\$0.95	\$1.50	\$1.15	\$1.10	\$0.94
Amazon		1.20	.60	.15	.10	.04
Alexall		1.00	.50	.15	.10	.04
Alpha		.65	.35	.10	.05	.03
Brooklyn		.65	.35	.10	.05	.03
Clifton		.65	.35	.10	.05	.03
Dutch Brand		.65	.35	.10	.05	.03
Elec		.65	.35	.10	.05	.03
G. E. 362		.55	.30	.10	.05	.03
Graybar Victor		.55	.30	.10	.05	.03
Holdfast		1.00	.50	.15	.10	.04
Imperial		.60	.30	.10	.05	.03
Illinois		.60	.30	.10	.05	.03
Otonite		1.35	.75	.20	.10	.04
Para		.75	.40	.10	.05	.03
Pittsburgh		.55	.30	.10	.05	.03
Relio U. S.		.50	.25	.10	.05	.03
Security		.55	.30	.10	.05	.03
U. S. Rubber		.65	.35	.10	.05	.03
Twin Tape Rubber & Friction		.75	.40	.10	.05	.03
USCO Westinghouse		.90	.50	.15	.10	.04

COUCH TELEPHONES

VESTIBULE TYPE

No. 74 Armored Cord Receiver Type	\$25.00
No. 74A Swing Arm Receiver Type	37.30
No. 74C Cordless Loud Speaker Type	30.75
Above prices are for telephones complete but do not include for any call buttons.	
Add for buttons—Janitor Calling Buttons if fitted	\$.95
Add for Each Suite Calling Button	.95

SUITE TELEPHONES

Series 2809 to 2849 or 1009 to 49	Page 22 Bulletin No. 89 S. H. Couch Co.
Number of Buttons	0 1 2 3 4
Price Ea. Surface or Flush	\$11.40 \$11.40 \$12.45 \$13.60 \$14.60

TELEPHONE CABLES

Number of Conductors	Braided Type "B"	Lead Covered Type "L"
	Number Price per Foot	Number Price per Foot
8	B-8 \$1.14	L-8 \$.18
12	B-12 1.65	L-12 .21
16	B-16 1.18	L-16 .27
21	B-21 .23	L-21 .29
25	B-25 .24	L-25 .32
31	B-31 .27	L-31 .39
37	B-37 .30	L-37 .44

TIME SWITCHES

ACE TIME SWITCHES—SELF WOUND

All AC or DC	Sgl. or Dble. Pole—100 to 130 Volts—Up to 60 Cycle
On and Off Types	No. 35 \$45.00 No. E4 \$47.50 No. E6 \$50.00
Two Circuit Types	All Dble. Pole—20 Amp.—125 Volts Each Circuit
	A2, B2, C2, E2, G2 \$45.00

GENERAL ELECTRIC TIME SWITCHES

Type	Cat. No.	115 V. Price	230 V. Price
T-8C1	34x979 to 984	\$22.00	\$23.00
T-8C3	34x985 to 990	23.00	24.00
T-8C4	34x991 to 996	22.00	23.00
TYPE T-9—Dble. Pole			
20 Amp. In or Outdoor Service			
60 and 50 Cycle	10x637-40	40.00	41.00
40 and 25	10x641-44	40.00	41.00
Extra for Cutouts		4.00	4.00

HARTFORD TIME SWITCHES

Type	10 Amp.	20 Amp.	35 Amp.	50 Amp.
Type B Double Pole	\$36.00	\$39.00	\$42.00	\$50.00
C & D Double Pole	39.00	42.00	47.00	52.00
G Apt. Hall Light Control D. P.	38.00		60.00	
HOLROELECTRIC TIME SWITCHES				
60 Amp. D. P. Eight Day Time Switch and Box				\$24.00
Automatic Electric Time Switch Motor and Box				32.00
Eight Day Time Motor				12.00
Automatic Electric Time Motor				20.00

RELIANCE & RACINE SWITCHES

	10 Amp.	20 Amp.	30 Amp.	50 Amp.
Racine Type 1R-2R	\$19.50	\$23.00		
Reliance Type 10 20-30-50	25.00	30.00	\$32.00	\$36.00
Reliance Type 15 Triple Pole		32.00		
Apartment House Types A-B-C-D-E-F-G	30.00	30.00		

SANGAMO TIME SWITCHES

	All 20 Amp. 115 V.—15 Amp. 230 V.	A. C. 115-230V	D. C. 115 Volt	D. C. 230 Volt
T or TC 1 Single Pole Single Throw		\$40.00	\$45.00	\$47.50
T " TC 1 " Double " "		42.50	47.50	50.00
T " TC 2 Double " Single " "		45.00	50.00	52.50
T " TC 2 " Double " "		47.50	52.50	55.00

SAUTER TIME SWITCHES

No.	Amps.	Poles	Description	Price
101	2	1	Clock operated, key wound 40 day clocks	\$52.00
111	10	1	" " " " 40 " "	56.00
121	15	2	" " " " 40 " "	60.00
201	2	1	Self winding	74.00
211	10	1	" " " "	80.00
221	10	2	" " " "	105.00
321	25	2	Motor operated self winding clocks	110.00
341	40	2	" " " "	190.00
401	100	2	Motor operated Oil Break self winding clocks	250.00
431	200	2	" " " "	280.00
461	300	2	" " " "	290.00

TORK TIME SWITCHES OR CLOCKS

	Description	Indoor	Outdoor	Switchboard
Single Pole 15 Amp. 125 Volt		\$115H \$20.00	\$215H \$27.50	\$215H \$17.50
Double " 30 " 250 "		\$130H 25.00	\$230H 32.50	\$230H 22.50
Single " Double Throw		\$160H 25.00	\$260H 32.50	\$260H 22.50
Contactor and Clock Combination				
\$76062H—60 Amp. 2 Pole AC \$50.00		\$75062H—60 Amp. 2 Pole DC \$70.00		
\$76102H—100 " " AC 75.00		\$75102H—100 " " DC 125.00		

ZENITH TIME SWITCHES

	10 Amp.	20 Amp.	30 Amp.	100 Amp.	200 Amp.
Model #110—8 Day	\$30.00	\$23.00	\$25.00		
Electric Wound—AC	40.00				
—DC	45.00				
Astronomic Dial—AC	79.00				
—DC	84.00				
Remote Con. Swth.		16.50	\$22.50	\$42.50	\$75.00
—DC		23.50	38.00	55.00	93.00

TRANSFORMERS

BELL & TOY TRANSFORMERS


Name	Style	Watt	Secondary Volts	50 to 133 Cycle Price	25 to 40 Cycle Price
	Steel Clad Bell	25	Single	No. 96 \$ 1.25	No. 86 \$ 1.45
			Three	86T 1.55	86T 1.75
	Porcelain Bell	25	Single	86ER 1.55	86ER 1.75
	Out. Box Bell	25	Single	86ER 1.55	86ER 1.75
ED-WARDS	Heavy Duty	50	8-16-24	88 4.25	88 4.65
	"	75	"	88 6.40	88 7.00
	"	100	"	90 7.40	90 8.15
	Toy	50	3 to 18	870 3.50	870 4.20
	"	75	3 to 24	871 5.85	871 7.00
	"	100	3 to 30	872 8.75	872 10.50
G. E.					
	Bell Residence	12 Volt		2332 1.00	192340 1.45
	Box Type	12		2488 1.40	2490 1.75
	Heavy Duty	50 8-16-24		2333 4.85	2339 7.00
		100 10-20-30		2334 6.95	2340 11.20
JEF-PERSON					
	Wizard	25 10 Volt	230-101	1.00	230-102 1.15
	Nacode	25 10 Volt	230-111	1.40	230-112 1.65
	Tri-Volt	25 6 to 18V.	230-121	1.40	230-122 1.65
	Porcelain		230-131	1.40	
	Little J Toy	50 5-14-13	535-101	3.65	535-102 4.30
	Midnet Toy	75 5-14-22	535-121	4.45	535-122 5.50
	Model 2 Toy	100 5-14-23	535-131	6.75	535-132 8.40
	Model 3 Toy	150 1-30	535-141	8.65	
	Heavy Duty A	50 6 to 20	231-101	5.10	231-102 7.25
	" B	75 6 to 20	231-111	7.70	231-112 10.30
	" G	100 6 to 24	231-171	8.90	231-172 10.00
	" E	250 8 to 24	231-141	21.00	231-142 26.40

Blue Bell	10 8 Volt	6166	1.40	
Tri-Volt	20 6 to 16	6163	1.40	
Box Type	10 8 Volt	7166	1.40	
KIL- Porcelain Case	10 8 Volt	4166	1.40	
LARK "Black Bell"—H. D. 50	6-14-20 V.	816-50	5.00	
" " " " 75	6-14-20 V.	816-75	7.50	
" " " " 100	6-12-18-24	916-100	8.90	
"Box Bell" in Box	10 8 Volt	9166	2.30	
RICH-ARDS				
	Mold. Single	25 10 Volts	221	1.40
	Mold. 3 Circuit	25 6 to 18V.	222	1.55
	Steel Sgle. Cir.	25 10 Volts	225	1.25
	Steel 3 Circuit	25 6 to 18V.	226	1.40
	Cov. Type Sgle. Cir.	25 10 Volts	227	1.40
	Cov. Type 3 Cir.	25 6 to 18V.	228	1.55
STAN-DARD				
	Porcelain Clad	25 Single	200D1	\$1.65
	" " "	25 6-9-15	203D1	2.10
	Steel	15 Single	205S	1.25
	" " "	15 6-9-15	207S	1.45
	Heavy Duty Porc.	50 6-12-18	200HD1	6.45
	" " "	100 8-16-24	212EHD	7.75
	Steel Clad "A"	50 6-12-18	300A	6.20
	" " "	100 6-12-18-24	302B	9.25
	" " "	200 6-12-18-24	304C	17.50
	" " "	300 6-12-18-24	306E	21.45
	" " "	500 6-12-18-24	308F	29.90
STAN-LEY				
	TB H'vy Duty	50 8-16-24	501	4.25
	" " "	75 8-16-24	751	6.40
PATTE-SON	TB H'vy Duty	100 8-16-24	1001	7.40
	" " "	150 8-16-24	1501	9.10
	" " "	200 8-16-24	2001	12.00

NOTE: For 220 Volt Transformers add 20% to above prices.

Electrical Contracting, February, 1931

Safeguard Against Motor Failure



Catalog No. 91367

**BOX OVERALL DIM. 5 1/2" W x 7 7/8"
H x 4 1/2" D**

1. Compactness—Note dimensions.
2. Slow make—quick break.
3. Double butt wiping contact under pressure.
4. Will not open on voltage failure.
5. Cannot be held against overloads.
6. Handle returns to "off" position when switch trips on overload.
7. Overload protection provided by readily interchangeable heater units.
8. Particularly adaptable for "jogging".
9. Rated 2 H.P. at 110-550 volts polyphase.

TRUMBULL TYPE "TM2" MOTOR STARTER

Large or small—motors need protection—it is not the size of the job performed but the importance that counts.

The new Type "TM2" or 2 H.P. manually operated motor starting switch with overload protection does safeguard motors.

It has already met with wide acceptance in the field proving the need for such a switch.

Interchangeable heater units ranging from 1/2 to 10 amperes provide positive thermostatic overload trip—and the switch is capable of instantly breaking stalled rotor currents in excess of its rated capacity.

THE TRUMBULL ELECTRIC MFG. CO.

A GENERAL ELECTRIC ORGANIZATION



Branch Panelboard
and Switchboard
Factories:
Ludlow, Kentucky
Drendell-Trumbull
Electric Mfg. Co.,
San Francisco
Pacific Coast Division
Branch Switch, Switch-
board, and Panelboard
Factories:
Los Angeles Seattle

PLAINVILLE
CONN.

PHILADELPHIA
511-519 N. Broad St.


ATLANTA

NEW YORK
803 Lincoln Bldg.

BOSTON
1002 Statler Bldg.

CHICAGO
2001 W. Pershing Rd.
Detroit Branch
415 Brainerd St.

SAN FRANCISCO
432 Fourth St.





LIGHT AND POWER SPECIALIST:—Les Jager, Joliet, Ill., is very good at power and lighting, and keeps a fast and intelligent crew of men. In his lighting work he includes large electric signs. During the past year he has secured a large number of re-metering jobs, working with the power company.

(Continued from page 34)


ably mean a new Code. Among the changes offered in Article 4—Services and Service Equipment, is the permission of the use of multiple conductor cable approved for the purpose of wiring on the exterior of buildings as described in paragraph e, Section 403.

Also paragraph b, Section 404, is changed to permit the use of bare neutral in services under certain conditions. Section 405 has been considerably enlarged providing, among other things, for the use of branch circuit breakers. The principal addition in Article 5 is a table of recommended conduit sizes for lead covered wires and cables. Also Section 506—Underfloor Raceways, has been entirely revised.

In Section 508, the $\frac{3}{8}$ -in. size of metallic tubing has been deleted. This section also provides for the use of metallic tubing for open or concealed work in dry locations where, during installation or afterwards, it will not be subject to severe mechanical injuries or corrosive vapors and it may be cast integral with stone aggregate concrete slabs or buried in masonry walls if provided with watertight fittings.

Section 511 permits a very limited use of semi-portable two-wire assemblies but is presented without recommendation by the article committee. A new Section 512 on Wireways replaces the former section which was

STRAIGHT and ANGLE T&B TITE-BITE Box Connectors




IN ALL SIZES

The Straight T&B Tite Bite connectors are now made in all sizes up to two inch.

The Angle T&B Tite Bite connectors are now made in all sizes up to three inch.

Each T&B Tite Bite connector, because of its design, will take a wider range of cable sizes.

THE TEETH IN THE GRIP FORM A TITE BITE



On the armor of the cable and cannot enter or spread the convolutions of the cable sheath. Notched locknuts hold the connector in place.

EASY AND SPEEDY—Angle Tite Bite connectors are made in two parts. One turn of the screws and the cap slips off. Lay the cable in place, slide the cap up, tighten the screws and the Tite Bite grip and the job is done.

The instant popularity of the Tite Bite has proved it the greatest advance in connector design in years. Write for samples.

THE THOMAS & BETTS CO.

MANUFACTURERS

General Sales Office and
Factory:
36 Butler St. Elizabeth, N. J.



WHAT THESE LABELS mean to YOU

Excellence in Quality and Fine Workmanship—Fretz-Moon Conduit is made from steel skelp by a patented "continuous" process which assures uniformity, safety and economy.

Strong Welds—Fretz-Moon Conduit is welded tightly and smoothly. The weld will not open.

Smooth Raceways—Fretz-Moon Conduit is coated inside with hard, glass-like enamel that will not crack or chip under severe strain.

Clean, Fast Threads—The threads on Fretz-Moon Conduit and in Couplings are cut deep, sharp and clean.

Increased Ductility—Fretz-Moon Conduit bends easily and smoothly.

Absolute Uniformity—in every length of Fretz-Moon Conduit.

Rigidly Tested—Every length is rigidly tested and carefully inspected before the label is attached.

Protected Against Corrosion—Fretz-Moon Galvanized Brands are protected by zinc coatings that will not scale.

Long Life—Fretz-Moon Conduit defies time.

Any one of three Fretz-Moon labels—orange, ENAMELITE; red, GALVITE; blue, HOT DIPPED GALVITE—is your guarantee of positive satisfaction.


Use Fretz-Moon Conduit. It saves time and money all down the line.



Fretz-Moon Tube Company, Inc.
Butler, Penna.

FRETZ-MOON

RIGID CONDUIT



combined with 500-e. Another new Section, 517—on Metal Enclosed Busways has been added.

Article 8 has been rearranged and is a little more complete and also includes synchronous motor wiring tables. Article 18 has been rewritten and extended and some small changes made in Article 31 in elevators. Article 32 has a new section known as Class IV Locations, which covers warehouses in which combustible fibres are stored.

A new section on portable switchboards has been added to Article 39. This committee also suggests Article 41 on emergency lighting and a sub-committee submits a report on sound recording and reproduction.

The above amendments to the Code are a few of those submitted and are, of course, only proposed and are subject to approval, amendment or rejection by the electrical committee.

Svendson Heads Minneapolis Contractors

George Svendson has been elected president of the Minneapolis (Minn.) Chapter of Electragists for 1931. Other officers elected are Carl Lindgren, vice-president; George Jones, secretary, and C. C. Courtier, treasurer. The board of directors comprise of Frank Langford of Langford Electric Co.; Frank Hurd, Hurd Electric Co.; J. Collins, Pierson-Wil-



SELLS EVERYTHING THAT GOES WITH THE JOB—E. A. Croll, head of the Electric Engineering Co., Sioux City, Iowa, handles everything from an electric sign to an office building, but whatever it is he sells a complete job. He believes it is the contractor's place to see the extras that will be needed in the future and bring them up while the work is being done.



First...

UNKNOWN VALUES

by salesmen for an infant industry



Then...

DEPENDABLE PRODUCTS


but distributed through uncoordinated channels

now..




UNQUESTIONED QUALITY

*in a complete line of electric apparatus and supplies,
immediately available from more than 80 wholesale
warehouses, to every community in the United States*



GENERAL  ELECTRIC
SUPPLY CORPORATION

WADSWORTH



ACCESSIBLE FUSE SAFETY SWITCHES

Catalog No. 1843
Accessible Fuse
60 Ampere Size

This Wadsworth Accessible Fuse Switch meets the continuous forward movement for

"Safe"
"Adequate Wiring"

Meter Service Switch Installations.

A switch that meets the requirements necessary for a Safe Service switch installation and the adequate wiring residence program.

Ample and simple wiring facilities and knock-outs that are easily and cleanly removed, assist contractors in making a neat, complete and satisfactory installation.

You can safely recommend the use of Wadsworth Accessible Fuse Safety Switches to your customers.

Write for Bulletin No. 21 for complete information.

The WADSWORTH ELECTRIC MFG. CO. INC.
Covington, Kentucky

There is a Wadsworth Switch for Every Installation



IN CHARGE OF SOUND INSTALLATIONS:—Eric Dohna, of the Stevens-Fitch Co., New Haven, Conn. This company has installed most of the Vitaphone installations in their locality.

cox Electric Co.; F. M. Tripp, of Tripp Electric Co., and J. Semmer, of Semmer Electric Co.

A legislative committee of six members is cooperating with the state board and other branches of industry to formulate a new code to apply throughout the city and state, regardless of size of the city.

Des Moines Contractors Re-elect Officers

The Des Moines (Iowa) Chapter of Electragists re-elected the following officers to serve for 1931: R. W. Honegger, president; H. J. Towner, vice-president; C. S. Beymer, secretary and C. T. Whalen, treasurer. F. J. Moeckley will continue as manager. In addition to the officers, the following will serve on the executive committee: C. B. Fountain and J. W. Furlong.

1931 Plans for Birmingham Contractors

Relighting industrial plants is one of the campaigns planned by the Jefferson County Chapter Association of Electragists, Birmingham, Ala., during 1931. Additional campaigns planned consist of the sale of commercial lighting fixtures, office lighting fixtures, window lighting signs, industrial lighting and outside floodlights, cooperating with the Birmingham Electric Co. along the lines of its various selling campaigns now in progress or planned.

It has also been decided that the contractors will handle the installa-


for Individual Economical Light Control The *Levolier* Switch

INDIVIDUAL control of light units is increasing in popularity. In office, factory and mill it means **lights on** over the bench, desk or machine where the man is at work and **lights out** where the man is absent. It means more accurate work, increased production and minimum cost for current.

The Levolver Switch is one of the smallest six Ampere Pull Switches made, yet has unusual carrying capacity for a switch so small. It takes the smash of repeatedly switching cold 500 watt lamps for thousands of makes and breaks.

Made in three different lengths of stems and as a link switch for ceiling fixtures. A Levolver Switch Bracket makes it possible to quickly put the Levolver Switch where you want it.

Send for your copy of the latest McGill catalog:
"Electrical Specialties of Quality."



6 AMP.



McGILL
MANUFACTURING CO.
Electrical Specialties of Quality

ESTABLISHED 1904


VALPARAISO - INDIANA

Box No. 670



Wire Lamp Guards
Portable Lamp Guards
Wall Guards
Coloring Fluid
Soldering Fluxes
Lamp Changers

The Largest Portable Stage Switchboard in the World



Built by

WURDACK

for the New Orleans Auditorium

The switchboard installation in the magnificent New Orleans Auditorium represents an outstanding example of Wurdack engineering and craftsmanship. The huge portable stage switchboard shown above brings to its disappearing stage a flexibility of lighting control and a command of effects second to none in the country. It is equipped with 80 control units and 100 dimmers, and has a current handling capacity of 700 kilowatts. Twenty flexible rubber covered cables, containing a total of 300 wires, connect it to the terminal cabinet. Despite its weight of over three tons, it can be readily moved to any position on the stage. May we send you our folder which fully describes this Wurdack installation?

WM WURDACK
ELECTRIC MFG. CO.

4444 CLAYTON AVE., ST. LOUIS, MO.

See Sweet's catalogue for nearest branch office.

tion of all appliances sold by the Birmingham Electric Co. where it is necessary to do any wiring, and in conjunction with the company, the contractors will carry on a campaign on the installation of convenience outlets.

Changes in the Birmingham electrical ordinances will be made according to the National Electrical Code, when the new Code goes into effect.

New Officers in Youngstown

The 1931 officers elected by the Electrical Contractors Association of Youngstown, Ohio, are E. C. Carlson, president-treasurer; George N. Sandquist, vice-president and Carl Peterson, secretary.

It is planned by the association to have an industrial modernization and lighting campaign under way some time in the early spring, details of which will be given later.

Discuss Proper Methods of Estimating

The Mason City (Iowa) Chapter of Electragists hold weekly meetings for the purpose of discussing the proper methods of estimating jobs which will be of material assistance to electrical contractors. Each week one member of the chapter is delegated to report also on a particular



HAS SIX DEPARTMENTS:—C. W. Mills, of Clark & Mills, Boston, has six departments in his business, which include wiring, general store, major appliances, electrical fixtures, radio, and locks and keys. The book before him lists every item in stock and has index tabs so that one can turn instantly to the product and see at a glance, cost price, selling price, size, type, and maker of article.



A PROFITABLE INVESTMENT FOR EVERY CONTRACTOR

By adopting the NATIONAL ELECTRICAL RESALE PRICE SERVICE you are acquiring a "Silent Partner," who will work for you every hour of the day, every day of the week, without complaint — helping you to turn losses into PROFITS.

KEEPS YOU ON A SAFE COURSE

You, no doubt, buy right, but are you certain that your selling price includes a Profit? You don't want to overcharge a good customer, yet you are entitled to a fair price — take your customers into your confidence, show them the price in the book — this proves that you are prepared to give them the benefit of changes in prices as quickly as they occur, at the same time offers silent testimony that your prices are fair and that you charge everyone alike.

PAYS PROFITS

If you have been dissatisfied with your profits, here is something that will make money for you every day in the year. We have issued a little booklet which describes in detail this unusual Service that successful contractors are using daily to increase their profits, save time, and build customer confidence. Would you like to read it? It's yours for the asking; simply attach your letterhead to the coupon below.

Henderson-Hazel Corporation,
5005 Euclid Ave.,
Cleveland, Ohio.

Gentlemen:

Without obligation please send us your booklet describing the NATIONAL ELECTRICAL RESALE PRICE SERVICE.

Name.....

Address.....

City or Town.....

State.....

EC-2-31

Let's Go!



If sitting around and worrying paid profits 1930 would have been a banner year. Why not expend the same energy in thinking up new ways to get more business or extra profits from the same job?

Make One Job Pay Two Profits.

Every wiring job is an inside opportunity to make extra profit by selling ventilation. Every home, every store and every plant has some bad ventilating feature that a high grade fan will correct. Take along some

Meier Nu-air

TRADE MARK REGISTERED

fan circulars on each job. (They're handy to carry in your coat pocket.) Give them to the proper man. Suggest the installation of a fan while you are doing the wiring. Do this right at the start of the job. Your presence, the circulars and a word dropped here and there about the improvement proper ventilation brings will bear fruit before you realize it. And remember you make more on the sale of a Meier Nu-air Fan than you do for your hard work on the wiring job. Let us explain our dealer proposition.

Write us today

MEIER ELECTRIC & MACHINE CO.
3525-3535 E. Washington Street
Inc. 1904 INDIANAPOLIS, IND.



MILWAUKEE LEAGUE PRESENTS STAGE SHOW: "Congratulations," an amateur stage presentation, was given by the Electrical League of Milwaukee, Wis., before members of the electrical industry on January 14. Over 650 persons attended this show, which proved very successful. The members of the cast shown above are, front row, left to right: R. E. Welton; The Turk Brothers and A. Gogan. Back row, left to right: George Gerber; D. B. Miller; J. P. Fryjoff; E. A. Marton; L. A. Selleg; J. M. Magnus; C. G. Matthews; C. W. Keller; P. W. McGehee; G. H. Luedeking; H. H. Hauge; W. O. Zervas; Geo. Schwarten; F. H. Price; P. W. Sprecher; R. G. Straight; N. O. Bolander; M. Lessenich; A. Thom; R. Muenchow; F. F. McCoy; and H. Ulezelski.

subject for the betterment of the business of electrical contracting. These meetings have proved of great assistance to the contractors of Mason City, one of the major things accomplished being a new ordinance which will pass the city council in the very near future.

Texas Contractors Banquet in Mexico

The Rio Grande Valley Electrical Contractors and Dealers recently held their annual meeting with electrical jobbers and manufacturers at McAllen, Tex. The business meeting was devoted to the business policies and mutual interests of the contractors and jobbers.

The meeting was adjourned at 7:00 P.M. and the group crossed the line into Mexico, enjoying a banquet and entertainment at Reynosa. E. A. Shotts, president, and M. O. Burt, manager of the Texas Association of Electragists, were present.

Supports State Legislation

The Lake County Association of Electragists, Hammond, Ind., is supporting two bills being presented at the Indiana General Assembly now in session. L. J. Granger represented the chapter as a committee-man in the preparation of both bills.

The first bill presented by the Associated Building Contractors of Indiana provides for the registration and bonding of all general and sub-contractors in Indiana, and the sec-

ond, presented by the Indiana Building Congress, provides for the examination and qualification of inspectors. Both bills are supported by various state organizations.

Paige Relected President of Springfield Association


A. F. Paige was reelected president of the Electrical Contracting Association of Springfield, Mass. W. H. Grogan was elected vice-president and M. L. Schmidt, treasurer. Harry Heyman was reelected secretary. The board of directors comprise of A. F. Paige; W. H. Grogan; Mr. Crowley of Interstate Electric Construction Corp.; T. Tuohey of the Tuohey Electric Co.; J. Collins of Collins Electric Co. and Harry Heyman.

Asks for Trade Practice Conference in March

The Association of Electragists, Inc., has filed a formal request with the Federal Trade Commission for a trade practice conference of the electrical contracting industry under the auspices of the commission, and have asked the commission to call the conference, if possible, on March 18, at Kansas City following the general meeting of the A. E. I.

Twenty-six suggested rules of fair practice have been prepared by the A.E.I., having to do with important trade problems in the electrical contracting industry. These will be offered at the conference as a

Turn to the binder
with the ORANGE BANDS
for buying details!



The next time you want buying details on electrical supplies and equipment in a hurry turn to ELECTRICAL TRADE CATALOGS. You will find the catalog data of some hundred representative manufacturers in this handy catalog file.

Contractors—the country over—identify this collection of catalogs by the ORANGE BANDS around the cover. Experience has taught them that the *best* place to look for buying details on electrical supplies and equipment is in ELECTRICAL TRADE CATALOGS.

When *you* want information to help you estimate—to help you get orders and place orders—aid you in carrying out architects' plans and specifications—or help you locate the source of supply of products you are interested in—turn to your copy of ELECTRICAL TRADE CATALOGS.

Make ELECTRICAL TRADE CATALOGS your every-day guide to the electrical supplies and equipment you need. You will soon find it indispensable in your work.

**McGRAW-HILL
CATALOG AND DIRECTORY
COMPANY, INC.**

NEW YORK, N. Y.

use E-Z CONNECTORS (PORCELAIN) for Quick-Strong-Safe Wire Connections



LOOK FOR THIS
TRADE MARK ON
EVERY BOX.

WHERE TO BUY "E-Z" Connectors

Pacific Coast Distributors
J. M. FELDMAN CO., Inc.
Los Angeles, Calif.

ALABAMA
Interstate Elec. Co. (Birmingham)
CALIFORNIA
J. M. Feldman Co., Inc. (Los Angeles)
L. A. Lighting Fix. Sup. Co. (Los Angeles)
H. C. Frisbie Co. (Los Angeles)
Reiman White Sup. Co. (Los Angeles)
Meyers Elec. Co. (Los Angeles)
Marsh Elec. Co. (Long Beach)
A. B. C. Elec. Co. (San Diego)
Incandescent Sup. Co. (San Francisco)
J. M. Feldman Co., Inc. (San Francisco)
S. A. Han Co., Inc. (Oakland)
COLORADO
B & R Elec. Co. (Denver)
FLORIDA
Lighting Fix. Co. (Tampa)
LOUISIANA
Interstate Elec. Co. (Baton Rouge)
Interstate Elec. Co. (Baton Rouge)
Lighting Fix. Co. (New Orleans)
Interstate Elec. Co. (Shreveport)
MISSOURI
Gross Chandler Co. (St. Louis)
NEW YORK
L. A. Woolley, Inc. (Buffalo)
OREGON
Elec. Fix. & Sup. Co. (Portland)
PENNSYLVANIA
W. Phila. Elec. Sup. Co. (Phila.)
TEXAS
Beckett Elec. Co. (Dallas)
Economy Elec. Sup. Co. (Dallas)
A. F. Anderson Co. (Dallas)
Economy Elec. Sup. Co. (Fort Worth)
Lighting Fix. & Refn. Co. (Houston)
UTAH
United Elec. Co. (Salt Lake)
WASHINGTON
Birkel Elec. Sup. Co. (Seattle)
PATENTED OCTOBER 21, 1930
(Other Patents Pending)

APPROVED BY UNDERWRITERS'
LABORATORIES: HYDRO-ELECTRO
POWER COMMISSION OF ON-
TARIO, CANADA; AND RECOM-
MENDED BY NATIONAL ELEC-
TRIC CODE AND CITY INSPEC-
TION DEPARTMENTS.

FREE SAMPLE—SEND COUPON

SIERRA PORCELAIN MFG. CO.
311 TERMINAL SALES BLDG.,
747 WAREHOUSE ST.
LOS ANGELES, CALIFORNIA

Please send me a sample of your "E-Z"
Connector without obligating me in any way.

Name

Street & No.

City

FEb. E.C.

Approved by Under-
writers' Laboratories
as follows: "E-Z"
Solderless splicing
device consisting of a
glazed, corrugated,
porcelain cap with a
tapering female
thread. For use only
in connecting two
No. 14 B&S gauge
solid conductor
wires; also two No.
14 solid wires with
one or two No. 18
B&S gauge, solid
or/and stranded con-
ductors; also one No.
14 and one No. 18
solid or stranded
wires; where such
joints are accessible
for inspection at all
times."

PRICES
100.....\$ 1.50
500..... 6.25
1,000..... 16.75
Jobbers & Dis-
tributors Prices
on Application.



IN BUSINESS 28 YEARS:—J. C. Hess of the Lancaster County Electrical Contractor & Dealers, Lancaster, Penna. has been in the electrical business 28 years and has always taken an active part in association work.

basis for discussion and with such changes or additions as the industry in conference shall itself decide, will be then submitted by the conference to the Federal Trade Commission for action under its established rules and procedure.

Over sixty chapters and affiliated associations throughout the country have joined with the A.E.I. in this request to the Federal Trade Commission, representing an annual volume of electrical contracting business around \$200,000,000.

New Type Armored Cable Improves Safety Record

It was reported in a Baltimore newspaper that the 1930 building department record, recently published, gives specific credit to the improved armored bushed cable as type of wiring, which has been helpful in increasing the department's record for providing the public with greater safety in building construction.

"Under the head of new features established during the year," the report states, "Mr. Hammond noted that the new electrical code has worked to the advantage of the bureau and the public. This code introduced a type of armored cable which is now being used extensively in all parts of the city, whereas under the old code its use was confined to the area outside the fire district. Because of the armoring the cable is now deemed as acceptable in high risk districts as in other parts of the city."

W. W. Fraser

W. W. Fraser, electrical engineer and contractor of Vancouver, B. C., passed away recently at his home in Vancouver. Mr. Fraser had been engaged in the electrical engineering business in Vancouver for the past 18 years, heading the electrical organization bearing his name.

Windeler Heads Toronto Contractors

Harry Windeler was elected president of the Toronto Electrical Contractors at their annual meeting. George Davenport was elected vice-president; P. A. Cheevers, treasurer and George Gander, secretary. The executive committee consists of H. Blenkarn; G. W. Leach; J. A. Craig; P. J. Dunn; H. C. Bertram and Gordon Alexander.

Resolutions were adopted at the December meeting to uphold the present city by-law regarding licensing of electrical installations. The present by-law will exist with only a slight change of the yearly fee.

Hold Twenty-Seventh Annual Dinner Dance


The twenty-seventh annual dinner and dance of the Independent Associated Electrical Contractor Dealers,



IN NEW BUILDING AT SAME LOCATION:—Ralph J. Vaughn, left, and L. A. Rose, of the Clapp Rose & Vaughn Co., Waterbury, Conn. This firm has recently moved into the new building erected on the site of their old location. In addition to operating a large contracting business this firm has a store and sales force that do canvassing on major appliances.

This New 114-Page Book on Code Questions FREE!

WITH YOUR RENEWAL
SUBSCRIPTION FOR
ELECTRICAL CONTRACTING



One hundred and fourteen pages of interpretations of the National Electrical Code—That's what this new, helpful book "Practical Answers to 117 Puzzling Code Questions" contains for you.

Included in this book are also all of the Official Interpretations that relate to the 1930 Code. It is divided into 18 convenient sections, as follows:

General
Outside Supply Conductors
Services and Service Equip-
ment
Wiring Methods
Conductors
Boxes, Cabinets, Fittings
Grounding
Rotating Machinery, etc.
Transformers not over 600
volts

Switchboards and Panel-
boards
Fixtures and Other Outlet
Devices
Electrical Appliances
Elevators
Hazardous Location
Garages
Signs and Outline Wiring
Theatres
Systems Over 600 Volts

All of the data was compiled by F. N. M. Squires, Assistant Chief Inspector, New York Board of Fire Underwriters, Chairman Article 5 Committee, and editor of "Code Chats" in ELECTRICAL CONTRACTING.

You may obtain a copy of "Practical Answers" absolutely FREE by extending your subscription now. Fill in the blank below, and mail it with your remittance today.

The Estimating Course Continues In This Issue

The second article in ELECTRICAL CONTRACTING'S 1931 Course in Profitable Estimating, appears in this issue. It gives a full description of the "Title Sheet" used in estimating, telling exactly what it is and how it should be used. Further installments will appear in every 1931 issue. Don't miss any of them. Every phase of estimating will be covered clearly and thoroughly. Assure yourself of receiving all 1931 issues by renewing your subscription today. Use the blank below, which also entitles you to a free copy of "Practical Answers to 117 Puzzling Code Questions".

ELECTRICAL CONTRACTING, 520 No. Michigan Ave., Chicago, Ill.

I Want a Copy - - - Send me at once, without charge, your new book "Practical Answers to 117 Puzzling Code Questions." At the same time renew my subscription to ELECTRICAL CONTRACTING for ☐ one year at \$2 ☐ for two years at \$3. My remittance is attached.

Name.....

Address.....

City and State.....

IT'S HERE

The SELF STARTING HACK SAW BLADE

LARGE TEETH FOR CUTTING A SMALL TEETH FOR STARTING

MILFORD
DUPLEX
PAT. U.S.A.

The new MILFORD DUPLEX Patented Hack Saw Blade marks the most startling improvement in blade construction ever conceived.

Fine teeth on the forward end of this remarkable blade perform the same function as the feed screw of an auger bit—they start the cut quickly, easily, accurately.

Cutting cleanly into the metal precisely where you want it, on the first stroke, the MILFORD DUPLEX means the end of spoilage of work by slipping of blade, and of spoiled blades by ripping out teeth.

In addition to quick, straight cutting of regular work, it means that you can cut small sections, squares, angles or flat stock with equal accuracy at any angle.

Also made in Mil Flex Duplex, the quickest starting, easiest cutting blade for the electrical work. MILFORD DUPLEX, all hard; Mil Flex DUPLEX, hard teeth, flexible back.

Ask your Jobber

The fine tooth section of a 14-pitch DUPLEX has 23 teeth to the inch. The 18-pitch has 36 teeth to the inch.

Ask for MILFORD DUPLEX

PATENTED U.S.A.

The HENRY G. THOMPSON & SON CO.

Established 1876

New Haven, Conn., U. S. A.



TWENTY-TWO YEARS ON THE SAME SPOT:—The Hill Top Electric Shop has operated at 120 Brownsville Rd., Mt. Oliver, Pa. (a Pittsburgh suburb), since 1908. The head and founder of the firm is Louis R. Schmidt, who has his four sons with him in the business. Recently the company brought down the old place and built the fine building shown in one of the pictures. The other picture shows a portion of the store on the day of the grand opening.

Inc., was held January 14 at the Hotel Astor, New York City. Over 500 guests attended. At this time new officers for the coming term were installed. These were: John J. Bauer, president; H. M. Walter, first vice-president; Irving Gaynor, second vice-president; A. Lincoln Bush, treasurer; Nathan Loninsky, financial secretary; George W. Neil, recording secretary, and Zoltan Hartmann, sergeant at arms.

Allan Chantler

Allan Chantler, assistant secretary of the Electrical Association of New York died suddenly on December 24.

Mr. Chantler was born in Allegheny, Pa., 42 years ago and spent his boyhood in Pittsburgh. During the World War he served in the Ordnance Department U. S. A. and on receiving his discharge he did organization work for several electrical associations. When the Electrical Board of Trade was organized in 1923 he joined this body and became its secretary March 6, 1926. When the Electrical Association of New York was formed he was made assistant secretary and secretary of the Board of Trade Bureau of Adjustment.

Mackler Enters Advertising Field

Louis Mackler, formerly electrical engineer with the firm of L. T. M. Ralston, Inc., New York City, has been appointed consulting engineer to the P. F. O'Keefe Advertising Agency, Inc., New York City.

Mr. Mackler was in charge of the design of the plans and wrote the specifications for the complete electrical

installation in the Chrysler Building, New York City. The readers of ELECTRICAL CONTRACTING will recall an article of his entitled "Chrysler Building—Feeder Design", which appeared in the March, 1930 issue.

Western Inspection Executives Meet

The executive committee of the Western Section of the International Association of Electrical Inspectors, met in Chicago on January 19. The purpose of this meeting for the most part was the annual rearrangement and appointments on committees.

Ventilation Increases Business

(Continued from page 9)

know how to do. Due to this most of their customers when they want other work done call on them.

Because of their reputation, they are called into consultation both by architects and prospects, to help them solve their difficult ventilating problems.

This firm continually analyses its market. Only a short time ago they were called upon to do some wiring work for a smoked fish establishment. They had no sooner entered the place when they realized that it was a perfect prospect for a ventilating installation. Before they left they had an order in their hands for a large installation. There were eight or ten other such establishments around so they decided to do an intensive selling job. This has proved very effective and to date they have sold seven installations.

That is only one illustration of the many market analysis and intensive

selling campaigns conducted by this company. Through similar efforts this firm has made more than 600 ventilating installations. An analysis of these installations shows that approximately one residential installation is made to every 10 industrial and commercial installations.

How Contractors Sell

(Continued from page 7)

of the lighted projector which resulted in the lights going out below.


We then explained how a photoelectric cell was mounted on the third floor of our building with a relay connected to our service wires. As the projector light struck the photoelectric cell the relay connected to it switched on the lights inside our place of business and as the projector light went out the relay switch turned off the lights. At this point we were able to explain the practical application of photoelectric cells for the different production processes of the printing industry which later resulted in our making two such installations. Further than that the demonstration emphasized remote control and we have made a couple of installations as a result of it. After the demonstration we were also called in to check the electrical problems of a couple of plants where for some time we have been making efforts to sell our services. We know that their presence at the meeting and their interest in our demonstration prompted them to give us a trial.



WIRED THE NEW YORKER HOTEL:—Louis Freed of the Jandeous Electric Equipment Co., recently completed the wiring of The New Yorker Hotel, New York City, one of its newest and most up-to-date hotels, in addition to being one of the largest hotels in the country.

Couch
TELEPHONES
ESTABLISHED 1894

TELEPHONES



and

MAIL BOXES

for every size
and class of

APARTMENT HOUSE

Farsighted electrical contractors, architects, and owners know the value of a reliable apartment house telephone system and should accept no substitute. Couch—first in the field in 1896—still sets the pace. Volume production permits "quality at no extra cost". On your next phone job, call in Couch. Write for Bulletin No. 89E.

S. H. COUCH COMPANY, Inc.

NORFOLK DOWNS, MASS.


ASHEVILLE, N. C.
BIRMINGHAM, ALA.
BOSTON, MASS.
CLEVELAND, OHIO
CHICAGO, ILL.
DALLAS, TEXAS
DENVER, COLO.
DETROIT, MICH.
INDIANAPOLIS, IND.
LOS ANGELES, CALIF.
MINNEAPOLIS, MINN.
MONTREAL, QUE.
NEW YORK, N. Y.
PHILADELPHIA, PA.
ST. LOUIS, MO.
SAN FRANCISCO, CALIF.
SEATTLE, WASH.
TAMPA, FLA.
TORONTO, ONT.

P. O. Box 1802
1139 1st Ave., So.
170 Purchase St.
14259 Superior Rd.
809 W. Jackson Blvd.
2205 Leonard St.
1715 California St.
429 Wayne St.
202 Indiana Terminal Warehouse
445 S. San Pedro St.
1017 Lumber Exchange
280 Craig St. West
11 West 42nd St.
1725 Sansom St.
917A Pine St.
361 Ninth St.
215 Second Ave.
5505 Central Ave.
331 King St. West

Asheville 5345
4-2580
Liberty 9254
Monroe 2840
7-0836
Keystone 6131
Cherry 3735
Riley 7825
Mutual 8151
Main 0726
Harbour 3136
Penn. 7217
Rittenhouse 4567
Garfield 0997
Hemlock 2314
Elliott 1544
M-63784
Adelaide 0007

PROFITS

In the electrical contracting business are largely determined by the methods and equipment used on the job.



No. 4 CHICAGO 30 TON HYDRAULIC BENDER

WILL enable you to bend any size of pipe or conduit from 1 1/4" to 4 1/2" quicker, easier and safer than it has ever been done before. Requires but one man to operate it.

Hundreds now in use making money for their owners.

Truly a profit maker for the electrical contractor.

Write for folder.

GUSTAVE LIDSEEN, INC.
832-840 So. Central Ave.
Chicago, Ill.

LIDSEEN



A ROLL O' TAPE

Electrical flashes gathered among the Big Wire-and-Pipe Men by

**Coit A. (Duke) Smith
and Walter Holmes**
Field Editors, ELECTRICAL CONTRACTING

H. MARSHALL SMITH of the Edward Eaton Co., New York, took an order for a new switchboard and feeders in an industrial plant. His only instructions from the customer were to supply a sufficient capacity for all additional needs during the next ten years. A lucky break for Smith? Perhaps, but lucky breaks have a way of coming to the contractor who, through knowledge and integrity, has won the confidence of his customers.

K. R. ANDERSON, Anderson Electric Co., St. Louis, Mo., has certainly rung the bell on the model electric home he wired in St. Louis Hills. The installation was so complete and the house attracted so much attention that a member of the real estate firm who built it decided to live in it himself.

SOMETIMES even your best friends won't tell you but W. E. Nichols, New York, never fails to remind his customers if the air is close in their places of business. Likewise he reminds them if their ventilating system is noisy or vibrates. Quite a number of ventilating jobs have been picked up in this way while he was doing other work in restaurants, stores, etc. He tells us that the job is not necessarily lost merely because the owner does not immediately order the work done. One job was obtained two years after it was suggested to the owner.

J. MANTIN, New York contractor, always starts the new year with a good job. For several years now he has gotten rewiring jobs due to fires that started on New Year's Day.

J. J. WHITMAN, of the Reading Electric Company, Reading, Pa., is another contractor who does a real selling job. On the county jail building


MINERALLAC CONDUIT and CABLE HANGERS



Hanger with Porcelain Bushing



★ JIFFY CLIP



Hanger without Porcelain Bushing

One screw or bolt and Minerallac cable and conduit hangers are in place quickly and permanently. Made of high grade spring steel. All sizes from 3/8" to 2 1/2" inclusive.

★ JIFFY CLIP

Accommodates pipe from 3/8" to 1 1/4". Requires but one screw. Jiffy made jobs are neat, secure and take less time.

MINERALLAC ELECTRIC CO.
25 N. Peoria St. Chicago, Ill.



specifications called for steam cooking apparatus. Apparently it was ridiculous to attempt to sell electric stoves in this case. However, Mr. Whitman looked over the ground and found that, in addition to getting more satisfactory equipment, they could actually save money. His investigation showed that the coal for the building had to be hauled quite a distance, while the current was right at their door. There is a lot of additional work waiting for the contractor who will study the job to find reasons why its electrical work should be done.

THE Lancaster Electric Supply and Construction Company, Lancaster, Pa., appears to offer valuable experience as well as money to employees. Three local contractor-dealers got their early electrical experience working for this firm. It is an interesting fact that all three are now located in the same block and on the same side of the street.

THE truth of the expression "practice what you preach" was brought home recently to an energetic contractor who is well versed in the sale and application of control equipment. We repeat this man is energetic even to the point of utilizing the soothing rays of a sun lamp when he is at ease. But being endowed with some human weaknesses, one evening he dosed off and fell asleep under the sun lamp. He woke up looking for rubber gloves to handle the hot wires that were singeing him, but instead found himself still exposed to an efficient though uncontrolled sun lamp that was steadily delivering the old ultra-violet. We are sure this particular lamp will be equipped with a time cut-off switch or a snore amplifier that will relay the sonorous waves to a sensitive switch which in turn will turn off the current. Anyone interested in the name of a good cure for sunburn write R. T. Hyre of "Hyre your responsible Electragist" of Chicago.

PROGRESS in the electrical industry offers the contractor new opportunities every day. I dropped into the Roxy Theatre, New York, and found that every seat in the house is wired. When a patron leaves his seat a contact is made on a board in the hall. By glancing at this board the ushers can see the number of vacant seats and their location.

J. T. DORNACHER, head of the J. Mound City Electrical Engineering Co., St. Louis, Mo., has a right to feel proud of the contract he has received from the Illinois Traction System. It is not only a huge job, but a very unusual one. First, there will be a 20-story Terminal Depot at Twelfth street and Lucas avenue. From there to Cass avenue the trains will run through a sub-

FRINK

MULTILITE REFLECTORS



Buick show room in Mamaroneck, N. Y. equipped with Frink Multilite Reflectors, as follows: 2—10 light reflectors; 2—4 light reflectors; 3—8 light reflectors.


There are quick . . . sure profits in work like this

The installation of Frink Multilite Reflectors in the show room illustrated above made a quick, sure profit for the contractor who was smart enough to recommend their use. This is just another instance of the vast amount of store illumination work available if you go after it with Frink reflectors.

Multilite is a unit fixture, consisting of a series of Silverlite Reflectors mounted in a metal trough, completely wired and ready to install. From two to ten reflectors come as a unit, wired with two circuits permitting of alternate and multiple control. Various intensities and color effects are easy to achieve. Send for circular 79-B for complete information.

THE FRINK CORPORATION

23-10 Bridge Plaza South . . . Long Island City, N. Y.



PLUG OUTLETS *for* High-amperage Circuits

TO provide convenient facilities for connecting heavy-duty portable electrical apparatus to service lines—install Kliegl plug outlets. They will take care of demands ranging from 15 to 400 amperes, 125—250-volt circuits; with from one to eight or more outlets in a single box; are available in various forms of floor pockets, wall pockets, and panel pockets—and are used extensively in theatres, photographic studios, schools, hotels, assembly halls, industrial plants, and elsewhere.

Floor pockets for the stage are made with one to four plug receptacles and have a hinged self-closing cover, notched for passage of the cable. Waterproof floor pockets are made with a single plug outlet, and have a waterproof screw cap.

Wall pockets are available for both surface and flushwall mounting; with one to four or more outlets; in sizes up to 400 ampere capacity.

Panel pockets have fused receptacles, with two to eight 50-ampere plug outlets, and are made in special combinations when desired.

Write for full details on any or all of these Kliegl plugging pockets, which are furnished complete with plugs.

KLIEGL BROS

UNIVERSAL ELECTRIC STAGE LIGHTING CO., INC.

321 WEST 50th St. • NEW YORK, N.Y.

way and from there to McKinley Bridge the tracks will be elevated. The entire electrical installation will be made by his firm.

"I CAN rent you a pump and motor outfit for \$50 per month or sell it to you for \$150," said H. G. Roberts, of Roberts & Kanze, New York. The customer thought that over and finally decided to rent. The short time that the customer expected to use the outfit dragged into nine months. Mr. Roberts collected \$450, and still was the owner of the outfit. But this doesn't happen often enough to make motor renting a get-rich-quick game.

ANOTHER contractor expands after doing a nice job for many years. The Reliable Electric Service Co., of Arcadia, Wisc., has moved into a larger place in a new and better location. The improved arrangement provides better appearance and service both as to wiring and merchandise.

RECENTLY while talking with Richard I. Sedden, electrical contractor of Joliet, Ill., we got around to discussing differences of quality existing in materials and how they can be found if looked for. As an example he had to decide between two different brands of rubber tape, and that was the first time I saw a contractor subject rubber tape under a magnifying glass to see which one of the two vulcanized better.

IT is the custom of the New York Department of Gas, Water & Electricity to order all wire replaced after it has been water soaked as a result of a visit by the fire department. This would be a good ruling for other cities to adopt.

AT the Bettendorf Electric Co., Buffalo, N. Y., I found the boss, Willard Bettendorf, looking through a sheaf of bills and taking cash discounts. When I complimented him he said: "That's not all, either, I make a business of persuading my customers to do the same." He went on to say that, if it is put up to the customer right at first, in the proper way, a goodly percentage will take advantage of the discount, thereby benefiting the contractor.

I USUALLY find something interesting in the electrical section of the classified phone directory. In the St. Louis book the Efficient Electric Co., Inc., is listed all alone as "Industrial Electrical Contractors," the first I have seen this way.


How Much Stock of Fittings is "Enough"?

"GIVE ME enough types to handle any kind of job we'll need to install around the plant," says the superintendent. "But keep the stock costs down," warns the purchasing department.

"Let us satisfy both of you," say we. "Use the ADAPTi Line. Write for Descriptive Bulletins"



For extensions, changes and "up-size" — use ADAPTi. It's the only fast interconnecting device with size or type of outlet in a moment.




Threaded ADAPTi's are OK for most of your regular outlet wiring — 1/2", 3/4", 1", 1 1/2", 2", 2 1/2", 3", 4", 6", 8", 10", 12", 14", 16", 18", 20", 24", 30", 36", 42", 48", 60", 72", 84", 96", 108", 120", 144", 168", 192", 216", 240", 264", 288", 312", 336", 360", 384", 408", 432", 456", 480", 504", 528", 552", 576", 600", 624", 648", 672", 696", 720", 744", 768", 792", 816", 840", 864", 888", 912", 936", 960", 984", 1008", 1032", 1056", 1080", 1104", 1128", 1152", 1176", 1200", 1224", 1248", 1272", 1296", 1320", 1344", 1368", 1392", 1416", 1440", 1464", 1488", 1512", 1536", 1560", 1584", 1608", 1632", 1656", 1680", 1704", 1728", 1752", 1776", 1800", 1824", 1848", 1872", 1896", 1920", 1944", 1968", 1992", 2016", 2040", 2064", 2088", 2112", 2136", 2160", 2184", 2208", 2232", 2256", 2280", 2304", 2328", 2352", 2376", 2400", 2424", 2448", 2472", 2496", 2520, etc.



Threaded ADAPTi's cover all regular (Type No. 3110-N.Y.) wiring — 1/2", 3/4", 1", 1 1/2", 2", 2 1/2", 3", 4", 6", 8", 10", 12", 14", 16", 18", 20", 24", 30", 36", 42", 48", 60", 72", 84", 96", 108", 120", 144", 168", 192", 216", 240", 264", 288", 312", 336", 360", 384", 408", 432", 456", 480", 504", 528", 552", 576", 600", 624", 648", 672", 696", 720", 744", 768", 792", 816", 840", 864", 888", 912", 936", 960", 984", 1008", 1032", 1056", 1080", 1104", 1128", 1152", 1176", 1200", 1224", 1248", 1272", 1296", 1320, etc.

The ADAPTi Co.
2996 East 72nd Street, Cleveland, Ohio
NEW YORK CITY—A. Stone, 112 East 23rd St.
BOSTON, MASS.—E. R. Bryant, 52 "B" St.
CHICAGO, ILLINOIS
United El. Sales Co., 300 W. Adams
PHILADELPHIA, PA.
Craven Elec. Sales Co.
30 Bank St.

How to handle any industrial wiring job to meet standard requirements



Here is a book that offers the practical worker a thorough training in electrical wiring for every industrial application. In addition to presenting standard, economical and efficient methods for doing every type of wiring, it also offers a thorough grounding in electrical theory; in the action and application of electrical equipment; the principles of lighting and power circuits; together with much other information needed for the effective handling of this work.

Industrial Electricity and Wiring

by JAMES A. MOYER

Director of University Extension, Massachusetts Department of Education

and JOHN F. WOSTREL

Instructor in Electrical Engineering, and Supervisor in Charge of Industrial Subjects,

Division of University Extension, Massachusetts Department of Education

469 pages, 5½ x 8, 281 illustrations and diagrams — Price \$2.75 postpaid

Some of the many topics covered

In the first and second chapters you will find a study of effects produced by electric currents, units of measurement, and practical applications. Following this, the book gives you detailed instructions on wiring conduits and moldings; wiring old buildings; wiring for industrial and household appliances; wiring generators, motors and transformers. Then you are given details on industrial and residential lighting, theater services, out-of-door uses, distribution systems, circuit control apparatus and many other applications.

281 charts, diagrams and drawings

Everything is clearly illustrated by diagrams, charts and tables. The practice described throughout the book is based on the 1929 National Electrical Code. In the chapters devoted to practical applications of wiring for electric light and power, material on the planning of circuits and estimating costs is included. A glance over the chapter summary will give you some idea of the wide compass of this work—but you should see this book to really grasp its scope. Take advantage of this free examination offer! Send for it to-day!

Chapter Summary

1. Fundamental Theory and Units
 2. Splicing and Soldering Wires
 3. Calculation of Wiring Systems
 4. Wiring Methods and Types
 5. Details of Wiring in Conduits and Moldings
 6. Wiring Old Buildings and Unit Costs
 7. Industrial and House Appliances
 8. Electrical Generators and Generator Wiring
 9. Industrial Electric Motors and Motor Wiring
 10. Transformers and Connections
 11. Industrial Wiring
 12. Wiring for Theater Services
 13. Residential Lighting Equipment
 14. Estimating Industrial and House Wiring
 15. Out-door Wiring
 16. Distribution System
 17. Circuit Control Apparatus
 18. Grounding of Systems and Equipment
 19. Wiring for Miscellaneous Services
- Appendix—Index—Reference to National Electrical Code.

This is a comprehensive exposition of the entire field of practical electrical wiring. It covers everything from fundamentals of electrical theory right down to the most effective methods for handling the newest electrical equipment. The treatment is simple, progressive and thorough—aimed so that the electrician can acquire the most helpful combination of the fundamentals underlying his problems and an ability to work most economically and efficiently through a knowledge of standard procedure.

Send no money—See this book free

At your request we will send you this book for 10 days' free examination. You owe it to yourself to see this book—if it can solve just one problem facing you it will amply repay you for any trouble you might experience in sending for it. See this book—use it for 10 days and then decide if this isn't a book you will want to have handy always.

Fill in and mail this coupon—NOW!

McGraw-Hill FREE EXAMINATION COUPON

McGraw-Hill Book Co., Inc., 370 Seventh Avenue, New York.

You may send me on 10 days' approval Moyer and Wostrel's INDUSTRIAL ELECTRICITY AND WIRING. Price \$2.75 postpaid. I agree to remit for the book or return it postpaid within ten days of receipt.

Signed (Please Print)

Address

City and State.....

Official Position

Name of Company.....

(Books sent on approval to retail purchasers in the U. S. and Canada only.) E.C. 2-31




RUGGED RALCO RECEPTACLES




Type BN


Type HN


Type CN


Type HF

The watertight Circuit Breaking Receptacles and Plugs illustrated, have self-aligning floating contacts, arc resisting insulators, and separate terminals for protective ground.


Very easy to wire, made in 2, 3 and 4-Pole, 30 and 60 Ampere. Approved for use on both 250-Volt D.C. and 600-Volt A.C. Circuits.

Ask for Bulletin 102
Ralco Manufacturing Company
 Designers & Manufacturers
 125 No. Albany Ave., : Chicago, Ill.

PRACTICAL ME

Meter Box Support

The installation of a suitable support for meter boxes in poured concrete buildings is frequently a problem. William Piatt, Wilkesbarre, Pa., has found a quick way of installing a



CROSS-SECTION SHOWING BLOCK ANCHORED IN CONCRETE

substantial support in concrete pillars.

As shown in the accompanying illustrations, a 2 x 4 in. block of wood, of the desired length is nailed lightly to the inside of the form so that it will be in the desired location when the form is in place.

Spikes are then driven part way into the block of wood and the form put in place. When the concrete is poured and set, the form pulls off of the block leaving it embedded in the con-



NAILING BLOCK TO FORM



In St. Louis

Hotel Mayfair....

8th and St. Charles

In the center of theatre and shopping districts. Floor lamps, fans, circulating ice water in every room. The quiet, refined atmosphere of an exclusive club—an hotel of distinction. Dining room. Coffee shop. Garage service.

400 ROOMS — \$3⁰⁰ to \$6⁰⁰

Hotel Lennox....

9th and Washington

St. Louis' newest and smartest hotel opened September 3rd. In the heart of business district. Dining room. Coffee shop. Garage service.

400 Rooms with tub bath and shower — \$3⁰⁰ to \$6⁰⁰

Hotel Kings-Way...

West Pine at Kingshighway

Opposite beautiful Forest Park. Near bus, street car and motor highways. 20 minutes from downtown. Club breakfasts, table d'hôte dinners. Rooms for two from \$4. Special rates for permanent guests.

AAA **Heiss Hotel System KMOX**

CAIMETHODS

crete, the spikes acting as anchors. This makes an excellent base for meter boxes or other electrical apparatus.

Keeping Track of Tools

To know on which job certain tools are located is a frequent problem for contractors. It is often hard to locate tools just when needed and also to fix responsibility when tools are lost or damaged.

The R. B. Randall Electric Co., Kansas City, Mo., has solved this problem by fastening a blackboard, as shown in the accompanying illustra-

DATE	JOB NO.	TOOLS	LADDERS
10/8/30	13-Bldg Cities Service	1-3" Tole 1-1/2" Saw 1-2" Saw 1-2" Saw 1-2" Saw 1-2" Saw 1-2" Saw	2-12 ft 2-8 ft
10/20/30	KC Bldg Co. 12th Bldg NKC	1-1/2" Std 1-3/4" Std 1-1/2" Hack 1-3/4" "	2-10 ft 2-6 ft
		1 Bt. A. H.	

BLACKBOARD FOR KEEPING TRACK OF TOOLS

tion, to the wall near the exit of the shop. Every wireman leaving the shop with tools or equipment must list on this board the items taken, the date and the job on which they are to be used.

Multiple Speed Coil Winder

A unique multiple speed coil winder has been constructed by the J & H Electric Co., Providence, R. I. The transmission of a discarded Chevrolet was removed and installed on a base at a convenient working height.



Trester Air Cooled Transformers

For
LIGHTING
SYSTEMS and other
INDUSTRIAL USES

NO oil—no special fireproof vaults—no special hangers—no maintenance or replacement charges—economical in operation—easy to install—can be hung on wall or mounted directly over lighting circuit cabinet. All come equipped with standard conduit connection—no extra fittings—conform to all electrical codes.

Single phase, two phase and three phase transformers. 115, 230, 460 and 550 volts.

Transformers designed for special purposes.

Send for our
Bulletin 630


Representatives desired in principal cities and industrial centers.

TRESTER SERVICE ELECTRIC CO.

235 E. Odgen Avenue at Market Street, Milwaukee, Wis.

"Trester Service Since 1908"

Speed up Your Installation Jobs



with the new
RED STREAK
1/4" Slow
Speed Drill

Designed and built for jobs you are doing every day. A powerful slow-speed drill, 200 r.p.m., that cannot be stalled by hand drilling.

Particularly well adapted for hole saws up to 3" diameter, 1" wood bits, and for drilling unusually hard metal. The Red Streak 1/4" Slow-Speed Drill embodies the same advanced principles of design and construction as other Red Streak products.

Use Coupon for Complete Story

WAPPAT
INCORPORATED

47 Braddock Ave.
Pittsburgh, Pa.

A Division of Simonds Saw & Steel Co.

Name

Address

City

OAMCO OUTDOOR LIGHTING FIXTURES



OVERBAGH & AYRES MFG. CO.
413 S. Clinton St. Chicago, Ill.

Two Stamps of Approval

FIRST, the Underwriters Laboratory Label, signifying the approval of rigid conduit that meets with their rigid requirements.


SECOND, the hearty approval of electrical contractors, wholesalers, and architects everywhere, for the Original Rigid Steel Conduit—

"LORICATED" and "GALVADUCT"



GARLAND MFG. CO.
PITTSBURGH, PA.

The driving end of the transmission was connected to a motor on the floor and the other to a spindle to which are attached the coil forms. The motor, located on the floor, connects with the transmission through a




MULTIPLE SPEED COIL WINDER

belt protected by a guard as shown at the left side of the accompanying illustration. A revolution counter is geared to the spindle and a reflector is rigged overhead convenient to the shaft end where the coil forms are fastened when the device is in operation.

By shifting the gear handle three speeds are obtained as in the operation of an automobile. The gear shift arrangement allows the operator to work at variable speeds according to the requirements of the particular job at hand.

Rewiring

W. F. Booth of the Liberty Electric Co., Pittsburgh, Pa., has a good kink in old house wiring. He states that when fishing up from the cellar to put in a bracket or an outlet in the wall, it is customary to take off the baseboard. This not only takes a lot of time but may result in injury to the baseboard or to the plastering.



METHOD OF SLOTTING BASEBOARD TO FISH UP WALL.

SHOWCASE Lighting



No. 80 for T-6½ intermediate base lamp. Length, 8½"; width, 1¾"; height, 1¾".



No. 90 for T-10 Standard base lamp. Length, 9"; width, 2½"; height, 1¾".



No. 96 for Standard lamps to 60 watt. Length, 9"; width, 4¾"; height, 3½".



No. 121 for Standard lamps to 100 watt. Length, 12"; height, 4½"; width, 5½".


REFLECTOR **DAY-BRITE** COMPANY
5825 Lucile Ave. - Saint Louis

What he does is to remove the quarter round from the junction of floor and baseboard, and chisel a hole through the baseboard being careful that this hole will not show above the quarter round when same is replaced. It can, however, be made plenty wide.

Coil Winding Wire Spindle

A self-adjusting portable coil winding wire spindle has been built by, and is being used in the shop of Roberts & Kanze, industrial specialists in New York City.


The spindle, illustrated herewith, is



THREADING COIL WINDING SPINDLE

rigidly constructed of angle iron on which are mounted a number of shafts. The top shaft shown in the illustration is held in place by thumb-screws as it holds the spool of wire and should be easily removable.

Each of the lower shafts contains a pulley which is allowed to run freely



SPINDLE IN USE WITH COIL WINDER



Enlarging a knockout for a ¾" conduit in an outlet box.


Cut Your Enlarging Hours to Minutes

Contractors, now you can quote lower on every job that requires the enlarging of knockouts. You can reduce your cutting time from hours to minutes, by using the Greenlee Knockout Tools. These tools will enlarge holes in metal in one minute or less per hole, doing away with all drilling, reaming and filing. One of the big reasons for their popularity is that they can be put in the most inaccessible places with the assurance that the hole will be enlarged in practically no time at all. Fill in the coupon and mail at once. These tools pay for themselves very quickly.



The Knockout Punch cuts holes to fit ½, ¾, 1, 1½, and 2-inch conduit. Note that operation requires only a common wrench.

The Knockout Cutter, shown to the right, will cut holes in metal up to ⅛-inch thick. It cuts holes to fit 1½, 2, 2½, and 3-inch conduit. Enlarging is done by cutting, the power being applied by screw action.




GREENLEE TOOL CO. Rockford, Illinois

Please send me complete information on your Knockout Tools.

Firm
Name
Street
City
Jobber or Dealer

"It has a grip like its namesake"



Split Knobs

THESE are the safe, approved knobs for all types of residence wiring. They mean better jobs at no added cost. Bull Dog Split Knobs, together with Illinois Porcelain Tubes, Cleats and Solid Knobs form a complete line of standard porcelain.



Sold Through Wholesalers


Illinois Electric Porcelain Co.
Macomb, Illinois

on its shaft. The wire is threaded through these pulleys as shown which cause just sufficient tension on the wire for proper winding.

The device can be easily moved to any desired position and works well with power drive winding machines.

Feed Switches Through Gutters

In wiring health unit No. 6 of the city of Boston, Mass., the Barnes-Pope Co. of that city made a 15 percent saving in feeding the safety



THE USE OF GUTTERS IN FEEDING LIGHT AND POWER SWITCHES.

switches for light and power distribution through iron gutters or troughs as illustrated. The cutting and fitting of conduit was thus eliminated and a neat looking job resulted.

The quality of the installation was also improved by mounting the switches and troughs on angle iron frame rigidly attached to the wall.

Raising a Motor to the Ceiling

Every now and then an electrical contractor is required to raise and fasten an electric motor to the ceiling. The usual method is to cut a hole in the floor and ceiling and raise the motor by means of a hoist erected on the floor above.

In many cases, however, the contractor is not permitted to cut a hole in the ceiling. The raising of the motor then becomes a problem and the job at best is a tedious one. James Hunter, superintendent of the Bison Electrical Co., Buffalo, N. Y., used the method illustrated herewith and states that it is the most successful

"WHO'S MAKING MONEY—NOW?"



I AM!

SEE HOW
IN THE
W. B. B.

AND SO CAN
YOU IF YOU
DO LIKE I DO!

Alert Contractors who apply business building ideas and plans featured in each issue of Wiremold Business Builder are making money and getting plenty of jobs to do.

IF YOU ARE NOT READING EVERY ISSUE YOU ARE LOSING MONEY!

It's free to Contractors, you know. Send your name for mailing list—NOW!

WIREMOLD

WBB HEADQUARTERS
HARTFORD, CONNECTICUT

KNOX

GENUINE
BAKELITE
TRADE MARK REG. U.S. PAT. OFF.

WEATHERPROOF
SOCKET
IS
SUPREME—
Accept no
substitute



WORTHY OF ITS NAME

The KNOX GENUINE BAKELITE WEATHER-PROOF SOCKET is built to withstand the most severe weather conditions.


Whether you have a temporary job of decorating or a permanent installation insist on KNOX SOCKETS—Safety and Satisfaction Guaranteed.

Sold Through Jobbers
Everywhere

**KNOX PORCELAIN
CORPORATION**
KNOXVILLE · · · TENN.

method that this company has found for doing this job.

As shown in the sketch a block and fall is attached to the ceiling on each




METHOD OF HOISTING MOTOR TO CEILING

side of the inverted motor. The upper pulleys are set far enough apart to clear and allow the motor to be raised almost flush. Naturally, the holes must be drilled and the bolts for the motor must be ready for quick work after the motor is raised.

Storing Small Parts

Every shop must have some systematic method of stocking small parts such as locknuts, bushings, covers, fuses, etc. Yet not every shop is large enough to use a stock clerk who knows where everything is kept. To facilitate the finding of these parts, A. W. Brown, Brooklyn, N. Y., formerly labeled his boxes containing small electrical parts. He discovered, however, that workmen take much less time in finding parts if a sample is wired to the face of the box, as shown in the photo.



SAMPLES WIRED TO THE FRONT OF THE STORAGE BOXES MAKE IT EASIER TO FIND SMALL PARTS.

Make Money and Save Money

Money-makers for contractors because they can be kept busy installing **SORGEL Air-Cooled Transformers** that save money for industrials. This is done by supplying the best suited voltages for **lighting and each type apparatus**, from A.C. power circuits.

Stock **1/4 to 50 KVA.** Single phase
 Sizes **2-phase**
 Other sizes built to order **3-phase**
 110, 220, 440 and 550 Volts

Because they're **Air Cooled**, they can be installed easily and economically inside of buildings, in any convenient place, without fire-proof vaults or other enclosures. No oil. No upkeep.


SORGEL ELECTRIC CO.

Clybourn & N. Plankinton, Milwaukee, Wis.

SORGEL
AIR-COOLED
TRANSFORMERS

Approved by
Underwriters

With
Conduit
Connections



3-phase unit

See Our New Catalog!



There are many new and interesting items and helpful ideas in our Catalog No. 4. Turn to page 23 and note the variety of ways you can use Q-D Rectangular Angle Reflectors. Three types interchangeable fittings: horizontal, vertical and outlet box. All are obtainable with pull or keyless medium sockets. Mogul sockets in horizontal and vertical type for lamps 300 to 500 Watts.

The interchangeable features, flexibility and new ideas embodied in the Quad line evidence the alertness of our designers and engineers in meeting modern needs.

QUADRANGLE MANUFACTURING CO.

30 S. Peoria Street

Chicago, Illinois



Q-D Rectangular Angle Reflector and Fittings. Porcelain enameled green outside, white inside. Lamp size 50 to 500 Watts.

QUAD
LIGHTING UNITS



Eliminates triple handling—unwinding—measuring and rewinding wire, thus saving time and money. Manually operated—reels wire into neat coil, automatically counting and registering number of feet. Strongly built of heavy selected materials so as to last a lifetime.

It Pays for Itself



Send for bulletin.
Write us or your jobber.

**Minneapolis Electric
and Construction Co.**

80 S. 12th St.
Minneapolis Minn.

TRANSFORMERS

"That Land Jobs"



Adequate buying information is the first essential of successful bidding.

Whether the job calls for a transformer to ring a single house bell or one to transform high tension voltages in a big industrial plant there is a STANDARD TRANSFORMER to take care of it.



Built right and priced right to help you land the job.

It will pay you to have a copy of our latest catalog on hand. Send for it now. Use the coupon below.

Standard

"Standardize with Standard"

CLIP AND MAIL COUPON TODAY

**The STANDARD TRANSFORMER CO.
WARREN, OHIO**

Kindly send me bulletins describing and illustrating your complete line of "Standard" Transformers.

Name.....
Address.....
City..... State.....

Birmingham Cooperates

(Continued from page 21)

merely the installation of the fixture itself.

In early May we were advised by the utility that the price that we made them on installing a meter loop and refrigerator receptacle, which amounted to \$22.00, was more than they could stand on the sales of these appliances. Therefore, a reduction was granted by changing the circuit price from \$10.00 to \$6.00, clearly stating in the letter that the price contemplated meeting the minimum requirements of the National Board of Fire Underwriters. After some receptacles were installed on this basis, we were notified by the Birmingham Electric Co. that our agreement was to install a separate circuit and that these receptacles which had been installed on another circuit would have to be re-wired, which of course meant that we had to discontinue the handling of the work. The Birmingham Electric Co. then made efforts to have it handled outside at a less price. This, we found out, was being let out by them on a basis of \$9.00 for meter loop and \$9.00 for the receptacle. Contractors outside of the association soon found that they could not make a go of it at this price on the combination.


During the latter part of June our association decided that they could no longer handle the Birmingham Electric work on prices previously agreed upon, and we proceeded to set up new prices based on actual costs, which we desired to start in with on the first of July. We asked for a meeting with the Birmingham Electric, which was granted. We went over in detail the costs and submitted prices that would give a fair profit to the contractors. We were confronted, however, with the statement by the Birmingham Electric Co. that some of the members were anxious to continue the work at the old prices, which necessitated our return to the association, where it was discovered that no such statement had been made by members. Under difficulties of this character we proceeded for some two weeks, during which time we found out where most of the trouble was and by both sides being fair-minded, laying our cards on the table, our difficulties were straight-

TRADE PAINE MARK

PAINE SPRING WING TOGGLE BOLT

**WORK INSTANTLY
IN ANY POSITION**

**THE MOST PRACTICAL BOLT
FOR ATTACHING ANYTHING
TO HOLLOW WALL OR
CEILING**



Seven Sizes Bolts—6-32 to 1/2" inclusive—Any Length—Any Style Head—Plain, Nickel Plated, Chromium Plated or Galvanized.

**SEND FOR FREE SAMPLES
AND PRICES**

THE PAINE COMPANY

2945 CARROLL AVE. CHICAGO, ILL.
79 BARCLAY ST. NEW YORK, N. Y.

Beating Competition with Brains

Competition is tough in the electrical contracting business these days; and every day it gets worse. Successful contractors have found they can beat fly-by-night competition best by using their brains, and by educating their responsible employees. You can help your head men to keep abreast of the times and save you money by sending each his own copy of **ELECTRICAL CONTRACTING**.

**TOO USEFUL
TO BE
WITHOUT**



Bending capacity $\frac{3}{4}$ " pipe

Folded will pass through a 10" opening.

Height 36"
Weight 32 lbs.

You cannot be sure that you will not need a vise on any job so when attached to the "Handy Andy" Vise Stand you can have it with you ready for instant use at all times. The "Handy Andy" Vise Stand accommodates hinged or chain vises without drilling. Bends $\frac{3}{4}$ " pipe or conduit. Has no loose parts. Instantly set up or moved. Fully guaranteed. Accept no substitutes. Order from your jobber.

"HANDY-ANDY"
VISE STAND
WESTERN WIRE PRODUCTS CO.
3rd and Spruce Sts.
ST. LOUIS, MO. U. S. A.

**When Things
Go Wrong
-ELECTRICALLY-**

Use the Practical
POCKET-TESTER



**Test-
-Lite**

Pat. Oct. 21 '30
No. 1,718,863

**DETECTS
FAULTS**

In Light and Motor Circuits,
Spark Plugs, Household
Appliances

Tests Any Voltage Between
100 and 550 A. C. or D. C.—No
Switches Required

L. S. BRACH MFG. CORP.
NEWARK, N. J. TORONTO, CAN.

\$1.50

ened out and the new price schedule set up, as shown in the accompanying table. Since that time these prices have been in effect with very satisfactory results from both sides as far as we have been able to determine.

In October we arrived at prices for Ivanhoe and Graybar units, as shown in one of the accompanying tables, whereby the Birmingham Electric would sell these units and place orders with the contractors for their purchase and installation.

Our method of handling this work, which has required some several months to work into its present state, was the giving by the association of unit prices on different items to the Birmingham Electric Co. We gave them a bond covering the full amount of all work done, this bond being signed by all members of the association individually. The Birmingham Electric Co. was given the names of certain contractors to handle certain classes of work and they send the orders direct to the contractors, this method having proved a very satisfactory way of handling the business.

The spirit of co-operation that has been manifested between the employees of the utility and the members of the association has been remarkable when one stops to think that during the first two months of this year there were no relations at all between the two, each side looking on the other as someone to be ignored entirely with the exception of always keeping a watchful eye on him. I feel that we have made a great step forward in our relation between the contractor and the utility, and frankly feel that it is just a beginning.



OLD WORK SPECIALIST:—W. F. Booth of the Liberty Electric Co., Pittsburgh, Pa., bought out his partner only a year ago, yet has built up a substantial volume consisting chiefly of remodeling, repairs, extra outlets, etc.

Buy from your jobber




Now . . . the KLEIN Torch and Furnace

The Klein Torch has already proved its value in the electrical field, due to its extreme simplicity and rugged construction. If you are not familiar with the Klein Torch it will pay you to investigate.

Mathias KLEIN & Sons
Established 1848
3200 BELMONT AVE., CHICAGO

**"Tell
Em"**



**„Sell
Em"**

Right Now!

There are hundreds of live prospects in your community for

SAFEGUARD ALARMS

Rings when circuit is broken. For fire, incubators, brooders, stopped voltage, burglary, etc.

You'll be surprised how easy it is to get Safeguard Alarm business. Get started today by sending for our sales booklet.

Clip and Mail Now

WM. E. PFEIFFER CO.
Safeguard Alarms
205 Pearl St.
Council Bluffs, Iowa

Gentlemen: Please send me Safeguard Alarms Booklet.

Name

Address

City..... State.....

Manufacturers News

A department for the announcement of activities of manufacturers that are of interest to contractors, such as changes in executive personnel, branch offices, new products, etc.

Acquires Stanley & Patterson Supply Department

Westinghouse Electric Supply Co., distributing subsidiary of Westinghouse Electric & Mfg. Co., Pittsburgh, Pa., announces the purchase of the electrical supply distributing business of Stanley & Patterson, Inc., exclusive of the signal and radio manufacturing branches of the business.

George Patterson, president of Stanley & Patterson, will retain control of the company, while a new company, the Stanley & Patterson Electric Supply Co. will be formed by Westinghouse to carry on the wholesale business in the metropolitan area.

Trumbull Reorganizes Pacific Coast Factories

The Trumbull Electric Mfg. Co., Plainville, Conn., announces that the A. G. Electric Mfg. Co. will hereafter be known as the Trumbull Electric Mfg. Co., Pacific Division, with manufacturing plants located at Seattle and Los Angeles. The headquarters of this company are at 432 Fourth Street, San Francisco, under the management of H. F. Yost.

G. E. Co. Elects Vice-Presidents

The General Electric Co. Schenectady, N. Y., announces that T. K. Quinn of Cleveland and Charles E. Wilson of Bridgeport have been elected vice-presidents; H. H. Barnes, Jr., of New York, has been made commercial vice-president in charge of the New York district and J. L. Buchanan of Bridgeport has been named president of the General Electric Supply Corp.

It was also announced that vice-president Charles E. Patterson, in

charge of the merchandise department and Cummings C. Chesney, vice-president in charge of manufacturing, had retired.

P. B. Zimmerman of Cleveland will succeed Mr. Quinn as manager of the Cleveland office.

NEMA Appoints Two Chairmen for 1931

R. W. E. Moore, engineering manager of association activities of the Westinghouse Electric & Mfg. Co. has been appointed chairman of the Standards Committee of National Electrical Manufacturers Association for 1931.

L. F. Adams, commercial engineer of General Electric Co. will serve as chairman of Casualty and Fire Prevention Committee of NEMA for the same period.

Issues Color Card for Flexible Cord

As a helpful step in standardization the Flexible Cord Group of the National Electrical Manufacturers Association have just issued a NEMA standard color card for flexible cord. This card contains samples of colored cotton and rayon braids, fourteen colors of each, together with corresponding color names and numbers.

For cotton the colors are white, gray, old brass or oak, yellow, orange, light brown, olive, green, medium brown, dark brown, red maroon, blue and black. More satisfactory shades have been substituted for numerous colors.

The rayon colors are white, gray, old brass, yellow, rose, old gold, tiffany, green, olive, red, maroon, blue, brown and black.

Each purchaser needs only one kind of card. The cards are 3½ and 6½ in. in size and are durably made.

General Electric Lighting Institute

A general course in illuminating containing the groundwork in fundamentals and including new lighting factors will be discussed by specialists at the General Electric Lighting Institute, Cleveland, on February 2 to 7. Lighting problems to be discussed include factories and workshops; stores and show windows; offices; schools; homes; streets and highways; floodlighting; decorative; signs; airports and sports.

Also several problems will be worked out by students to give them experience and confidence in actual illumination design.

The All-Steel Equip Co., Aurora, Ill., has issued a new catalog on steel boxes. This booklet contains illustrated descriptions of a complete line of cut-out boxes, flush cabinets, pull boxes, wiring troughs, special boxes, fuse cabs, guttered and weatherproof cabinets.

A booklet describing "Velvaton Door Chimes" has just been published by the Electric Signal Co., Ltd., Los Angeles, Calif. This booklet fully describes and illustrates the different styles and sizes of these door chimes, together with specifications for installation of same.

General Cable Corp., New York City, manufacturers of "Alectral" insulated aluminum wires and cables, has published a 16-page booklet, describing in detail the basic facts concerning the aluminum conductors of Alectral wires and cables; the basic considerations in the application; specific examples of applications and jointing technique, fittings and accessories.

**Improved
in 10
ways**



**All
Steel**

ARMSTRONG Pipe Wrench

Improved features include: No cast "frame" (nut housing). Nut cannot fall out even with jaw removed. Heavy forged-in lugs reinforced by recessed nut take up side strain. Ball and socket nut with extra large bearing socket. Improved spring action. Handle strongest (instead of weakest) at point of greatest strain. Self-cleaning action. Replaceable lower jaw. No projections below the line of handle. Balance—unusually handy. One of the Better Pipe Tools.

Write for
Catalog
B-27

ARMSTRONG BROS. TOOL CO.
"The Tool Holder People"
341 N. Francisco Ave.
Chicago, U. S. A.

ARMSTRONG BROS.

HOLTZER-CABOT ELECTRIC COMPANY

Manufacturers of

Electrical Signaling Systems

for

Hospitals

Schools

Public Buildings

Industrial Plants

Banks

The Holtzer-Cabot Electric Co.
Boston Chicago

Sales Offices:
Chicago New York Baltimore
Philadelphia Pittsburgh Cleveland
Syracuse Detroit Minneapolis
San Francisco Los Angeles

PIONEER MANUFACTURERS OF
COMPLETE SIGNALING SYSTEMS

Harry Albert Hammond

Harry Albert Hammond, district sales manager of the New York metropolitan district for General Cable Corp., New York City, passed away January 1 at New York.

Mr. Hammond, for many years, had been connected with the Rome Wire Co., before it became a division of the General Cable Corp., and for a number of years resided at Rome until he was transferred to the New York office.

The following bulletins have been issued by General Electric Co., Schenectady, N. Y.: GEA-140A superseding GEA-140, entitled "Hand Starting Compensators"; GEA-841A, "Magnetic Switch"; GEA-579B superseding GEA-579A, "Automatic Full-Voltage Controllers for Synchronous Motors"; GEA-1321, "Air-cooled Transformers for Railway Signal Service"; GEA-1326 superseding GEA-724B and GEA-808A, "Totally Enclosed, Fan-cooled Induction Motors"; GEA-727B superseding GEA-727A, "Hesitating Control Relays for D-c Circuits"; GEA-1193A superseding GEA-1193, "Automatic Switchgear"; GEA-721, "Indoor Bus Supports"; GEA-959B superseding GEA-959A, "Type FKR-155 Oil Circuit Breakers," and GEA-372A superseding GEA-372, "Explosion Chambers."

New Commercial Vice-President for Westinghouse

Claxton E. Allen, formerly manager of the southwestern district of the Westinghouse Electric & Mfg. Co. was recently elected commercial vice-president, with headquarters at Pittsburgh, reporting to W. S. Rugg, vice-president in charge of sales.

Mr. Allen has been associated with the Westinghouse Co. since 1909, at which time he was head of the transformer division of the detail and supply department. Three years later he was appointed assistant to manager of that department. He was also attached to the sales department of the New York district office; was manager of the supply division and central station division of the Chicago office, and in 1922 was appointed manager of the St. Louis district office, which position he held until his present appointment.



FAST SAFE SURE



SRK

Patented

WIRE CONNECTORS

Make wire connecting jobs much faster, surer and safer.

For reliability and efficiency you can find nothing to equal JIFFY WIRE CONNECTORS.

Approved by

Underwriters
Laboratories

Factory Mutual
Laboratories

Samples Sent on Request

JIFFY WIRE CONNECTOR CO. HACKENSACK, N. J.

General Sales Office
C. DENN MONTGOMERY, Jr.
458 Broadway, New York City
Phone CAnal 6-7533 and 6-6186



Solder Dipper



Nipple Chuck



Box Cutter

"Jiffy" TOOLS

Reduce Costs

Save Time, Labor, Money

Find Out for yourself. Order any of the tools illustrated at the left. If you are not entirely satisfied return them at our expense.

Fair enough?

A Bulletin describing the complete line in detail will be mailed upon request. Fill in the coupon below or send in your order ON APPROVAL.

ESTABLISHED 1915

The Jiffy Line

Paul W. Koch & Company
20 N. Wacker Drive, Chicago

☐ Send information regarding free trial.
☐ Send the "Jiffy Line" Bulletin.

Name.....

Firm.....

Street.....


Address.....

2-31

New Electrical Products



The Marbelite Art Products Co., Chicago, announces a street lighting unit with reflectors on top and bottom to accommodate P.S.35—300 watt, P.S.40—500 watt and P.S.52—750, 1000 and 1500 watt lamps. The top reflector is adjustable to throw light in any direction. Unit is made of aluminum with wired glass panels and lifting door top.



A utility receptacle and outlet box has been designed by the National Electric Products Corp., Pittsburgh, Pa., known as catalog No. 60. The box has angle back and angle connector. A 15-amp. 125 volt—10 amp. 250 volt super-bakelite receptacle has face formed to provide automatic locating and centering of rugged T-slot terminals. Unit takes either armored or non-metallic sheathed cable. Wide brass flange with satin-mat finish completely covers opening.



The William E. Pfeiffer Co., Council Bluffs, Iowa, is manufacturing a utility alarm which is an alarm unit of closed circuit principle designed to meet many needs for fire and burglary protection. This unit uses dry cells or high-line current. One of the features of this alarm is the cutting, breaking or "shorting" of the wire in circuit interrupting the current and starting alarm bell ringing.



American Playground Device Co., Anderson, Ind., is marketing the American floodlight equipped with a sliding socket to handle 300, 500, 750 or 1000-watt bulbs allowing focal points always to center of reflector. Another feature is ventilation by placing lamp socket in sliding tube, which carries out all heat generated by lamps. The reflector and adjustable socket are made of aluminum and galvaneal.



Pass & Seymour, Inc., Syracuse, N. Y., announces a porcelain screw ring receptacle with cupped back for use with lighting fixtures and outlet boxes. A standard Edison base key socket body, consisting of double pole movement and Bakelite key is also announced.



The Arrow Electric Division, Arrow-Hart & Hegeman Electric Co., Hartford, Conn., announces radio outlet No. 2145 for radio connections. This bakelite unit has aerial, ground and power connections from a one-gang outlet, fits all standard-depth wall boxes, takes standard bakelite duplex receptacle plates; it has firm, positive contacts and a divider plate keeps aerial-ground and power circuits separated in wall box. Aerial, ground and power connections are plainly marked on receptacle and aerial and ground plug has blades set at angle preventing insertion in power slots of receptacle.



A manually operated 2 h. p. switch with thermostatic overload protection is announced by the Trumbull Electric Mfg. Co., Plainville, Conn., rated at 110-550 volt a.c. 10 amp., 2 and 3 pole, enclosed in a box 5½ in. wide by 7¾ in. high by 5-1/6 in. deep. Among some of the features of this switch are front operated; slow make, quick break; drawn steel boxes; single moulded base; switch trips free from handle; bottom hinge cover and one ½ in. by ¾ in. concentric knockout in each side, each end and rear. Overload protection is provided by heater units readily interchanged from front of switch.



Superba lighting panels composed of bakelite units of curved design is announced by Bull-Dog Electric Products Co., Detroit, Mich. The Superba panel is of dead front type with individual doors over fuse compartments, which are an integral part of the face plates or unit covers. The construction of this panel permits ready change of circuit connections for both voltage and phase, without removing the door and trim or disturbing wiring connections. Cartridge fuse type Superba panels incorporate a fuse ejector feature for removal of cartridge fuses. Bakelite unit covers can be furnished in a variety of colors.

SILVEY HICKEYS

Won't Slip, Crush nor Kink



Made in 1/4", 3/8", and 1-in. sizes. Patented.

A deep groove on the inside of the bend removes pressure where pipe is shortening and thickening; allows it to flow outward instead of pushing it inward. Compare its work with work done by any other hickey. Get a set. Your money back if you're dissatisfied for any reason. Thousands sold without complaint. Electricians swear by it.

Ask Your Jobber

Jobbers everywhere have Silvey Hickeys in stock. If yours will not supply you, we will ship direct.

SILVEY PIPE BENDER COMPANY
2125 Brighton Ave. Kansas City, Mo.

MARTIN



Portable
Vise Stand
and
Pipe Bender

Made in
Two Sizes

—small stand
with chain vise
2 in. cap.; with
clamped vise 3 1/2
in. capacity. —
Large stand
with chain vise
4 in. cap.; with
clamped vise 4 1/2
in. capacity.

Do away with that
make-shift bench
Garry is a
MARTIN with you
anywhere... A gen-
uine time saver for
cutting and thread-
ing pipe or conduits
up to 2 1/2 in. Sold on
approval. Write
today.



H. P. MARTIN & SONS
Owensboro, Ky.

E-Z WIRE STRIPPER

A HANDY TOOL



This inexpensive tool
strips wire of 10 to 20
gauge 20 times faster
than usual methods.

A MONEY BACK
GUARANTEE with
every E-Z Wire Strip-
per. Send for yours
now.

\$5.00 LIST

PYRAMID PRODUCTS CO.

2315 South State Street

Chicago, Ill.

Keep Up-to-Date

By reading these pages you will
acquaint yourself with what is
newest and best in electrical
supplies and equipment.
When communicating with an
advertiser mention

Electrical Contracting

Lighting Standard and Pole Booklets

Supplementing the library for the
lighting specialist are the following
bulletins published by the Union
Metals Mfg. Co., Canton, Ohio:
"Ornamental Street Lighting," a
booklet of illustrations showing
numerous applications of various
types and designs of street lighting
standards; "Ornamental Street Light-
ing Design, Book No. 101," showing
illustrations of various types of
standards and brackets and diagrams
of installation methods; "Detroit—
City of Light," a booklet illustrating
the types of units and methods em-
ployed in lighting Greater Detroit;
"America's Finest Families of Light-
ing Standards," a booklet illustrating
various types of standards and giving
construction details and detailed
dimensions; "Fluted Steel Poles for
Distribution and Transmission," a
booklet illustrating various types of
poles and giving data as to methods
of anchorage, construction of founda-
tions, examples on how to select
proper poles, deflection tables and
graphs of sag and tension of double
trolley span wires; and "Exterior
Lighting Fixtures," illustrating and
giving specifications on various types
of outdoor lighting standards.

Welded Products Corp., Kansas
City, Mo., has published a new cata-
logue illustrating and describing
"Welco" products, including Electro-
Kabinets, spot-welding machines, etc.

Classified Advertising

Position Wanted: Thoroughly expe-
rienced man capable of taking charge of
department with reliable firm doing wiring
and fixture work on old and new homes or
apartments. Willing to locate anywhere.
Address Box 231, Electrical Contracting,
520 No. Michigan Ave., Chicago.

Position Wanted: Electrical estima-
tor and sales engineer desires connection
with first-class organization. Make own lay-
outs and supervise. Address Box 232, Elec-
trical Contracting, 520 No. Michigan Ave.,
Chicago.

Capable Executive with background
of 20 years activity in association work,
who can survey and analyze local situa-
tions and produce results, desires connec-
tion as manager of local group. Address
Box 233, Electrical Contracting, 520 No.
Michigan Ave., Chicago.

Position Wanted: Man with fifteen
years experience conducting contractor-
dealer business capable of handling any
detail of either contracting or merchan-
dising branch of business desires position
with substantial going concern. Excep-
tional ability in managing and promotional
work. Will consider any offer indicating
a future. Address Box 234, Electrical
Contracting, 520 No. Michigan Ave., Chi-
cago.



SHERMAN SET SCREW CONNECTORS

Made from solid brass rod by
Sherman Precision Method. Furnished
in 14 different sizes. Each size
plainly marked for easy stock keep-
ing and reordering.
Screws heavily rust proofed. Sher-
man Connectors can be used over and
over again.
Neatly boxed and plainly labeled.


ORDER FROM YOUR JOBBER

H. B. SHERMAN MFG. CO.
BATTLE CREEK, MICH.



Get

OUR PRICES



JACKSON REFLECTORS

You may be called in to figure on
a reflector job tomorrow. Play safe,
have our catalog and prices on
hand. Jackson prices and Jackson
quality will help you land the job.

Clip and Mail Today

JACKSON ELECTRICAL CO.
910 W. Van Buren St., Chicago

Please send me bulletin quoting your LOW
prices on standard quality reflectors.

Name.....

Address.....

City..... State.....

Every electrical man who has wiring jobs to handle should have these books



What the six big volumes of this Library offer you!

Terrell Croft prepared this subscription library for practical electricians. The six volumes bring to you exact step-by-step directions for the installation of every type of conduit wiring job—they tell you how to handle every kind of lighting circuit and switch problem—they give you short cuts to saving time on maintenance routine—they give you useful tips on electrical machinery erection—they offer you practical, clear explanations of all kinds of A.C. armature winding jobs—they bring you a thousand armature winding, electrical machinery, and control diagrams—they show you the surest, quickest methods of locating and remedying circuit troubles. They cover the countless problems you are confronted with daily.

More than 1,000 wiring diagrams—

The thousand wiring diagrams in these six books are alone worth the price of the entire library to any practical electrician. Many of these diagrams are unobtainable elsewhere; many more are very hard to get from any other source; all of them are much clearer and more helpful than most wiring plans available. They include:

- 300 lighting circuit diagrams, and a number of other practical working drawings
- 300 conduit-wiring diagrams
- 9 single-phase armature winding diagrams
- 52 two-phase armature winding diagrams
- 100 three-phase armature winding diagrams
- 570 electrical machinery and control wiring diagrams

This Library contains all the useful hows and whys and wherefores for wiremen, trouble shooters, armature winders, electrical maintenance men, and electrical contractors. It gives you the practical information that has earned for these books the friendship of countless successful electrical workers. With these six books you'll step ahead faster and you'll go further than the man who relies on his own limited experience.

THOUSANDS of men in every part of the country are using the six big books of the American Electricians' Library to make their work easier and to push themselves ahead. If you, too, are determined to go further in electrical work, no matter what your position is now, you are invited to examine the American Electricians' Library for 10 days without any obligation to purchase it. Furthermore, if after you have examined these books you decide that they can help you as they have helped countless others, you can have Braymer and Roe's *Rewinding Small Motors* absolutely free.

Terrell Croft's American Electricians' Library

\$1.50 in ten days and \$2.00 monthly for 8 months.

6 Volumes—over 2,000 pages—fully illustrated

Send no money—see these books for 10 days

Let us send you these fact-packed books for ten days' free examination. There is no charge for the examination—no obligation to buy the books unless you want them. These books have helped, and are helping, so many men that it is no longer a question of "Will they help you?"—the question is "Will you let them help you?"

We could fill several pages with arguments telling how so many thousands of men have profited by the American Electricians' Library. But we'd like to leave it to the books—and we'll stand or fall on the outcome of your examination. You will agree that this is a liberal offer; and, frankly, we couldn't afford it if this examination offer didn't usually convince. We know how good these books are—we want you to see them for yourself.

FREE!

if you act now

Braymer and Roe's **REWINDING SMALL MOTORS** comes to you absolutely free if you act now in getting your **AMERICAN ELECTRICIANS' LIBRARY**. This book will give you much practical information about rewinding all types and designs of fractional horse-power motors.

A Valuable Book Absolutely Free

After you have seen these books at your leisure—after you have used them in your work—decide whether or not they are going to help you. Then, return the books or remit only \$1.50 and then \$2.00 a month until \$17.50 has been paid. On receipt of your first payment Braymer and Roe's *Rewinding Small Motors* will be sent you absolutely free.

Fill in and mail this coupon now

McGraw-Hill FREE EXAMINATION COUPON

McGraw-Hill Book Co., Inc., 370 Seventh Ave., New York.

Gentlemen: Send me for 10 days' free examination, all charges prepaid, the **AMERICAN ELECTRICIANS' LIBRARY**, 6 volumes. If I find the books satisfactory, I will send you \$1.50 in ten days, and \$2.00 a month until the Special Price of \$17.50 has been paid. If they are not what I want I will return them. Upon receipt of my first payment you agree to send me free a copy of Braymer & Roe's *Rewinding Small Motors*.

Signature
Residence Address
City and State.....
Firm or Employer.....
Occupation..... E.C. 2-31

en
or
ks
d,
er
on
ng
oy
ke
all
ill
ve
n't
se
lf.

de
en,
en
On
e's
o-

1

1